

A

Selected Answers

1.1.1. $(2/3)x + (1/3)$

1.1.2. $y = -2x$

1.1.3. $(-2/3)x + (1/3)$

1.1.4. $y = 2x + 2$, 2, -1

1.1.5. $y = -x + 6$, 6, 6

1.1.6. $y = x/2 + 1/2$, 1/2, -1

1.1.7. $y = 3/2$, y -intercept: $3/2$, no x -intercept

1.1.8. $y = (-2/3)x - 2$, -2, -3

1.1.9. yes

1.1.10. $y = 0$, $y = -2x + 2$, $y = 2x + 2$

1.1.11. $y = 75t$ (t in hours); 164 minutes

1.1.12. $y = (9/5)x + 32$, $(-40, -40)$

1.1.13. $y = 0.15x + 10$

1.1.14. $0.03x + 1.2$

1.1.15. (a) $y = \begin{cases} 0 & 0 \leq x < 100 \\ (x/10) - 10 & 100 \leq x \leq 1000 \\ x - 910 & 1000 < x \end{cases}$

1.1.16. $y = \begin{cases} 0.15x & 0 \leq x \leq 19450 \\ 0.28x - 2528.50 & 19450 < x \leq 47050 \\ 0.33x - 4881 & 47050 < x \leq 97620 \end{cases}$

1.1.17. (a) $P = -0.0001x + 2$
(b) $x = -10000P + 20000$

1.1.18. $(2/25)x - (16/5)$

1.2.1. (a) $x^2 + y^2 = 9$
(b) $(x - 5)^2 + (y - 6)^2 = 9$
(c) $(x + 5)^2 + (y + 6)^2 = 9$
(d) $x^2 + (y - 3)^2 = 9$
(e) $x^2 + (y + 3)^2 = 9$
(f) $(x - 3)^2 + y^2 = 9$

1.2.2. (a) $\Delta x = 2$, $\Delta y = 3$, $m = 3/2$,
 $y = (3/2)x - 3$, $\sqrt{13}$
(b) $\Delta x = -1$, $\Delta y = 3$, $m = -3$,
 $y = -3x + 2$, $\sqrt{10}$
(c) $\Delta x = -2$, $\Delta y = -2$, $m = 1$,
 $y = x$, $\sqrt{8}$

1.2.6. $(x + 2/7)^2 + (y - 41/7)^2 = 1300/49$

1.3.1. $\{x \mid x \geq 3/2\}$

1.3.2. $\{x \mid x \neq -1\}$

- 1.3.3.** $\{x \mid x \neq 1 \text{ and } x \neq -1\}$
- 1.3.4.** $\{x \mid x < 0\}$
- 1.3.5.** $\{x \mid x \in \mathbb{R}\}$, i.e., all x
- 1.3.6.** $\{x \mid x \geq 0\}$
- 1.3.7.** $\{x \mid h - r \leq x \leq h + r\}$
- 1.3.8.** $\{x \mid x \geq 1 \text{ or } x < 0\}$
- 1.3.9.** $\{x \mid -1/3 < x < 1/3\}$
- 1.3.10.** $\{x \mid x \geq 0 \text{ and } x \neq 1\}$
- 1.3.11.** $\{x \mid x \geq 0 \text{ and } x \neq 1\}$
- 1.3.12.** \mathbb{R}
- 1.3.13.** $\{x \mid x \geq 3\}, \{x \mid x \geq 0\}$
- 1.3.14.** $A = x(500 - 2x), \{x \mid 0 \leq x \leq 250\}$
- 1.3.15.** $V = r(50 - \pi r^2), \{r \mid 0 < r \leq \sqrt{50/\pi}\}$
- 1.3.16.** $A = 2\pi r^2 + 2000/r, \{r \mid 0 < r < \infty\}$
- 2.1.1.** $-5, -2.47106145, -2.4067927,$
 $-2.400676, -2.4$
- 2.1.2.** $-4/3, -24/7, 7/24, 3/4$
- 2.1.3.** $-0.107526881, -0.11074197,$
 $-0.1110741, \frac{-1}{3(3 + \Delta x)} \rightarrow \frac{-1}{9}$
- 2.1.4.** $\frac{3 + 3\Delta x + \Delta x^2}{1 + \Delta x} \rightarrow 3$
- 2.1.5.** $3.31, 3.003001, 3.0000,$
 $3 + 3\Delta x + \Delta x^2 \rightarrow 3$
- 2.1.6.** m
- 2.2.1.** $10, 25/2, 20, 15, 25, 35$
- 2.2.2.** $5, 4.1, 4.01, 4.001, 4 + \Delta t \rightarrow 4$
- 2.2.3.** $-10.29, -9.849, -9.8049,$
 $-9.8 - 4.9\Delta t \rightarrow -9.8$
- 2.3.1.** 7
- 2.3.2.** 5
- 2.3.3.** 0
- 2.3.4.** undefined
- 2.3.5.** $1/6$
- 2.3.6.** 0
- 2.3.7.** 3
- 2.3.8.** 172
- 2.3.9.** 0
- 2.3.10.** 2
- 2.3.11.** does not exist
- 2.3.12.** $\sqrt{2}$
- 2.3.13.** $3a^2$
- 2.3.14.** 512
- 2.3.15.** -4
- 2.3.16.** 0
- 2.3.18.** (a) 8, (b) 6, (c) dne, (d) -2 , (e) -1 ,
(f) 8, (g) 7, (h) 6, (i) 3, (j) $-3/2$,
(k) 6, (l) 2
- 2.4.1.** $-x/\sqrt{169 - x^2}$
- 2.4.2.** $-9.8t$
- 2.4.3.** $2x + 1/x^2$
- 2.4.4.** $2ax + b$
- 2.4.5.** $3x^2$
- 2.4.8.** $-2/(2x + 1)^{3/2}$
- 2.4.9.** $5/(t + 2)^2$
- 2.4.10.** $y = -13x + 17$
- 2.4.11.** -8
- 2.5.2.** Yes; $M = 1$
- 2.5.3.** Yes; $M = 1$
- 2.5.4.** No
- 2.5.5.** No
- 2.5.6.** $-0.5 \text{ or } 1.3 \text{ or } 3.2$
- 2.5.7.** 0.2 or 1.3
- 3.1.1.** $100x^{99}$

3.1.2. $-100x^{-101}$

3.1.3. $-5x^{-6}$

3.1.4. $\pi x^{\pi-1}$

3.1.5. $(3/4)x^{-1/4}$

3.1.6. $-(9/7)x^{-16/7}$

3.2.1. $15x^2 + 24x$

3.2.2. $-20x^4 + 6x + 10/x^3$

3.2.3. $-30x + 25$

3.2.4. $6x^2 + 2x - 8$

3.2.5. $3x^2 + 6x - 1$

3.2.6. $9x^2 - x/\sqrt{625 - x^2}$

3.2.7. $y = 13x/4 + 5$

3.2.8. $y = 24x - 48 - \pi^3$

3.2.9. $-49t/5 + 5, -49/5$

3.2.11. $\sum_{k=1}^n ka_k x^{k-1}$

3.2.12. $x^3/16 - 3x/4 + 4$

3.3.1. $3x^2(x^3 - 5x + 10) + x^3(3x^2 - 5)$

3.3.2. $(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7) + (2x + 5)(x^5 - 6x^3 + 3x^2 - 7x + 1)$

3.3.3. $\frac{\sqrt{625 - x^2}}{2\sqrt{x}} - \frac{x\sqrt{x}}{\sqrt{625 - x^2}}$

3.3.4. $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$

3.3.5. $f' = 4(2x - 3), y = 4x - 7$

3.4.1. $\frac{3x^2}{x^3 - 5x + 10} - \frac{x^3(3x^2 - 5)}{(x^3 - 5x + 10)^2}$

3.4.2. $\frac{2x + 5}{x^5 - 6x^3 + 3x^2 - 7x + 1} - \frac{(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7)}{(x^5 - 6x^3 + 3x^2 - 7x + 1)^2}$

3.4.3. $\frac{1}{2\sqrt{x}\sqrt{625 - x^2}} + \frac{x^{3/2}}{(625 - x^2)^{3/2}}$

3.4.4. $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$

3.4.5. $y = 17x/4 - 41/4$

3.4.6. $y = 11x/16 - 15/16$

3.4.8. $y = 19/169 - 5x/338$

3.4.9. $13/18$

3.5.1. $4x^3 - 9x^2 + x + 7$

3.5.2. $3x^2 - 4x + 2/\sqrt{x}$

3.5.3. $6(x^2 + 1)^2 x$

3.5.4. $\sqrt{169 - x^2} - x^2/\sqrt{169 - x^2}$

3.5.5. $(2x - 4)\sqrt{25 - x^2} - (x^2 - 4x + 5)x/\sqrt{25 - x^2}$

3.5.6. $-x/\sqrt{r^2 - x^2}$

3.5.7. $2x^3/\sqrt{1 + x^4}$

3.5.8. $\frac{1}{4\sqrt{x}(5 - \sqrt{x})^{3/2}}$

3.5.9. $6 + 18x$

3.5.10. $\frac{2x + 1}{1 - x} + \frac{x^2 + x + 1}{(1 - x)^2}$

3.5.11. $-1/\sqrt{25 - x^2} - \sqrt{25 - x^2}/x^2$

3.5.12. $\frac{1}{2} \left(\frac{-169}{x^2} - 1 \right) / \sqrt{\frac{169}{x} - x}$

3.5.13. $\frac{3x^2 - 2x + 1/x^2}{2\sqrt{x^3 - x^2 - (1/x)}}$

3.5.14. $\frac{300x}{(100 - x^2)^{5/2}}$

3.5.15. $\frac{1 + 3x^2}{3(x + x^3)^{2/3}}$

3.5.16. $\left(4x(x^2 + 1) + \frac{4x^3 + 4x}{2\sqrt{1 + (x^2 + 1)^2}} \right) / 2\sqrt{(x^2 + 1)^2 + \sqrt{1 + (x^2 + 1)^2}}$

3.5.17. $5(x + 8)^4$

3.5.18. $-3(4 - x)^2$

3.5.19. $6x(x^2 + 5)^2$

3.5.20. $-12x(6 - 2x^2)^2$

3.5.21. $24x^2(1 - 4x^3)^{-3}$

3.5.22. $5 + 5/x^2$

3.5.23. $-8(4x - 1)(2x^2 - x + 3)^{-3}$

3.5.24. $1/(x + 1)^2$

3.5.25. $3(8x - 2)/(4x^2 - 2x + 1)^2$

3.5.26. $-3x^2 + 5x - 1$

3.5.27. $6x(2x - 4)^3 + 6(3x^2 + 1)(2x - 4)^2$

3.5.28. $-2/(x - 1)^2$

3.5.29. $4x/(x^2 + 1)^2$

3.5.30. $(x^2 - 6x + 7)/(x - 3)^2$

3.5.31. $-5/(3x - 4)^2$

3.5.32. $60x^4 + 72x^3 + 18x^2 + 18x - 6$

3.5.33. $(5 - 4x)/((2x + 1)^2(x - 3)^2)$

3.5.34. $1/(2(2 + 3x)^2)$

3.5.35. $56x^6 + 72x^5 + 110x^4 + 100x^3 + 60x^2 + 28x + 6$

3.5.36. $y = 23x/96 - 29/96$

3.5.37. $y = 3 - 2x/3$

3.5.38. $y = 13x/2 - 23/2$

3.5.39. $y = 2x - 11$

3.5.40. $y = \frac{20 + 2\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}x + \frac{3\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}$

4.1.1. $2n\pi - \pi/2$, any integer n

4.1.2. $n\pi \pm \pi/6$, any integer n

4.1.3. $(\sqrt{2} + \sqrt{6})/4$

4.1.4. $-(1 + \sqrt{3})/(1 - \sqrt{3}) = 2 + \sqrt{3}$

4.1.11. $t = \pi/2$

4.3.1. 5

4.3.2. 7/2

4.3.3. 3/4

4.3.4. 1

4.3.5. $-\sqrt{2}/2$

4.3.6. 7

4.3.7. 2

4.4.1. $\sin(\sqrt{x}) \cos(\sqrt{x})/\sqrt{x}$

4.4.2. $\frac{\sin x}{2\sqrt{x}} + \sqrt{x} \cos x$

4.4.3. $-\frac{\cos x}{\sin^2 x}$

4.4.4. $\frac{(2x + 1) \sin x - (x^2 + x) \cos x}{\sin^2 x}$

4.4.5. $\frac{-\sin x \cos x}{\sqrt{1 - \sin^2 x}}$

4.5.1. $\cos^2 x - \sin^2 x$

4.5.2. $-\sin x \cos(\cos x)$

4.5.3. $\frac{\tan x + x \sec^2 x}{2\sqrt{x \tan x}}$

4.5.4. $\frac{\sec^2 x(1 + \sin x) - \tan x \cos x}{(1 + \sin x)^2}$

4.5.5. $-\csc^2 x$

4.5.6. $-\csc x \cot x$

4.5.7. $3x^2 \sin(23x^2) + 46x^4 \cos(23x^2)$

4.5.8. 0

4.5.9. $-6 \cos(\cos(6x)) \sin(6x)$

4.5.10. $\frac{\sec \theta \tan \theta}{(1 + \sec \theta)^2} = \frac{\sin \theta}{(\cos \theta + 1)^2}$

4.5.11. $5t^4 \cos(6t) - 6t^5 \sin(6t)$

4.5.12. $3t^2(\sin(3t) + t \cos(3t))/\cos(2t) + 2t^3 \sin(3t) \sin(2t)/\cos^2(2t)$

4.5.13. $n\pi/2$, any integer n

4.5.14. $\pi/2 + n\pi$, any integer n

4.5.15. $y = \sqrt{3}x/2 + 3/4 - \sqrt{3}\pi/6$

4.5.16. $y = 8\sqrt{3}x + 4 - 8\sqrt{3}\pi/3$

4.5.17. $y = 3\sqrt{3}x/2 - \sqrt{3}\pi/4$

- 4.5.18.** $\pi/6 + 2n\pi$, $5\pi/6 + 2n\pi$, any integer
 n
- 4.6.1.** $7 \log_{10}(x+45) + \log_{10}(x-2)$
- 4.6.2.** $3 \log_2 x - \log_2(3x-5+(7/x))$
- 4.6.3.** $\log_2(3x(x-2)^{17}/(x^2+4x+1)^2)$
- 4.6.4.** 63^2
- 4.6.5.** $\pm\sqrt{3}$
- 4.6.6.** 9
- 4.7.1.** $2 \ln(3)x3^{x^2}$
- 4.7.2.** $\frac{\cos x - \sin x}{e^x}$
- 4.7.3.** $2e^{2x}$
- 4.7.4.** $e^x \cos(e^x)$
- 4.7.5.** $\cos(x)e^{\sin x}$
- 4.7.6.** $x^{\sin x} \left(\cos x \ln x + \frac{\sin x}{x} \right)$
- 4.7.7.** $3x^2 e^x + x^3 e^x$
- 4.7.8.** $1 + 2^x \ln(2)$
- 4.7.9.** $-2x \ln(3)(1/3)^{x^2}$
- 4.7.10.** $e^{4x}(4x-1)/x^2$
- 4.7.11.** $(3x^2+3)/(x^3+3x)$
- 4.7.12.** $-\tan(x)$
- 4.7.13.** $(1 - \ln(x^2))/(x^2 \sqrt{\ln(x^2)})$
- 4.7.14.** $\sec(x)$
- 4.7.15.** $x^{\cos(x)}(\cos(x)/x - \sin(x) \ln(x))$
- 4.7.16.** $\ln x + 1$
- 4.7.17.** $1/(x \ln(3x))$
- 4.7.18.** $\frac{1+\ln(16/3)}{x(1+\ln(4x))^2}$
- 4.7.19.** $\frac{-22x^3+537x^2+276x}{13824(2x-3)^9\sqrt{x-23}}$
- 4.7.20.** e
- 4.7.21.** $3e^{2/3}/(e+2)$
- 4.8.1.** x/y
- 4.8.2.** $-(2x+y)/(x+2y)$
- 4.8.3.** $(2xy - 3x^2 - y^2)/(2xy - 3y^2 - x^2)$
- 4.8.4.** $\sin(x)\sin(y)/(\cos(x)\cos(y))$
- 4.8.5.** $-\sqrt{y}/\sqrt{x}$
- 4.8.6.** $(y \sec^2(x/y) - y^2)/(x \sec^2(x/y) + y^2)$
- 4.8.7.** $(y - \cos(x+y))/(\cos(x+y) - x)$
- 4.8.8.** $-y^2/x^2$
- 4.8.9.** 1
- 4.8.12.** $y = 2x \pm 6$
- 4.8.13.** $y = x/2 \pm 3$
- 4.8.14.** $(\sqrt{3}, 2\sqrt{3}), (-\sqrt{3}, -2\sqrt{3}), (2\sqrt{3}, \sqrt{3}), (-2\sqrt{3}, -\sqrt{3})$
- 4.8.15.** $y = 7x/\sqrt{3} - 8/\sqrt{3}$
- 4.8.16.** $y = (-y_1^{1/3}x + y_1^{1/3}x_1 + x_1^{1/3}y_1)/x_1^{1/3}$
- 4.8.17.** $(y - y_1) = \frac{(x_1 - 2x_1^3 - 2x_1y_1^2)}{(y_1 + 2y_1^3 + 2y_1x_1^2)}(x - x_1)$
- 4.9.3.** $\frac{-1}{1+x^2}$
- 4.9.5.** $\frac{2x}{\sqrt[4]{1-x^4}}$
- 4.9.6.** $\frac{e^x}{1+e^{2x}}$
- 4.9.7.** $-3x^2 \cos(x^3)/\sqrt{1-\sin^2(x^3)}$
- 4.9.8.** $\frac{2}{(\arcsin x)\sqrt{1-x^2}}$
- 4.9.9.** $-e^x/\sqrt{1-e^{2x}}$
- 4.9.10.** 0
- 4.9.11.** $\frac{(1+\ln x)x^x}{\ln 5(1+x^{2x})\arctan(x^x)}$
- 4.10.1.** 0
- 4.10.2.** ∞
- 4.10.3.** 1

- 4.10.4.** 0 **4.10.36.** $1/2$
- 4.10.5.** 0 **4.10.37.** 5
- 4.10.6.** 1 **4.10.38.** $2\sqrt{2}$
- 4.10.7.** $1/6$ **4.10.39.** $-1/2$
- 4.10.8.** $-\infty$ **4.10.40.** 2
- 4.10.9.** $1/16$ **4.10.41.** 0
- 4.10.10.** $1/3$ **4.10.42.** ∞
- 4.10.11.** 0 **4.10.43.** 0
- 4.10.12.** $3/2$ **4.10.44.** $3/2$
- 4.10.13.** $-1/4$ **4.10.45.** ∞
- 4.10.14.** -3 **4.10.46.** 5
- 4.10.15.** $1/2$ **4.10.47.** $-1/2$
- 4.10.16.** 0 **4.10.48.** does not exist
- 4.10.17.** -1 **4.10.49.** ∞
- 4.10.18.** $-1/2$ **4.10.50.** $y = 1$ and $y = -1$
- 4.10.19.** 5 **4.11.2.** $\infty, \infty, 1, 0$
- 4.10.20.** ∞ **5.1.1.** min at $x = 1/2$
- 4.10.21.** ∞ **5.1.2.** min at $x = -1$, max at $x = 1$
- 4.10.22.** $2/7$ **5.1.3.** max at $x = 2$, min at $x = 4$
- 4.10.23.** 2 **5.1.4.** min at $x = \pm 1$, max at $x = 0$.
- 4.10.24.** $-\infty$ **5.1.5.** min at $x = 1$
- 4.10.25.** 1 **5.1.6.** none
- 4.10.26.** 1 **5.1.7.** none
- 4.10.27.** 2 **5.1.8.** min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
- 4.10.28.** 1 **5.1.9.** none
- 4.10.29.** 0 **5.1.10.** local max at $x = 5$
- 4.10.30.** $1/2$ **5.1.11.** local min at $x = 49$
- 4.10.31.** 2 **5.1.12.** local min at $x = 0$
- 4.10.32.** 0 **5.1.13.** Local min of 1 at every point of $[0, 1]$, local max of 1 at every point of $(0, 1)$.
- 4.10.33.** ∞
- 4.10.34.** $1/2$
- 4.10.35.** 0

- 5.1.16.** one
- 5.2.1.** min at $x = 1/2$
- 5.2.2.** min at $x = -1$, max at $x = 1$
- 5.2.3.** max at $x = 2$, min at $x = 4$
- 5.2.4.** min at $x = \pm 1$, max at $x = 0$.
- 5.2.5.** min at $x = 1$
- 5.2.6.** none
- 5.2.7.** none
- 5.2.8.** min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
- 5.2.9.** none
- 5.2.10.** max at $x = 0$, min at $x = \pm 11$
- 5.2.11.** min at $x = -3/2$, neither at $x = 0$
- 5.2.13.** min at $n\pi$, max at $\pi/2 + n\pi$
- 5.2.14.** min at $2n\pi$, max at $(2n+1)\pi$
- 5.2.15.** min at $\pi/2 + 2n\pi$, max at $3\pi/2 + 2n\pi$
- 5.3.1.** min at $x = 1/2$
- 5.3.2.** min at $x = -1$, max at $x = 1$
- 5.3.3.** max at $x = 2$, min at $x = 4$
- 5.3.4.** min at $x = \pm 1$, max at $x = 0$.
- 5.3.5.** min at $x = 1$
- 5.3.6.** none
- 5.3.7.** none
- 5.3.8.** min at $x = 7\pi/12 + n\pi$, max at $x = -\pi/12 + n\pi$, for integer n .
- 5.3.9.** max at $x = 63/64$
- 5.3.10.** max at $x = 7$
- 5.3.11.** max at $-5^{-1/4}$, min at $5^{-1/4}$
- 5.3.12.** none
- 5.3.13.** max at -1 , min at 1
- 5.3.14.** min at $2^{-1/3}$
- 5.3.15.** none
- 5.3.16.** min at $n\pi$
- 5.3.17.** max at $n\pi$, min at $\pi/2 + n\pi$
- 5.3.18.** max at $\pi/2 + 2n\pi$, min at $3\pi/2 + 2n\pi$
- 5.4.1.** concave up everywhere
- 5.4.2.** concave up when $x < 0$, concave down when $x > 0$
- 5.4.3.** concave down when $x < 3$, concave up when $x > 3$
- 5.4.4.** concave up when $x < -1/\sqrt{3}$ or $x > 1/\sqrt{3}$, concave down when $-1/\sqrt{3} < x < 1/\sqrt{3}$
- 5.4.5.** concave up when $x < 0$ or $x > 2/3$, concave down when $0 < x < 2/3$
- 5.4.6.** concave up when $x < 0$, concave down when $x > 0$
- 5.4.7.** concave up when $x < -1$ or $x > 1$, concave down when $-1 < x < 0$ or $0 < x < 1$
- 5.4.8.** concave down on $((8n-1)\pi/4, (8n+3)\pi/4)$, concave up on $((8n+3)\pi/4, (8n+7)\pi/4)$, for integer n
- 5.4.9.** concave down everywhere
- 5.4.10.** concave up on $(-\infty, (21 - \sqrt{497})/4)$ and $((21 + \sqrt{497})/4, \infty)$
- 5.4.11.** concave up on $(0, \infty)$
- 5.4.12.** concave down on $(2n\pi/3, (2n+1)\pi/3)$
- 5.4.13.** concave up on $(0, \infty)$
- 5.4.14.** concave up on $(-\infty, -1)$ and $(0, \infty)$
- 5.4.15.** concave down everywhere
- 5.4.16.** concave up everywhere
- 5.4.17.** concave up on $(\pi/4 + n\pi, 3\pi/4 + n\pi)$
- 5.4.18.** inflection points at $n\pi$, $\pm \arcsin(\sqrt{2/3}) + n\pi$

- 5.4.19.** up/incr: $(3, \infty)$, up/decr: $(-\infty, 0)$, $(2, 3)$, down/decr: $(0, 2)$
- 6.1.1.** max at $(2, 5)$, min at $(0, 1)$
- 6.1.2.** 25×25
- 6.1.3.** $P/4 \times P/4$
- 6.1.4.** $w = l = 2 \cdot 5^{2/3}$, $h = 5^{2/3}$, $h/w = 1/2$
- 6.1.5.** $\sqrt[3]{100} \times \sqrt[3]{100} \times 2\sqrt[3]{100}$, $h/s = 2$
- 6.1.6.** $w = l = 2^{1/3}V^{1/3}$, $h = V^{1/3}/2^{2/3}$, $h/w = 1/2$
- 6.1.7.** 1250 square feet
- 6.1.8.** $l^2/8$ square feet
- 6.1.9.** \$5000
- 6.1.10.** 100
- 6.1.11.** r^2
- 6.1.12.** $h/r = 2$
- 6.1.13.** $h/r = 2$
- 6.1.14.** $r = 5$ cm, $h = 40/\pi$ cm, $h/r = 8/\pi$
- 6.1.15.** $8/\pi$
- 6.1.16.** $4/27$
- 6.1.17.** Go direct from D to A .
- 6.1.18.** (a) 2, (b) $7/2$
- 6.1.19.** $\left(\frac{\sqrt{3}}{6}\right) \times \left(\frac{\sqrt{3}}{6} + \frac{1}{2}\right) \times \left(\frac{1}{4} - \frac{\sqrt{3}}{12}\right)$
- 6.1.20.** (a) $a/6$, (b) $(a + b - \sqrt{a^2 - ab + b^2})/6$
- 6.1.21.** 1.5 meters wide by 1.25 meters tall
- 6.1.22.** If $k \leq 2/\pi$ the ratio is $(2 - k\pi)/4$; if $k \geq 2/\pi$, the ratio is zero: the window should be semicircular with no rectangular part.
- 6.1.23.** a/b
- 6.1.24.** $w = 2r/\sqrt{3}$, $h = 2\sqrt{2}r/\sqrt{3}$
- 6.1.25.** $1/\sqrt{3} \approx 58\%$
- 6.1.26.** $18 \times 18 \times 36$
- 6.1.27.** $r = 5/(2\pi)^{1/3} \approx 2.7$ cm,
 $h = 5 \cdot 2^{5/3}/\pi^{1/3} = 4r \approx 10.8$ cm
- 6.1.28.** $h = \frac{750}{\pi} \left(\frac{2\pi^2}{750^2}\right)^{1/3}$, $r = \left(\frac{750^2}{2\pi^2}\right)^{1/6}$
- 6.1.29.** $h/r = \sqrt{2}$
- 6.1.30.** The ratio of the volume of the cone to the volume of the sphere is $1033/4096 + 33\sqrt{17}/4096 \approx 0.2854$, so the cone occupies approximately 28.54% of the sphere.
- 6.1.31.** P should be at distance $c\sqrt[3]{a}/(\sqrt[3]{a} + \sqrt[3]{b})$ from charge A .
- 6.1.32.** $1/2$
- 6.1.33.** \$7000
- 6.1.34.** There is a critical point when $\sin \theta_1/v_1 = \sin \theta_2/v_2$, and the second derivative is positive, so there is a minimum at the critical point.
- 6.2.1.** $1/(16\pi)$ cm/s
- 6.2.2.** $3/(1000\pi)$ meters/second
- 6.2.3.** $1/4$ m/s
- 6.2.4.** $6/25$ m/s
- 6.2.5.** 80π mi/min
- 6.2.6.** $3\sqrt{5}$ ft/s
- 6.2.7.** $20/(3\pi)$ cm/s
- 6.2.8.** $13/20$ ft/s
- 6.2.9.** $5\sqrt{10}/2$ m/s
- 6.2.10.** $75/64$ m/min

- 6.2.11.** $145\pi/72$ m/s **7.1.3.** x^2
- 6.2.12.** $25\pi/144$ m/min **7.1.4.** $2x^2$
- 6.2.13.** $\pi\sqrt{2}/36$ ft³/s **7.1.5.** $2x^2 - 8$
- 6.2.14.** tip: 6 ft/s, length: $5/2$ ft/s **7.1.6.** $2b^2 - 2a^2$
- 6.2.15.** tip: $20/11$ m/s, length: $9/11$ m/s **7.1.7.** 4 rectangles: $41/4 = 10.25$,
8 rectangles: $183/16 = 11.4375$
- 6.2.16.** $380/\sqrt{3} - 150 \approx 69.4$ mph **7.1.8.** $23/4$
- 6.2.17.** $500/\sqrt{3} - 200 \approx 88.7$ km/hr **7.2.1.** $(16/3)x^{3/2} + C$
- 6.2.18.** 18 m/s **7.2.2.** $t^3 + t + C$
- 6.2.19.** $136\sqrt{475}/19 \approx 156$ km/hr **7.2.3.** $8\sqrt{x} + C$
- 6.2.20.** -50 m/s **7.2.4.** $-2/z + C$
- 6.2.21.** 68 m/s **7.2.5.** $7 \ln s + C$
- 6.2.22.** $3800/\sqrt{329} \approx 210$ km/hr **7.2.6.** $(5x+1)^3/15 + C$
- 6.2.23.** $820/\sqrt{329} + 150\sqrt{57}/\sqrt{47} \approx 210$ km/hr **7.2.7.** $(x-6)^3/3 + C$
- 6.2.24.** $4000/49$ m/s **7.2.8.** $2x^{5/2}/5 + C$
- 6.2.25.** (a) $x = a \cos \theta - a \sin \theta \cot(\theta + \beta) = a \sin \beta / \sin(\theta + \beta)$, (c) $\dot{x} \approx 3.79$ cm/s **7.2.9.** $-4/\sqrt{x} + C$
- 6.3.1.** $x_3 = 1.475773162$ **7.2.10.** $4t - t^2 + C$, $t < 2$; $t^2 - 4t + 8 + C$,
 $t \geq 2$
- 6.3.2.** 2.15 **7.2.11.** $87/2$
- 6.3.3.** 3.36 **7.2.12.** 2
- 6.3.4.** 2.19 or 1.26 **7.2.13.** $\ln(10)$
- 6.4.1.** $\Delta y = 65/16$, $dy = 2$ **7.2.14.** $e^5 - 1$
- 6.4.2.** $\Delta y = \sqrt{11/10} - 1$, $dy = 0.05$ **7.2.15.** $3^4/4$
- 6.4.3.** $\Delta y = \sin(\pi/50)$, $dy = \pi/50$ **7.2.16.** $2^6/6 - 1/6$
- 6.4.4.** $dV = 8\pi/25$ **7.2.17.** $x^2 - 3x$
- 6.5.1.** $c = 1/2$ **7.2.18.** $2x(x^4 - 3x^2)$
- 6.5.2.** $c = \sqrt{18} - 2$ **7.2.19.** e^{x^2}
- 6.5.6.** $x^3/3 + 47x^2/2 - 5x + k$ **7.2.20.** $2xe^{x^4}$
- 6.5.7.** $\arctan x + k$ **7.2.21.** $\tan(x^2)$
- 6.5.8.** $x^4/4 - \ln x + k$ **7.2.22.** $2x \tan(x^4)$
- 7.1.1.** 10
- 7.1.2.** $35/3$

7.3.1. It rises until $t = 100/49$, then falls.

The position of the object at time t is $s(t) = -4.9t^2 + 20t + k$. The net distance traveled is $-45/2$, that is, it ends up $45/2$ meters below where it started. The total distance traveled is $6205/98$ meters.

7.3.2. $\int_0^{2\pi} \sin t dt = 0$

7.3.3. net: 2π , total: $2\pi/3 + 4\sqrt{3}$

7.3.4. 8

7.3.5. $17/3$

7.3.6. $A = 18$, $B = 44/3$, $C = 10/3$

8.1.1. $-(1-t)^{10}/10 + C$

8.1.2. $x^5/5 + 2x^3/3 + x + C$

8.1.3. $(x^2 + 1)^{101}/202 + C$

8.1.4. $-3(1-5t)^{2/3}/10 + C$

8.1.5. $(\sin^4 x)/4 + C$

8.1.6. $-(100-x^2)^{3/2}/3 + C$

8.1.7. $-2\sqrt{1-x^3}/3 + C$

8.1.8. $\sin(\sin \pi t)/\pi + C$

8.1.9. $1/(2\cos^2 x) = (1/2)\sec^2 x + C$

8.1.10. $-\ln |\cos x| + C$

8.1.11. 0

8.1.12. $\tan^2(x)/2 + C$

8.1.13. $1/4$

8.1.14. $-\cos(\tan x) + C$

8.1.15. $1/10$

8.1.16. $\sqrt{3}/4$

8.1.17. $(27/8)(x^2 - 7)^{8/9} + C$

8.1.18. $-(3^7 + 1)/14$

8.1.19. 0

8.1.20. $f(x)^2/2 + C$

8.2.1. $x/2 - \sin(2x)/4 + C$

8.2.2. $-\cos x + (\cos^3 x)/3 + C$

8.2.3. $3x/8 - (\sin 2x)/4 + (\sin 4x)/32 + C$

8.2.4. $(\cos^5 x)/5 - (\cos^3 x)/3 + C$

8.2.5. $\sin x - (\sin^3 x)/3 + C$

8.2.6. $x/8 - (\sin 4x)/32 + C$

8.2.7. $(\sin^3 x)/3 - (\sin^5 x)/5 + C$

8.2.8. $-2(\cos x)^{5/2}/5 + C$

8.2.9. $\tan x - \cot x + C$

8.2.10. $(\sec^3 x)/3 - \sec x + C$

8.3.1. $-\ln |\csc x + \cot x| + C$

8.3.2. $-\csc x \cot x/2 - (1/2) \ln |\csc x + \cot x| + C$

8.3.3. $x\sqrt{x^2 - 1}/2 - \ln |x + \sqrt{x^2 - 1}|/2 + C$

8.3.4. $x\sqrt{9 + 4x^2}/2 + (9/4) \ln |2x + \sqrt{9 + 4x^2}| + C$

8.3.5. $-(1-x^2)^{3/2}/3 + C$

8.3.6. $\arcsin(x)/8 - \sin(4 \arcsin x)/32 + C$

8.3.7. $\ln |x + \sqrt{1+x^2}| + C$

8.3.8. $(x+1)\sqrt{x^2+2x}/2 - \ln |x+1+\sqrt{x^2+2x}|/2 + C$

8.3.9. $-\arctan x - 1/x + C$

8.3.10. $2 \arcsin(x/2) - x\sqrt{4-x^2}/2 + C$

8.3.11. $\arcsin(\sqrt{x}) - \sqrt{x}\sqrt{1-x} + C$

8.3.12. $(2x^2 + 1)\sqrt{4x^2 - 1}/24 + C$

8.4.1. $\cos x + x \sin x + C$

8.4.2. $x^2 \sin x - 2 \sin x + 2x \cos x + C$

8.4.3. $(x-1)e^x + C$

8.4.4. $(1/2)e^{x^2} + C$

8.4.5. $(x/2) - \sin(2x)/4 + C = (x/2) - (\sin x \cos x)/2 + C$

- 8.4.6.** $x \ln x - x + C$
- 8.4.7.** $(x^2 \arctan x + \arctan x - x)/2 + C$
- 8.4.8.** $-x^3 \cos x + 3x^2 \sin x + 6x \cos x - 6 \sin x + C$
- 8.4.9.** $x^3 \sin x + 3x^2 \cos x - 6x \sin x - 6 \cos x + C$
- 8.4.10.** $x^2/4 - (\cos^2 x)/4 - (x \sin x \cos x)/2 + C$
- 8.4.11.** $x/4 - (x \cos^2 x)/2 + (\cos x \sin x)/4 + C$
- 8.4.12.** $x \arctan(\sqrt{x}) + \arctan(\sqrt{x}) - \sqrt{x} + C$
- 8.4.13.** $2 \sin(\sqrt{x}) - 2\sqrt{x} \cos(\sqrt{x}) + C$
- 8.4.14.** $\sec x \csc x - 2 \cot x + C$
- 8.5.1.** $-\ln|x-2|/4 + \ln|x+2|/4 + C$
- 8.5.2.** $-x^3/3 - 4x - 4 \ln|x-2| + 4 \ln|x+2| + C$
- 8.5.3.** $-1/(x+5) + C$
- 8.5.4.** $-x - \ln|x-2| + \ln|x+2| + C$
- 8.5.5.** $-4x + x^3/3 + 8 \arctan(x/2) + C$
- 8.5.6.** $(1/2) \arctan(x/2 + 5/2) + C$
- 8.5.7.** $x^2/2 - 2 \ln(4+x^2) + C$
- 8.5.8.** $(1/4) \ln|x+3| - (1/4) \ln|x+7| + C$
- 8.5.9.** $(1/5) \ln|2x-3| - (1/5) \ln|1+x| + C$
- 8.5.10.** $(1/3) \ln|x| - (1/3) \ln|x+3| + C$
- 8.6.1.** T,S: 4 ± 0
- 8.6.2.** T: 9.28125 ± 0.28125 ; S: 9 ± 0
- 8.6.3.** T: 60.75 ± 1 ; S: 60 ± 0
- 8.6.4.** T: 1.1167 ± 0.0833 ; S: 1.1000 ± 0.0167
- 8.6.5.** T: 0.3235 ± 0.0026 ; S: 0.3217 ± 0.000065
- 8.6.6.** T: 0.6478 ± 0.0052 ; S: 0.6438 ± 0.000033
- 8.6.7.** T: 2.8833 ± 0.0834 ; S: 2.9000 ± 0.0167
- 8.6.8.** T: 1.1170 ± 0.0077 ; S: 1.1114 ± 0.0002
- 8.6.9.** T: 1.097 ± 0.0147 ; S: 1.089 ± 0.0003
- 8.6.10.** T: 3.63 ± 0.087 ; S: 3.62 ± 0.032
- 8.7.1.** $\frac{(t+4)^4}{4} + C$
- 8.7.2.** $\frac{(t^2-9)^{5/2}}{5} + C$
- 8.7.3.** $\frac{(e^{t^2}+16)^2}{4} + C$
- 8.7.4.** $\cos t - \frac{2}{3} \cos^3 t + C$
- 8.7.5.** $\frac{\tan^2 t}{2} + C$
- 8.7.6.** $\ln|t^2 + t + 3| + C$
- 8.7.7.** $\frac{1}{8} \ln|1 - 4/t^2| + C$
- 8.7.8.** $\frac{1}{25} \tan(\arcsin(t/5)) + C = \frac{t}{25\sqrt{25-t^2}} + C$
- 8.7.9.** $\frac{2}{3} \sqrt{\sin 3t} + C$
- 8.7.10.** $t \tan t + \ln|\cos t| + C$
- 8.7.11.** $2\sqrt{e^t + 1} + C$
- 8.7.12.** $\frac{3t}{8} + \frac{\sin 2t}{4} + \frac{\sin 4t}{32} + C$
- 8.7.13.** $\frac{\ln|t|}{3} - \frac{\ln|t+3|}{3} + C$
- 8.7.14.** $\frac{-1}{\sin \arctan t} + C = -\sqrt{1+t^2}/t + C$
- 8.7.15.** $\frac{-1}{2(1+\tan t)^2} + C$
- 8.7.16.** $\frac{(t^2+1)^{5/2}}{5} - \frac{(t^2+1)^{3/2}}{3} + C$
- 8.7.17.** $\frac{e^t \sin t - e^t \cos t}{2} + C$
- 8.7.18.** $\frac{(t^{3/2}+47)^4}{6} + C$

8.7.19. $\frac{2}{3(2-t^2)^{3/2}} - \frac{1}{(2-t^2)^{1/2}} + C$

8.7.20. $\frac{\ln |\sin(\arctan(2t/3))|}{9} + C = \frac{\ln(4t^2) - \ln(9+4t^2)}{18} + C$

8.7.21. $\frac{(\arctan(2t))^2}{4} + C$

8.7.22. $\frac{3 \ln |t+3|}{4} + \frac{\ln |t-1|}{4} + C$

8.7.23. $\frac{\cos^7 t}{7} - \frac{\cos^5 t}{5} + C$

8.7.24. $\frac{-1}{t-3} + C$

8.7.25. $\frac{-1}{\ln t} + C$

8.7.26. $\frac{t^2(\ln t)^2}{2} - \frac{t^2 \ln t}{2} + \frac{t^2}{4} + C$

8.7.27. $(t^3 - 3t^2 + 6t - 6)e^t + C$

8.7.28. $\frac{5+\sqrt{5}}{10} \ln(2t+1-\sqrt{5}) + \frac{5-\sqrt{5}}{10} \ln(2t+1+\sqrt{5}) + C$

9.1.1. $8\sqrt{2}/15$

9.1.2. $1/12$

9.1.3. $9/2$

9.1.4. $4/3$

9.1.5. $2/3 - 2/\pi$

9.1.6. $3/\pi - 3\sqrt{3}/(2\pi) - 1/8$

9.1.7. $1/3$

9.1.8. $10\sqrt{5}/3 - 6$

9.1.9. $500/3$

9.1.10. 2

9.1.11. $1/5$

9.1.12. $1/6$

9.2.1. $1/\pi, 5/\pi$

9.2.2. $0, 245$

9.2.3. $20, 28$

9.2.4. $(3-\pi)/(2\pi), (18-12\sqrt{3}+\pi)/(4\pi)$

9.2.5. $10/49$ meters, $20/49$ seconds

9.2.6. $45/98$ meters, $30/49$ seconds

9.2.7. $25000/49$ meters, $1000/49$ seconds

9.2.8. $s(t) = \cos t, v(t) = -\sin t,$

maximum distance is 1,

maximum speed is 1

9.2.9. $s(t) = -\sin(\pi t)/\pi^2 + t/\pi,$

$v(t) = -\cos(\pi t)/\pi + 1/\pi,$

maximum speed is $2/\pi$

9.2.10. $s(t) = t^2/2 - \sin(\pi t)/\pi^2 + t/\pi,$

$v(t) = t - \cos(\pi t)/\pi + 1/\pi$

9.2.11. $s(t) = t^2/2 + \sin(\pi t)/\pi^2 - t/\pi,$

$v(t) = t + \cos(\pi t)/\pi - 1/\pi$

9.3.5. $8\pi/3$

9.3.6. $\pi/30$

9.3.7. $\pi(\pi/2 - 1)$

9.3.8. (a) $114\pi/5$ (b) $74\pi/5$ (c) 20π

(d) 4π

9.3.9. $16\pi, 24\pi$

9.3.11. $\pi h^2(3r-h)/3$

9.3.13. 2π

9.4.1. $2/\pi; 2/\pi; 0$

9.4.2. $4/3$

9.4.3. $1/A$

9.4.4. $\pi/4$

9.4.5. $-1/3, 1$

9.4.6. $-4\sqrt{1224}$ ft/s; $-8\sqrt{1224}$ ft/s

9.5.1. $\approx 5,305,028,516$ N-m

9.5.2. $\approx 4,457,854,041$ N-m

9.5.3. $367,500\pi$ N-m

- 9.5.4.** $49000\pi + 196000/3$ N-m
- 9.5.5.** 2450π N-m
- 9.5.6.** 0.05 N-m
- 9.5.7.** $6/5$ N-m
- 9.5.8.** 3920 N-m
- 9.5.9.** 23520 N-m
- 9.5.10.** 12740 N-m
- 9.6.1.** $15/2$
- 9.6.2.** 5
- 9.6.3.** $16/5$
- 9.6.5.** $\bar{x} = 45/28$, $\bar{y} = 93/70$
- 9.6.6.** $\bar{x} = 0$, $\bar{y} = 4/(3\pi)$
- 9.6.7.** $\bar{x} = 1/2$, $\bar{y} = 2/5$
- 9.6.8.** $\bar{x} = 0$, $\bar{y} = 8/5$
- 9.6.9.** $\bar{x} = 4/7$, $\bar{y} = 2/5$
- 9.6.10.** $\bar{x} = \bar{y} = 1/5$
- 9.6.11.** $\bar{x} = 0$, $\bar{y} = 28/(9\pi)$
- 9.6.12.** $\bar{x} = \bar{y} = 28/(9\pi)$
- 9.6.13.** $\bar{x} = 0$, $\bar{y} = 244/(27\pi) \approx 2.88$
- 9.7.1.** ∞
- 9.7.2.** $1/2$
- 9.7.3.** diverges
- 9.7.4.** diverges
- 9.7.5.** 1
- 9.7.6.** diverges
- 9.7.7.** 2
- 9.7.8.** diverges
- 9.7.9.** $\pi/6$
- 9.7.10.** diverges, 0
- 9.7.11.** diverges, 0
- 9.7.12.** diverges, no CPV
- 9.7.13.** π
- 9.7.14.** 80 mph: 90.8 to 95.3 N-m
90 mph: 114.9 to 120.6 N-m
100.9 mph: 144.5 to 151.6 N-m
- 9.8.2.** $\mu = 1/c$, $\sigma = 1/c$
- 9.8.3.** $\mu = (a+b)/2$, $\sigma = \frac{(b-a)}{2\sqrt{3}}$
- 9.8.4.** $7/2$
- 9.8.5.** $21/2$
- 9.8.9.** $r = 6$
- 9.9.1.** $(22\sqrt{22} - 8)/27$
- 9.9.2.** $\ln(2) + 3/8$
- 9.9.3.** $a + a^3/3$
- 9.9.4.** $\ln((\sqrt{2} + 1)/\sqrt{3})$
- 9.9.6.** $3/4$
- 9.9.7.** ≈ 3.82
- 9.9.8.** ≈ 1.01
- 9.9.9.** $\sqrt{1+e^2} - \sqrt{2} + 1 - \ln(\sqrt{1+e^2} + 1) + \ln(\sqrt{2} + 1)$
- 9.10.1.** $8\pi\sqrt{3} - \frac{16\pi\sqrt{2}}{3}$
- 9.10.3.** $\frac{730\pi\sqrt{730}}{27} - \frac{10\pi\sqrt{10}}{27}$
- 9.10.4.** $\pi + 2\pi e + \frac{1}{4}\pi e^2 - \frac{\pi}{4e^2} - \frac{2\pi}{e}$
- 9.10.6.** $8\pi^2$
- 9.10.7.** $2\pi + \frac{8\pi^2}{3\sqrt{3}}$
- 9.10.8.** $a > b$: $2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{a^2 - b^2}} \arcsin(\sqrt{a^2 - b^2}/a)$,
 $a < b$: $2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{b^2 - a^2}} \ln\left(\frac{b}{a} + \frac{\sqrt{b^2 - a^2}}{a}\right)$
- 10.1.2.** $\theta = \arctan(3)$

- 10.1.3.** $r = -4 \csc \theta$
- 10.1.4.** $r^3 \cos \theta \sin^2 \theta = 1$
- 10.1.5.** $r = \sqrt{5}$
- 10.1.6.** $r^2 = \sin \theta \sec^3 \theta$
- 10.1.7.** $r \sin \theta = \sin(r \cos \theta)$
- 10.1.8.** $r = 2/(\sin \theta - 5 \cos \theta)$
- 10.1.9.** $r = 2 \sec \theta$
- 10.1.10.** $0 = r^2 \cos^2 \theta - r \sin \theta + 1$
- 10.1.11.** $0 = 3r^2 \cos^2 \theta - 2r \cos \theta - r \sin \theta$
- 10.1.12.** $r = \sin \theta$
- 10.1.21.** $(x^2 + y^2)^2 = 4x^2y - (x^2 + y^2)y$
- 10.1.22.** $(x^2 + y^2)^{3/2} = y^2$
- 10.1.23.** $x^2 + y^2 = x^2y^2$
- 10.1.24.** $x^4 + x^2y^2 = y^2$
- 10.2.1.** $(\theta \cos \theta + \sin \theta)/(-\theta \sin \theta + \cos \theta),$
 $(\theta^2 + 2)/(-\theta \sin \theta + \cos \theta)^3$
- 10.2.2.** $\frac{\cos \theta + 2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta - \sin \theta},$
 $\frac{3(1 + \sin \theta)}{(\cos^2 \theta - \sin^2 \theta - \sin \theta)^3}$
- 10.2.3.** $(\sin^2 \theta - \cos^2 \theta)/(2 \sin \theta \cos \theta),$
 $-1/(4 \sin^3 \theta \cos^3 \theta)$
- 10.2.4.** $\frac{2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta}, \frac{2}{(\cos^2 \theta - \sin^2 \theta)^3}$
- 10.2.5.** undefined
- 10.2.6.** $\frac{2 \sin \theta - 3 \sin^3 \theta}{3 \cos^3 \theta - 2 \cos \theta},$
 $\frac{3 \cos^4 \theta - 3 \cos^2 \theta + 2}{2 \cos^3 \theta (3 \cos^2 \theta - 2)^3}$
- 10.3.1.** 1
- 10.3.2.** $9\pi/2$
- 10.3.3.** $\sqrt{3}/3$
- 10.3.4.** $\pi/12 + \sqrt{3}/16$
- 10.3.5.** πa^2
- 10.3.6.** $41\pi/2$
- 10.3.7.** $2 - \pi/2$
- 10.3.8.** $\pi/12$
- 10.3.9.** $3\pi/16$
- 10.3.10.** $\pi/4 - 3\sqrt{3}/8$
- 10.3.11.** $\pi/2 + 3\sqrt{3}/8$
- 10.3.12.** $1/2$
- 10.3.13.** $3/2 - \pi/4$
- 10.3.14.** $\pi/3 + \sqrt{3}/2$
- 10.3.15.** $\pi/3 - \sqrt{3}/4$
- 10.3.16.** $4\pi^3/3$
- 10.3.17.** π^2
- 10.3.18.** $5\pi/24 - \sqrt{3}/4$
- 10.3.19.** $7\pi/12 - \sqrt{3}$
- 10.3.20.** $4\pi - \sqrt{15}/2 - 7 \arccos(1/4)$
- 10.3.21.** $3\pi^3$
- 10.4.6.** $x = t - \frac{\sin(t)}{2}, y = 1 - \frac{\cos(t)}{2}$
- 10.4.7.** $x = 4 \cos t - \cos(4t),$
 $y = 4 \sin t - \sin(4t)$
- 10.4.8.** $x = 2 \cos t + \cos(2t),$
 $y = 2 \sin t - \sin(2t)$
- 10.4.9.** $x = \cos t + t \sin t,$
 $y = \sin t - t \cos t$
- 10.5.1.** There is a horizontal tangent at all multiples of π .
- 10.5.2.** $9\pi/4$
- 10.5.3.** $\int_0^{2\pi} \frac{1}{2} \sqrt{5 - 4 \cos t} dt$
- 10.5.4.** Four points:

$$\left(\frac{-3 - 3\sqrt{5}}{4}, \pm 5\sqrt{\frac{5 - \sqrt{5}}{8}} \right),$$

$$\left(\frac{-3 + 3\sqrt{5}}{4}, \pm 5\sqrt{\frac{5 + \sqrt{5}}{8}} \right)$$

- 10.5.5.** $11\pi/3$
- 10.5.6.** $32/3$
- 10.5.7.** 2π
- 10.5.8.** $16/3$
- 10.5.9.** $(\pi/2, 1)$
- 10.5.10.** $5\pi^3/6$
- 10.5.11.** $2\pi^2$
- 10.5.12.** $(2\pi\sqrt{4\pi^2 + 1} + \ln(2\pi + \sqrt{4\pi^2 + 1}))/2$
- 11.1.1.** 1
- 11.1.3.** 0
- 11.1.4.** 1
- 11.1.5.** 1
- 11.1.6.** 0
- 11.2.1.** $\lim_{n \rightarrow \infty} n^2/(2n^2 + 1) = 1/2$
- 11.2.2.** $\lim_{n \rightarrow \infty} 5/(2^{1/n} + 14) = 1/3$
- 11.2.3.** $\sum_{n=1}^{\infty} \frac{1}{n}$ diverges, so $\sum_{n=1}^{\infty} 3\frac{1}{n}$ diverges
- 11.2.4.** $-3/2$
- 11.2.5.** 11
- 11.2.6.** 20
- 11.2.7.** $3/4$
- 11.2.8.** $3/2$
- 11.2.9.** $3/10$
- 11.3.1.** diverges
- 11.3.2.** diverges
- 11.3.3.** converges
- 11.3.4.** converges
- 11.3.5.** converges
- 11.3.6.** converges
- 11.3.7.** diverges
- 11.3.8.** converges
- 11.3.9.** $N = 5$
- 11.3.10.** $N = 10$
- 11.3.11.** $N = 1687$
- 11.3.12.** any integer greater than e^{200}
- 11.4.1.** converges
- 11.4.2.** converges
- 11.4.3.** diverges
- 11.4.4.** converges
- 11.4.5.** 0.90
- 11.4.6.** 0.95
- 11.5.1.** converges
- 11.5.2.** converges
- 11.5.3.** converges
- 11.5.4.** diverges
- 11.5.5.** diverges
- 11.5.6.** diverges
- 11.5.7.** converges
- 11.5.8.** diverges
- 11.5.9.** converges
- 11.5.10.** diverges
- 11.6.1.** converges absolutely
- 11.6.2.** diverges
- 11.6.3.** converges conditionally
- 11.6.4.** converges absolutely
- 11.6.5.** converges conditionally
- 11.6.6.** converges absolutely
- 11.6.7.** diverges
- 11.6.8.** converges conditionally
- 11.7.5.** converges
- 11.7.6.** converges

310 Appendix A Selected Answers

- 11.7.7.** converges
- 11.7.8.** diverges
- 11.8.1.** $R = 1, I = (-1, 1)$
- 11.8.2.** $R = \infty, I = (-\infty, \infty)$
- 11.8.3.** $R = e, I = (-e, e)$
- 11.8.4.** $R = e, I = (2 - e, 2 + e)$
- 11.8.5.** $R = 0$, converges only when $x = 2$
- 11.8.6.** $R = 1, I = [-6, -4]$
- 11.9.1.** the alternating harmonic series
- 11.9.2.** $\sum_{n=0}^{\infty} (n+1)x^n$
- 11.9.3.** $\sum_{n=0}^{\infty} (n+1)(n+2)x^n$
- 11.9.4.** $\sum_{n=0}^{\infty} \frac{(n+1)(n+2)}{2}x^n, R = 1$
- 11.9.5.** $C + \sum_{n=0}^{\infty} \frac{-1}{(n+1)(n+2)}x^{n+2}$
- 11.10.1.** $\sum_{n=0}^{\infty} (-1)^n x^{2n}/(2n)!, R = \infty$
- 11.10.2.** $\sum_{n=0}^{\infty} x^n/n!, R = \infty$
- 11.10.3.** $\sum_{n=0}^{\infty} (-1)^n \frac{(x-5)^n}{5^{n+1}}, R = 5$
- 11.10.4.** $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-1)^n}{n}, R = 1$
- 11.10.5.** $\ln(2) + \sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-2)^n}{n2^n}, R = 2$
- 11.10.6.** $\sum_{n=0}^{\infty} (-1)^n (n+1)(x-1)^n, R = 1$
- 11.10.7.** $1 + \sum_{n=1}^{\infty} \frac{1 \cdot 3 \cdot 5 \cdots (2n-1)}{n! 2^n} x^n = 1 + \sum_{n=1}^{\infty} \frac{(2n-1)!}{2^{2n-1}(n-1)! n!} x^n, R = 1$
- 11.10.8.** $x + x^3/3$
- 11.10.9.** $\sum_{n=0}^{\infty} (-1)^n x^{4n+1}/(2n)!$
- 11.10.10.** $\sum_{n=0}^{\infty} (-1)^n x^{n+1}/n!$
- 11.11.1.** $1 - \frac{x^2}{2} + \frac{x^4}{24} - \frac{x^6}{720} + \cdots + \frac{x^{12}}{12!}$
- 11.11.2.** 1000; 8
- 11.11.3.** $x + \frac{x^3}{3} + \frac{2x^5}{15}$, error ± 1.32 .
- 11.12.1.** diverges
- 11.12.2.** converges
- 11.12.3.** converges
- 11.12.4.** diverges
- 11.12.5.** diverges
- 11.12.6.** diverges
- 11.12.7.** converges
- 11.12.8.** converges
- 11.12.9.** converges
- 11.12.10.** converges
- 11.12.11.** converges
- 11.12.12.** converges
- 11.12.13.** converges
- 11.12.14.** converges
- 11.12.15.** converges
- 11.12.16.** converges
- 11.12.17.** diverges
- 11.12.18.** $(-\infty, \infty)$
- 11.12.19.** $(-3, 3)$
- 11.12.20.** $(-3, 3)$
- 11.12.21.** $(-1, 1)$

- 11.12.22.** radius is 0—it converges only when **11.12.28.** $1 + x/2 +$
 $x = 0$ $\sum_{n=2}^{\infty} (-1)^{n+1} \frac{1 \cdot 3 \cdot 5 \cdots (2n-3)}{2^n n!} x^n$
- 11.12.23.** $(-\sqrt{3}, \sqrt{3})$
- 11.12.24.** $(-\infty, \infty)$
- 11.12.25.** $\sum_{n=0}^{\infty} \frac{(\ln(2))^n}{n!} x^n$
- 11.12.26.** $\sum_{n=0}^{\infty} \frac{(-1)^n}{n+1} x^{n+1}$
- 11.12.27.** $\sum_{n=0}^{\infty} \frac{2}{2n+1} x^{2n+1}$
- 11.12.29.** $\sum_{n=0}^{\infty} (-1)^n x^{2n}$
- 11.12.30.** $\sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} x^{2n+1}$
- 11.12.31.** $\pi = \sum_{n=0}^{\infty} (-1)^n \frac{4}{2n+1}$

