

A

Selected Answers

452 Appendix A Selected Answers

1.1.1. $(2/3)x + (1/3)$

1.1.2. $y = -2x$

1.1.3. $(-2/3)x + (1/3)$

1.1.4. $y = 2x + 2, 2, -1$

1.1.5. $y = -x + 6, 6, 6$

1.1.6. $y = x/2 + 1/2, 1/2, -1$

1.1.7. $y = 3/2$, y -intercept: $3/2$, no x -intercept

1.1.8. $y = (-2/3)x - 2, -2, -3$

1.1.9. yes

1.1.10. $y = 0, y = -2x + 2, y = 2x + 2$

1.1.11. $y = 75t$, 164 minutes

1.1.12. $y = (9/5)x + 32, (-40, -40)$

1.1.13. $y = 0.15x + 10$

1.1.14. $0.03x + 1.2$

1.1.15. (a) $y = \begin{cases} 0 & 0 \leq x < 100 \\ (x/10) - 10 & 100 \leq x \leq 1000 \\ x - 910 & 1000 < x \end{cases}$

1.1.16. $y = \begin{cases} 0.15x & 0 \leq x \leq 19450 \\ 0.28x - 2528.50 & 19450 < x \leq 47050 \\ 0.33x - 4881 & 47050 < x \leq 97620 \end{cases}$

1.1.17. (a) $P = -0.0001x + 2$
(b) $x = -10000P + 20000$

1.1.18. $(2/25)x - (16/5)$

1.2.1. (a) $x^2 + y^2 = 9$
(b) $(x - 5)^2 + (y - 6)^2 = 9$
(c) $(x + 5)^2 + (y + 6)^2 = 9$

1.2.2. (a) $\Delta x = 2, \Delta y = 3, m = 3/2$,
 $y = (3/2)x - 3, \sqrt{13}$
(b) $\Delta x = -1, \Delta y = 3, m = -3$,
 $y = -3x + 2, \sqrt{10}$

(c) $\Delta x = -2, \Delta y = -2, m = 1$,
 $y = x, \sqrt{8}$

1.2.6. $(x + 2/7)^2 + (y - 41/7)^2 = 1300/49$

1.3.1. $\{x \mid x \geq 3/2\}$

1.3.2. $\{x \mid x \neq -1\}$

1.3.3. $\{x \mid x \neq 1 \text{ and } x \neq -1\}$

1.3.4. $\{x \mid x < 0\}$

1.3.5. $\{x \mid x \in \mathbb{R}\}$, i.e., all x

1.3.6. $\{x \mid x \geq 0\}$

1.3.7. $\{x \mid h - r \leq x \leq h + r\}$

1.3.8. $\{x \mid x \geq 1\}$

1.3.9. $\{x \mid -1/3 < x < 1/3\}$

1.3.10. $\{x \mid x \geq 0 \text{ and } x \neq 1\}$

1.3.11. $\{x \mid x \geq 0 \text{ and } x \neq 1\}$

1.3.12. \mathbb{R}

1.3.13. $\{x \mid x \geq 3\}, \{x \mid x \geq 0\}$

1.3.14. $A = x(500 - 2x), \{x \mid 0 \leq x \leq 250\}$

1.3.15. $V = r(50 - \pi r^2), \{r \mid 0 < r \leq \sqrt{50/\pi}\}$

1.3.16. $A = 2\pi r^2 + 2000/r, \{r \mid 0 < r < \infty\}$

2.1.1. $-5, -2.47106145, -2.4067927$,
 $-2.400676, -2.4$

2.1.2. $-4/3, -24/7, 7/24, 3/4$

2.1.3. $-0.107526881, -0.11074197$,
 $-0.1110741, \frac{-1}{3(3 + \Delta x)} \rightarrow \frac{-1}{9}$

2.1.4. $\frac{3 + 3\Delta x + \Delta x^2}{1 + \Delta x} \rightarrow 3$

2.1.5. $3.31, 3.003001, 3.0000$,
 $3 + 3\Delta x + \Delta x^2 \rightarrow 3$

2.1.6. m

2.2.1. $10, 25/2, 20, 15, 25, 35$.

2.2.2. $5, 4.1, 4.01, 4.001, 4 + \Delta t \rightarrow 4$

2.2.3. $-10.29, -9.849, -9.8049$,
 $-9.8 - 4.9\Delta t \rightarrow -9.8$

2.3.1. 7

2.3.2. 5

2.3.3. 0

2.3.4. undefined

2.3.5. $1/6$

2.3.6. 0

2.3.7. 3

2.3.8. 172

2.3.9. 0

2.3.10. 2

2.3.11. does not exist

2.3.12. $\sqrt{2}$

2.3.13. $3a^2$

2.3.14. 512

2.3.15. -4

2.3.16. 0

2.3.18. (a) 8, (b) 6, (c) dne, (d) -2 , (e) -1 ,
(f) 8, (g) 7, (h) 6, (i) 3, (j) $-3/2$,
(k) 6, (l) 2

2.4.1. $-x/\sqrt{169 - x^2}$

2.4.2. $-9.8t$

2.4.3. $2x + 1/x^2$

2.4.4. $2ax + b$

2.4.5. $3x^2$

2.4.8. $-2/(2x + 1)^{3/2}$

2.4.9. $5/(t + 2)^2$

2.4.10. $y = -13x + 17$

2.4.11. -8

3.1.1. $100x^{99}$

3.1.2. $-100x^{-101}$

3.1.3. $-5x^{-6}$

3.1.4. $\pi x^{\pi-1}$

3.1.5. $(3/4)x^{-1/4}$

3.1.6. $-(9/7)x^{-16/7}$

3.2.1. $15x^2 + 24x$

3.2.2. $-20x^4 + 6x + 10/x^3$

3.2.3. $-30x + 25$

3.2.4. $6x^2 + 2x - 8$

- 3.2.5.** $3x^2 + 6x - 1$
3.2.6. $9x^2 - x/\sqrt{625 - x^2}$
3.2.7. $y = 13x/4 + 5$
3.2.8. $y = 24x - 48 - \pi^3$
3.2.9. $-49t/5 + 5, -49/5$
3.2.11. $\sum_{k=1}^n ka_k x^{k-1}$
3.2.12. $x^3/16 - 3x/4 + 4$
3.3.1. $3x^2(x^3 - 5x + 10) + x^3(3x^2 - 5)$
3.3.2. $(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7) + (2x + 5)(x^5 - 6x^3 + 3x^2 - 7x + 1)$
3.3.3. $\frac{\sqrt{625 - x^2}}{2\sqrt{x}} - \frac{x\sqrt{x}}{\sqrt{625 - x^2}}$
3.3.4. $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$
3.3.5. $f' = 4(2x - 3), y = 4x - 7$
3.4.1. $\frac{3x^2}{x^3 - 5x + 10} - \frac{x^3(3x^2 - 5)}{(x^3 - 5x + 10)^2}$
3.4.2. $\frac{2x + 5}{x^5 - 6x^3 + 3x^2 - 7x + 1} - \frac{(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7)}{(x^5 - 6x^3 + 3x^2 - 7x + 1)^2}$
3.4.3. $\frac{1}{2\sqrt{x}\sqrt{625 - x^2}} + \frac{x^{3/2}}{(625 - x^2)^{3/2}}$
3.4.4. $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$
3.4.5. $y = 17x/4 - 41/4$
3.4.6. $y = 11x/16 - 15/16$
3.4.8. $y = 19/169 - 5x/338$
3.4.9. $13/18$
3.5.1. $4x^3 - 9x^2 + x + 7$
3.5.2. $3x^2 - 4x + 2/\sqrt{x}$
3.5.3. $6(x^2 + 1)^2 x$

- 3.5.4.** $\sqrt{169 - x^2} - x^2/\sqrt{169 - x^2}$
3.5.5. $(2x - 4)\sqrt{25 - x^2} - (x^2 - 4x + 5)x/\sqrt{25 - x^2}$
3.5.6. $-x/\sqrt{r^2 - x^2}$
3.5.7. $2x^3/\sqrt{1 + x^4}$
3.5.8. $\frac{1}{4\sqrt{x}(5 - \sqrt{x})^{3/2}}$
3.5.9. $6 + 18x$
3.5.10. $\frac{2x + 1}{1 - x} + \frac{x^2 + x + 1}{(1 - x)^2}$
3.5.11. $-1/\sqrt{25 - x^2} - \sqrt{25 - x^2}/x^2$
3.5.12. $\frac{1}{2} \left(\frac{-169}{x^2} - 1 \right) / \sqrt{\frac{169}{x} - x}$
3.5.13. $\frac{3x^2 - 2x + 1/x^2}{2\sqrt{x^3 - x^2 - (1/x)}}$
3.5.14. $\frac{300x}{(100 - x^2)^{5/2}}$
3.5.15. $\frac{1 + 3x^2}{3(x + x^3)^{2/3}}$
3.5.16. $\left(4x(x^2 + 1) + \frac{4x^3 + 4x}{2\sqrt{1 + (x^2 + 1)^2}} \right) / 2\sqrt{(x^2 + 1)^2 + \sqrt{1 + (x^2 + 1)^2}}$
3.5.17. $5(x + 8)^4$
3.5.18. $-3(4 - x)^2$
3.5.19. $6x(x^2 + 5)^2$
3.5.20. $-12x(6 - 2x^2)^2$
3.5.21. $24x^2(1 - 4x^3)^{-3}$
3.5.22. $5 + 5/x^2$
3.5.23. $-8(4x - 1)(2x^2 - x + 3)^{-3}$
3.5.24. $1/(x + 1)^2$
3.5.25. $3(8x - 2)/(4x^2 - 2x + 1)^2$
3.5.26. $-3x^2 + 5x - 1$
3.5.27. $6x(2x - 4)^3 + 6(3x^2 + 1)(2x - 4)^2$

- 3.5.28.** $-2/(x - 1)^2$
3.5.29. $4x/(x^2 + 1)^2$
3.5.30. $(x^2 - 6x + 7)/(x - 3)^2$
3.5.31. $-5/(3x - 4)^2$
3.5.32. $60x^4 + 72x^3 + 18x^2 + 18x - 6$
3.5.33. $(5 - 4x)/((2x + 1)^2(x - 3)^2)$
3.5.34. $1/(2(2 + 3x)^2)$
3.5.35. $56x^6 + 72x^5 + 110x^4 + 100x^3 + 60x^2 + 28x + 6$
3.5.36. $y = 23x/96 - 29/96$
3.5.37. $y = 3 - 2x/3$
3.5.38. $y = 13x/2 - 23/2$
3.5.39. $y = 2x - 11$
3.5.40. $y = \frac{20 + 2\sqrt{5}}{5\sqrt{4 + \sqrt{5}}} x + \frac{3\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}$
4.1.1. $2n\pi - \pi/2$, any integer n
4.1.2. $n\pi \pm \pi/6$, any integer n
4.1.3. $(\sqrt{2} + \sqrt{6})/4$
4.1.4. $-(1 + \sqrt{3})/(1 - \sqrt{3}) = 2 + \sqrt{3}$
4.1.11. $t = \pi/2$
4.3.1. 5
4.3.2. $7/2$
4.3.3. $3/4$
4.3.4. 1
4.3.5. $-\sqrt{2}/2$
4.3.6. 7
4.3.7. 2
4.4.1. $\sin(\sqrt{x}) \cos(\sqrt{x})/\sqrt{x}$
4.4.2. $\frac{\sin x}{2\sqrt{x}} + \sqrt{x} \cos x$
4.4.3. $-\frac{\cos x}{\sin^2 x}$
4.4.4. $\frac{(2x + 1) \sin x - (x^2 + x) \cos x}{\sin^2 x}$
4.7.1. $2\ln(3)x^3x^2$
4.7.2. $\frac{\cos x - \sin x}{e^x}$
4.7.3. $2e^{2x}$
4.7.4. $e^x \cos(e^x)$
4.7.5. $\cos(x)e^{\sin x}$
4.7.6. $x^{\sin x} \left(\cos x \ln x + \frac{\sin x}{x} \right)$

- 4.7.7.** $3x^2e^x + x^3e^x$
4.7.8. $1 + 2^x \ln(2)$
4.7.9. $-2x \ln(3)(1/3)^{x^2}$
4.7.10. $e^{4x}(4x - 1)/x^2$
4.7.11. $(3x^2 + 3)/(x^3 + 3x)$
4.7.12. $-\tan(x)$
4.7.13. $(1 - \ln(x^2))/(x^2 \sqrt{\ln(x^2)})$
4.7.14. $\sec(x)$
4.7.15. $x^{\cos(x)}(\cos(x)/x - \cos(x)\ln(x))$
4.7.20. e
4.8.1. x/y
4.8.2. $-(2x + y)/(x + 2y)$
4.8.3. $(2xy - 3x^2 - y^2)/(2xy - 3y^2 - x^2)$
4.8.4. $\sin(x)\sin(y)/(\cos(x)\cos(y))$
4.8.5. $-\sqrt{y}/\sqrt{x}$
4.8.6. $(y \sec^2(x/y) - y^2)/(x \sec^2(x/y) + y^2)$
4.8.7. $(y - \cos(x + y))/(\cos(x + y) - x)$
4.8.8. $-y^2/x^2$
4.8.9. 1
4.8.11. $y = 2x \pm 6$
4.8.12. $y = x/2 \pm 3$
4.8.13. $(\sqrt{3}, 2\sqrt{3}), (-\sqrt{3}, -2\sqrt{3}), (2\sqrt{3}, \sqrt{3}), (-2\sqrt{3}, -\sqrt{3})$
4.8.14. $y = 7x/\sqrt{3} - 8/\sqrt{3}$
4.8.15. $y = (-y_1^{1/3}x + y_1^{1/3}x_1 + x_1^{1/3}y_1)/x_1^{1/3}$
4.8.16. $(y - y_1)/(x - x_1) = (2x_1^3 + 2x_1y_1^2 - x_1)/(2y_1^3 + 2y_1x_1^2 + y_1)$
4.9.3. $\frac{-1}{1+x^2}$
4.9.5. $\frac{2x}{\sqrt{1-x^4}}$
4.9.6. $\frac{e^x}{1+e^{2x}}$

- 4.9.7.** $-3x^2 \cos(x^3)/\sqrt{1 - \sin^2(x^3)}$
4.9.8. $\frac{2}{(\arcsin x)\sqrt{1-x^2}}$
4.9.9. $-e^x/\sqrt{1-e^{2x}}$
4.9.10. 0
4.9.11. $\frac{(1+\ln x)x^x}{\ln 5(1+x^{2x})\arctan(x^x)}$
4.10.1. 0
4.10.2. ∞
4.10.3. 1
4.10.4. 0
4.10.5. 0
4.10.6. 1
4.10.7. $1/6$
4.10.8. $-\infty$
4.10.9. $1/16$
4.10.10. $1/3$
4.10.11. 0
4.10.12. $3/2$
4.10.13. $-1/4$
4.10.14. -3
4.10.15. $1/2$
4.10.16. 0
4.10.17. -1
4.10.18. $-1/2$
4.10.19. 5
4.10.20. ∞
4.10.21. ∞
4.10.22. $2/7$
4.10.23. 2
4.10.24. $-\infty$
4.10.25. 3

- 4.10.26.** $2/3$
4.10.27. 1
4.10.28. 1
4.10.29. 2
4.10.30. 1
4.10.31. 0
4.10.32. $1/2$
4.10.33. 2
4.10.34. 0
4.10.35. ∞
4.10.36. $1/2$
4.10.37. 0
4.10.38. $1/2$
4.10.39. 5
4.10.40. $2\sqrt{2}$
4.10.41. $-1/2$
4.10.42. 2
4.10.43. 0
4.10.44. ∞
4.10.45. 0
4.10.46. $3/2$
4.10.47. ∞
4.10.48. 5
4.10.49. $-1/2$
4.10.50. does not exist
4.10.51. ∞
4.10.52. $y = 1$ and $y = -1$
5.1.1. min at $x = 1/2$
5.1.2. min at $x = -1$, max at $x = 1$
5.1.3. max at $x = 2$, min at $x = 4$
5.1.4. min at $x = \pm 1$, max at $x = 0$.
5.1.5. min at $x = 1$
5.1.6. none
5.1.7. none
5.1.8. min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
5.1.9. none
5.1.10. local max at $x = 5$
5.1.11. local min at $x = 49$
5.1.12. local min at $x = 0$
5.1.15. one
5.2.1. min at $x = 1/2$
5.2.2. min at $x = -1$, max at $x = 1$
5.2.3. max at $x = 2$, min at $x = 4$
5.2.4. min at $x = \pm 1$, max at $x = 0$.
5.2.5. min at $x = 1$
5.2.6. none
5.2.7. none
5.2.8. min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
5.2.9. none
5.2.10. max at $x = 0$, min at $x = \pm 11$
5.2.11. min at $x = -3/2$, neither at $x = 0$
5.2.13. min at $n\pi$, max at $\pi/2 + n\pi$
5.2.14. min at $2n\pi$, max at $(2n + 1)\pi$
5.2.15. min at $\pi/2 + 2n\pi$, max at $3\pi/2 + 2n\pi$
5.3.1. min at $x = 1/2$
5.3.2. min at $x = -1$, max at $x = 1$
5.3.3. max at $x = 2$, min at $x = 4$
5.3.4. min at $x = \pm 1$, max at $x = 0$.
5.3.5. min at $x = 1$
5.3.6. none
5.3.7. none

- 5.3.8.** min at $x = 7\pi/12 + n\pi$, max at $x = -\pi/12 + n\pi$, for integer n .
- 5.3.9.** max at $x = 63/64$
- 5.3.10.** max at $x = 7$
- 5.3.11.** max at $-5^{-1/4}$, min at $5^{-1/4}$
- 5.3.12.** none
- 5.3.13.** max at -1 , min at 1
- 5.3.14.** min at $2^{-1/3}$
- 5.3.15.** none
- 5.3.16.** min at $n\pi$
- 5.3.17.** max at $n\pi$, min at $\pi/2 + n\pi$
- 5.3.18.** max at $\pi/2 + 2n\pi$, min at $3\pi/2 + 2n\pi$
- 5.4.1.** concave up everywhere
- 5.4.2.** concave up when $x < 0$, concave down when $x > 0$
- 5.4.3.** concave down when $x < 3$, concave up when $x > 3$
- 5.4.4.** concave up when $x < -1/\sqrt{3}$ or $x > 1/\sqrt{3}$, concave down when $-1/\sqrt{3} < x < 1/\sqrt{3}$
- 5.4.5.** concave up when $x < 0$ or $x > 2/3$, concave down when $0 < x < 2/3$
- 5.4.6.** concave up when $x < 0$, concave down when $x > 0$
- 5.4.7.** concave up when $x < -1$ or $x > 1$, concave down when $-1 < x < 0$ or $0 < x < 1$
- 5.4.8.** concave down on $((8n-1)\pi/4, (8n+3)\pi/4)$, concave up on $((8n+3)\pi/4, (8n+7)\pi/4)$, for integer n
- 5.4.9.** concave down everywhere
- 5.4.10.** concave up on $(-\infty, (21-\sqrt{497})/4)$ and $(21+\sqrt{497})/4, \infty)$
- 5.4.11.** concave up on $(0, \infty)$

- 5.4.12.** concave down on $(2n\pi/3, (2n+1)\pi/3)$
- 5.4.13.** concave up on $(0, \infty)$
- 5.4.14.** concave up on $(-\infty, -1)$ and $(0, \infty)$
- 5.4.15.** concave down everywhere
- 5.4.16.** concave up everywhere
- 5.4.17.** concave up on $(\pi/4+n\pi, 3\pi/4+n\pi)$
- 5.4.18.** inflection points at $n\pi$, $\pm \arcsin(\sqrt{2}/3) + n\pi$
- 5.4.19.** up/incr: $(3, \infty)$, up/decr: $(-\infty, 0)$, $(2, 3)$, down/decr: $(0, 2)$
- 6.1.1.** max at $(2, 5)$, min at $(0, 1)$
- 6.1.2.** 25×25
- 6.1.3.** $P/4 \times P/4$
- 6.1.4.** $w = l = 2 \cdot 5^{2/3}$, $h = 5^{2/3}$, $h/w = 1/2$
- 6.1.5.** $\sqrt[3]{100} \times \sqrt[3]{100} \times 2\sqrt[3]{100}$, $h/s = 2$
- 6.1.6.** $w = l = 2^{1/3}V^{1/3}$, $h = V^{1/3}/2^{2/3}$, $h/w = 1/2$
- 6.1.7.** 1250 square feet
- 6.1.8.** $l^2/8$ square feet
- 6.1.9.** \$5000
- 6.1.10.** 100
- 6.1.11.** r^2
- 6.1.12.** $h/r = 2$
- 6.1.13.** $h/r = 2$
- 6.1.14.** $r = 5$, $h = 40/\pi$, $h/r = 8/\pi$
- 6.1.15.** $8/\pi$
- 6.1.16.** $4/27$
- 6.1.17.** Go direct from A to D .
- 6.1.18.** (a) 2, (b) $7/2$
- 6.1.19.** $\frac{\sqrt{3}}{6} \times \frac{\sqrt{3}}{6} + \frac{1}{2} \times \frac{1}{4} - \frac{\sqrt{3}}{12}$

- 6.1.20.** (a) $a/6$, (b) $(a+b-\sqrt{a^2-ab+b^2})/6$
- 6.1.21.** 1.5 meters wide by 1.25 meters tall
- 6.1.22.** If $k \leq 2/\pi$ the ratio is $(2-k\pi)/4$; if $k \geq 2/\pi$, the ratio is zero: the window should be semicircular with no rectangular part.
- 6.1.23.** a/b
- 6.1.24.** $w = 2r/\sqrt{3}$, $h = 2\sqrt{2}r/\sqrt{3}$
- 6.1.25.** $1/\sqrt{3} \approx 58\%$
- 6.1.26.** $18 \times 18 \times 36$
- 6.1.27.** $r = 5/(2\pi)^{1/3} \approx 2.7$ cm, $h = 5 \cdot 2^{5/3}/\pi^{1/3} = 4r \approx 10.8$ cm
- 6.1.28.** $h = \frac{750}{\pi} \left(\frac{2\pi^2}{750^2} \right)^{1/3}$, $r = \left(\frac{750^2}{2\pi^2} \right)^{1/6}$
- 6.1.29.** $h/r = \sqrt{2}$
- 6.1.30.** The ratio of the volume of the sphere to the volume of the cone is $1033/4096 + 33/4096\sqrt{17} \approx 0.2854$, so the cone occupies approximately 28.54% of the sphere.
- 6.1.31.** P should be at distance $c\sqrt[3]{a}/(\sqrt[3]{a} + \sqrt[3]{b})$ from charge A .
- 6.1.32.** $1/2$
- 6.1.33.** \$7000
- 6.1.34.** There is a critical point when $\sin\theta_1/v_1 = \sin\theta_2/v_2$, and the second derivative is positive, so there is a minimum at the critical point.
- 6.2.1.** $1/(16\pi)$ cm/s
- 6.2.2.** $3/(1000\pi)$ meters/second
- 6.2.3.** $1/4$ m/s
- 6.2.4.** $-6/25$ m/s
- 6.2.5.** 80π mi/min
- 6.2.6.** $3\sqrt{5}$ ft/s
- 6.2.7.** $20/(3\pi)$ cm/s
- 6.2.8.** $13/20$ ft/s
- 6.2.9.** $5\sqrt{10}/2$ m/s
- 6.2.10.** $75/64$ m/min
- 6.2.11.** $145\pi/72$ m/s
- 6.2.12.** $25\pi/144$ m/min
- 6.2.13.** $\pi\sqrt{2}/36$ ft³/s
- 6.2.14.** tip: 6 ft/s, length: $5/2$ ft/s
- 6.2.15.** tip: $20/11$ m/s, length: $9/11$ m/s
- 6.2.16.** $380/\sqrt{3} - 150 \approx 69.4$ mph
- 6.2.17.** $500/\sqrt{3} - 200 \approx 88.7$ km/hr
- 6.2.18.** 18 m/s
- 6.2.19.** $136\sqrt{475}/19 \approx 156$ km/hr
- 6.2.20.** -50 m/s
- 6.2.21.** 68 m/s
- 6.2.22.** $3800/\sqrt{329} \approx 210$ km/hr
- 6.2.23.** $820/\sqrt{329} + 150\sqrt{57}/\sqrt{47} \approx 210$ km/hr
- 6.2.24.** $4000/49$ m/s
- 6.2.25.** (a) $x = a \cos \theta - a \sin \theta \cot(\theta + \beta) = a \sin \beta / \sin(\theta + \beta)$, (c) $\dot{x} \approx 3.79$ cm/s
- 6.3.1.** $x_3 = 1.475773162$
- 6.3.2.** 2.15
- 6.3.3.** 3.36
- 6.3.4.** 2.19 or 1.26
- 6.4.1.** $\Delta y = 65/16$, $dy = 2$
- 6.4.2.** $\Delta y = \sqrt{11/10} - 1$, $dy = 0.05$
- 6.4.3.** $\Delta y = \sin(\pi/50)$, $dy = \pi/50$

- 6.4.4.** $dV = 8\pi/25$
6.5.1. $c = 1/2$
6.5.2. $c = \sqrt{18} - 2$
6.5.6. $x^3/3 + 47x^2/2 - 5x + k$
6.5.7. $\arctan x + k$
6.5.8. $x^4/4 - \ln x + k$
6.5.9. $-\cos(2x)/2 + k$
7.1.1. 10
7.1.2. $35/3$
7.1.3. x^2
7.1.4. $2x^2$
7.1.5. $2x^2 - 8$
7.1.6. $2b^2 - 2a^2$
7.1.7. 4 rectangles: $41/4 = 10.25$,
8 rectangles: $183/16 = 11.4375$
7.1.8. $23/4$
7.2.1. $(16/3)x^{3/2} + C$
7.2.2. $t^3 + t + C$
7.2.3. $8\sqrt{x} + C$
7.2.4. $-2/z + C$
7.2.5. $7 \ln s + C$
7.2.6. $(5x+1)^3/15 + C$
7.2.7. $(x-6)^3/3 + C$
7.2.8. $2x^{5/2}/5 + C$
7.2.9. $-4/\sqrt{x} + C$
7.2.10. $4t - t^2 + C$, $t < 2$; $t^2 - 4t + 8 + C$,
 $t \geq 2$
7.2.11. $87/2$
7.2.12. 2
7.2.13. $\ln(10)$
7.2.14. $e^5 - 1$
7.2.15. $3^4/4$

- 7.2.16.** $2^6/6 - 1/6$
7.2.17. $x^2 - 3x$
7.2.18. $2x(x^4 - 3x^2)$
7.2.19. e^{x^2}
7.2.20. $2xe^{x^4}$
7.2.21. $\tan(x^2)$
7.2.22. $2x \tan(x^4)$
7.3.1. It rises until $t = 100/49$, then falls.
The position of the object at time t is $s(t) = -4.9t^2 + 20t + k$. The net distance traveled is $-45/2$, that is, it ends up $45/2$ meters below where it started. The total distance traveled is $6205/98$ meters.
7.3.2. $\int_0^{2\pi} \sin t dt = 0$
7.3.3. net: 2π , total: $2\pi/3 + 4\sqrt{3}$
7.3.4. 8
7.3.5. $17/3$
7.3.6. $A = 18$, $B = 44/3$, $C = 10/3$
8.1.1. $-(1-t)^{10}/10 + C$
8.1.2. $x^5/5 + 2x^3/3 + x + C$
8.1.3. $(x^2 + 1)^{101}/202 + C$
8.1.4. $-3(1-5t)^{2/3}/10 + C$
8.1.5. $(\sin^4 x)/4 + C$
8.1.6. $-(100-x^2)^{3/2}/3 + C$
8.1.7. $-2\sqrt{1-x^3}/3 + C$
8.1.8. $\sin(\sin \pi t)/\pi + C$
8.1.9. $1/(2 \cos^2 x) = (1/2) \sec^2 x + C$
8.1.10. $-\ln |\cos x| + C$
8.1.11. 0
8.1.12. $\tan^2(x)/2 + C$

- 8.1.13.** $1/4$
8.1.14. $-\cos(\tan x) + C$
8.1.15. $1/10$
8.1.16. $\sqrt{3}/4$
8.1.17. $(27/8)(x^2 - 7)^{8/9}$
8.1.18. $-(3^7 + 1)/14$
8.1.19. 0
8.1.20. $f(x)^2/2$
8.2.1. $x/2 - \sin(2x)/4 + C$
8.2.2. $-\cos x + (\cos^3 x)/3 + C$
8.2.3. $3x/8 - (\sin 2x)/4 + (\sin 4x)/32 + C$
8.2.4. $(\cos^5 x)/5 - (\cos^3 x)/3 + C$
8.2.5. $\sin x - (\sin^3 x)/3 + C$
8.2.6. $x/8 - (\sin 4x)/32 + C$
8.2.7. $(\sin^3 x)/3 - (\sin^5 x)/5 + C$
8.2.8. $-2(\cos x)^{5/2}/5 + C$
8.2.9. $\tan x - \cot x + C$
8.2.10. $(\sec^3 x)/3 - \sec x + C$
8.3.1. $-\ln |\csc x + \cot x| + C$
8.3.2. $-\csc x \cot x/2 - (1/2) \ln |\csc x + \cot x| + C$
8.3.3. $x\sqrt{x^2 - 1}/2 - \ln |x + \sqrt{x^2 - 1}|/2 + C$
8.3.4. $x\sqrt{9 + 4x^2}/2 + (9/4) \ln |2x + \sqrt{9 + 4x^2}| + C$
8.3.5. $-(1-x^2)^{3/2}/3 + C$
8.3.6. $\arcsin(x)/8 - \sin(4 \arcsin x)/32 + C$
8.3.7. $\ln |x + \sqrt{1+x^2}| + C$
8.3.8. $(x+1)\sqrt{x^2 + 2x}/2 - \ln |x+1 + \sqrt{x^2 + 2x}|/2 + C$
8.3.9. $-\arctan x - 1/x + C$
8.3.10. $2 \arcsin(x/2) - x\sqrt{4-x^2}/2 + C$
8.3.11. $\arcsin(\sqrt{x}) - \sqrt{x}\sqrt{1-x} + C$
8.3.12. $(2x^2 + 1)\sqrt{4x^2 - 1}/24 + C$
8.4.1. $\cos x + x \sin x + C$
8.4.2. $x^2 \sin x - 2 \sin x + 2x \cos x + C$
8.4.3. $(x-1)e^x + C$
8.4.4. $(1/2)e^{x^2} + C$
8.4.5. $(x/2) - \sin(2x)/4 + C = (x/2) - (\sin x \cos x)/2 + C$
8.4.6. $x \ln x - x + C$
8.4.7. $(x^2 \arctan x + \arctan x - x)/2 + C$
8.4.8. $-x^2 \cos x + 2x \sin x + 2 \cos x + C$
8.4.9. $x^2/4 - (\cos^2 x)/4 - (x \sin x \cos x)/2 + C$
8.4.10. $x/4 - (x \cos^2 x)/2 + (\cos x \sin x)/4 + C$
8.4.11. $x \arctan(\sqrt{x}) + \arctan(\sqrt{x}) - \sqrt{x} + C$
8.4.12. $2 \sin(\sqrt{x}) - 2\sqrt{x} \cos(\sqrt{x}) + C$
8.4.13. $\sec x \csc x - 2 \cot x + C$
8.5.1. $-\ln|x-2|/4 + \ln|x+2|/4 + C$
8.5.2. $-x^3/3 - 4x - 4 \ln|x-2| + 4 \ln|x+2| + C$
8.5.3. $-1/(x+5) + C$
8.5.4. $-x - \ln|x-2| + \ln|x+2| + C$
8.5.5. $-4x + x^3/3 + 8 \arctan(x/2) + C$
8.5.6. $(1/2) \arctan(x/2 + 5/2) + C$
8.5.7. $x^2/2 - 2 \ln(4+x^2) + C$
8.5.8. $(1/4) \ln|x+3| - (1/4) \ln|x+7| + C$
8.5.9. $(1/5) \ln|2x-3| - (1/5) \ln|1+x| + C$
8.5.10. $(1/3) \ln|x| - (1/3) \ln|x+3| + C$
8.6.1. $\frac{(t+4)^4}{4} + C$
8.6.2. $\frac{(t^2-9)^{5/2}}{5} + C$

- 8.6.3.** $\frac{(e^t + 16)^2}{4} + C$
- 8.6.4.** $\cos t - \frac{2}{3} \cos^3 t + C$
- 8.6.5.** $\frac{\tan^2 t}{2} + C$
- 8.6.6.** $\ln|t^2 + t + 3| + C$
- 8.6.7.** $\frac{1}{8} \ln|1 - 4/t^2| + C$
- 8.6.8.** $\frac{1}{25} \tan(\arcsin(t/5)) + C = \frac{t}{25\sqrt{25-t^2}} + C$
- 8.6.9.** $\frac{2}{3} \sqrt{\sin 3t} + C$
- 8.6.10.** $t \tan t + \ln|\cos t| + C$
- 8.6.11.** $2\sqrt{e^t + 1} + C$
- 8.6.12.** $\frac{3t}{8} + \frac{\sin 2t}{4} + \frac{\sin 4t}{32} + C$
- 8.6.13.** $\frac{\ln|t|}{3} - \frac{\ln|t+3|}{3} + C$
- 8.6.14.** $\frac{-1}{\sin \arctan t} + C = -\sqrt{1+t^2}/t + C$
- 8.6.15.** $\frac{-1}{2(1+\tan t)^2} + C$
- 8.6.16.** $\frac{(t^2+1)^{5/2}}{5} - \frac{(t^2+1)^{3/2}}{3} + C$
- 8.6.17.** $\frac{e^t \sin t - e^t \cos t}{2} + C$
- 8.6.18.** $\frac{(t^{3/2}+47)^4}{6} + C$
- 8.6.19.** $\frac{2}{3(2-t^2)^{3/2}} - \frac{1}{(2-t^2)^{1/2}} + C$
- 8.6.20.** $\frac{\ln|\sin(\arctan(2t/3))|}{9} + C = (\ln(4t^2) - \ln(9+4t^2))/18 + C$
- 8.6.21.** $\frac{(\arctan(2t))^2}{4} + C$
- 8.6.22.** $\frac{3 \ln|t+3|}{4} + \frac{\ln|t-1|}{4} + C$

- 8.6.23.** $\frac{\cos^7 t}{7} - \frac{\cos^5 t}{5} + C$
- 8.6.24.** $\frac{-1}{t-3} + C$
- 8.6.25.** $\frac{-1}{\ln t} + C$
- 8.6.26.** $\frac{t^2(\ln t)^2}{2} - \frac{t^2 \ln t}{2} + \frac{t^2}{4} + C$
- 8.6.27.** $(t^3 - 3t^2 + 6t - 6)e^t + C$
- 8.6.28.** $\frac{5+\sqrt{5}}{10} \ln(2t+1-\sqrt{5}) + \frac{5-\sqrt{5}}{10} \ln(2t+1+\sqrt{5}) + C$
- 9.1.1.** $8\sqrt{2}/15$
- 9.1.2.** $1/12$
- 9.1.3.** $9/2$
- 9.1.4.** $4/3$
- 9.1.5.** $2/3 - 2/\pi$
- 9.1.6.** $3/\pi - 3\sqrt{3}/(2\pi) - 1/8$
- 9.1.7.** $1/3$
- 9.1.8.** $10\sqrt{5}/3 - 6$
- 9.1.9.** $500/3$
- 9.1.10.** 2
- 9.1.11.** $1/5$
- 9.1.12.** $1/6$
- 9.2.1.** $1/\pi, 5/\pi$
- 9.2.2.** $0, 245$
- 9.2.3.** $20, 28$
- 9.2.4.** $(3-\pi)/(2\pi), (18-12\sqrt{3}+\pi)/(4\pi)$
- 9.2.5.** $10/49$ meters, $20/49$ seconds
- 9.2.6.** $45/98$ meters, $30/49$ seconds
- 9.2.7.** $25000/49$ meters, $1000/49$ seconds

- 9.2.8.** $s(t) = \cos t, v(t) = -\sin t,$
maximum distance is 1,
maximum speed is 1
- 9.2.9.** $s(t) = -\sin(\pi t)/\pi^2 + t/\pi,$
 $v(t) = -\cos(\pi t)/\pi + 1/\pi,$
maximum speed is $2/\pi$
- 9.2.10.** $s(t) = t^2/2 - \sin(\pi t)/\pi^2 + t/\pi,$
 $v(t) = t - \cos(\pi t)/\pi + 1/\pi$
- 9.2.11.** $s(t) = t^2/2 + \sin(\pi t)/\pi^2 - t/\pi,$
 $v(t) = t + \cos(\pi t)/\pi - 1/\pi$
- 9.3.5.** $8\pi/3$
- 9.3.6.** $\pi/30$
- 9.3.7.** $\pi(\pi/2 - 1)$
- 9.3.8.** (a) $114\pi/5$ (b) $74\pi/5$ (c) 20π
(d) 4π
- 9.3.9.** $16\pi, 24\pi$
- 9.3.11.** $\pi h^2(3r-h)/3$
- 9.3.13.** 2π
- 9.4.1.** $2/\pi; 2/\pi; 0$
- 9.4.2.** $4/3$
- 9.4.3.** $1/A$
- 9.4.4.** $\pi/4$
- 9.4.5.** $-1/3, 1$
- 9.4.6.** $-4\sqrt{1224}$ ft/s; $-8\sqrt{1224}$ ft/s
- 9.5.1.** $\approx 5, 305, 028, 516$ N-m
- 9.5.2.** $\approx 4, 457, 854, 041$ N-m
- 9.5.3.** $367, 500$ N-m
- 9.5.4.** $49000\pi + 196000/3$ N-m
- 9.5.5.** 2450π N-m
- 9.5.6.** 0.05 N-m
- 9.5.7.** $6/5$ N-m
- 9.5.8.** 3920 N-m
- 9.5.9.** 23520 N-m
- 9.6.1.** $15/2$
- 9.6.2.** 5
- 9.6.3.** $16/5$
- 9.6.5.** $\bar{x} = 45/28, \bar{y} = 93/70$
- 9.6.6.** $\bar{x} = 0, \bar{y} = 4/(3\pi)$
- 9.6.7.** $\bar{x} = 1/2, \bar{y} = 2/5$
- 9.6.8.** $\bar{x} = 0, \bar{y} = 8/5$
- 9.6.9.** $\bar{x} = 4/7, \bar{y} = 2/5$
- 9.6.10.** $\bar{x} = \bar{y} = 1/5$
- 9.6.11.** $\bar{x} = 0, \bar{y} = 28/(9\pi)$
- 9.6.12.** $\bar{x} = \bar{y} = 28/(9\pi)$
- 9.7.1.** ∞
- 9.7.2.** $1/2$
- 9.7.3.** diverges
- 9.7.4.** diverges
- 9.7.5.** 1
- 9.7.6.** diverges
- 9.7.7.** 2
- 9.7.8.** diverges
- 9.7.9.** $\pi/6$
- 9.7.10.** diverges, 0
- 9.7.11.** diverges, 0
- 9.7.12.** diverges, no CPV
- 9.7.13.** π
- 9.7.14.** 80 mph: 90.8 to 95.3 N
90 mph: 114.9 to 120.6 N
100.9 mph: 144.5 to 151.6 N
- 9.8.2.** $\mu = 1/c, \sigma = 1/c$
- 9.8.3.** $\mu = (a+b)/2, \sigma = (a-b)^2/12$
- 9.8.4.** $7/2$
- 9.8.5.** $21/2$
- 9.8.9.** $r = 6$

- 9.9.1.** $(22\sqrt{22} - 8)/27$
- 9.9.2.** $\ln(2) + 3/8$
- 9.9.3.** $a + a^3/3$
- 9.9.4.** $\ln((\sqrt{2} + 1)/\sqrt{3})$
- 9.9.6.** $3/4$
- 9.9.7.** ≈ 3.82
- 9.9.8.** ≈ 1.01
- 9.9.9.** $\sqrt{1+e^2} - \sqrt{2} + \frac{1}{2} \ln\left(\frac{\sqrt{1+e^2}-1}{\sqrt{1+e^2}+1}\right) + \frac{1}{2} \ln(3+2\sqrt{2})$
- 9.10.1.** $8\pi\sqrt{3} - \frac{16\pi\sqrt{2}}{3}$
- 9.10.3.** $\frac{730\pi\sqrt{730}}{27} - \frac{10\pi\sqrt{10}}{27}$
- 9.10.4.** $\pi + 2\pi e + \frac{1}{4}\pi e^2 - \frac{\pi}{4e^2} - \frac{2\pi}{e}$
- 9.10.6.** $8\pi^2$
- 9.10.7.** $2\pi + \frac{8\pi^2}{3\sqrt{3}}$
- 9.10.8.** $a > b:$ $2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{a^2 - b^2}} \arcsin(\sqrt{a^2 - b^2}/a),$
 $a < b:$ $2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{b^2 - a^2}} \ln\left(\frac{b}{a} + \frac{\sqrt{b^2 - a^2}}{a}\right)$
- 10.1.2.** $\theta = \arctan(3)$
- 10.1.3.** $r = -4 \csc \theta$
- 10.1.4.** $r = \sec \theta \csc^2 \theta$
- 10.1.5.** $r = \sqrt{5}$
- 10.1.6.** $r^2 = \sin \theta \sec^3 \theta$
- 10.1.7.** $r \sin \theta = \sin(r \cos \theta)$
- 10.1.8.** $r = 2/(\sin \theta - 5 \cos \theta)$
- 10.1.9.** $r = 2 \sec \theta$
- 10.1.10.** $0 = r^2 \cos^2 \theta - r \sin \theta + 1$

- 10.1.11.** $0 = 3r^2 \cos^2 \theta - 2r \cos \theta - r \sin \theta$
- 10.1.12.** $r = \sin \theta$
- 10.1.21.** $(x^2 + y^2)^2 = 4x^2y - (x^2 + y^2)y$
- 10.1.22.** $(x^2 + y^2)^{3/2} = y^2$
- 10.1.23.** $x^2 + y^2 = x^2y^2$
- 10.1.24.** $x^4 + x^2y^2 = y^2$
- 10.2.1.** $(\theta \cos \theta + \sin \theta)/(-\theta \sin \theta + \cos \theta), (\theta^2 + 2)/(-\theta \sin \theta + \cos \theta)^3$
- 10.2.2.** $\frac{\cos \theta + 2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta - \sin \theta}, \frac{3(1 + \sin \theta)}{(\cos^2 \theta - \sin^2 \theta - \sin \theta)^3}$
- 10.2.3.** $(\sin^2 \theta - \cos^2 \theta)/(2 \sin \theta \cos \theta), -1/(4 \sin^3 \theta \cos^3 \theta)$
- 10.2.4.** $\frac{2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta}, \frac{2}{(\cos^2 \theta - \sin^2 \theta)^3}$
- 10.2.5.** undefined
- 10.2.6.** $\frac{2 \sin \theta - 3 \sin^3 \theta}{3 \cos^3 \theta - 2 \cos \theta}, \frac{3 \cos^4 \theta - 3 \cos^2 \theta + 2}{2 \cos^3 \theta (3 \cos^2 \theta - 2)^3}$
- 10.3.1.** 1
- 10.3.2.** $9\pi/2$
- 10.3.3.** $\sqrt{3}/3$
- 10.3.4.** $\pi/12 + \sqrt{3}/16$
- 10.3.5.** $\pi a^2/4$
- 10.3.6.** $41\pi/2$
- 10.3.7.** $2 - \pi/2$
- 10.3.8.** $\pi/12$
- 10.3.9.** $3\pi/16$
- 10.3.10.** $\pi/4 - 3\sqrt{3}/8$
- 10.3.11.** $\pi/2 + 3\sqrt{3}/8$
- 10.3.12.** 1

- 10.3.13.** $3/2 - \pi/4$
- 10.3.14.** $\pi/3 + \sqrt{3}/2$
- 10.3.15.** $\pi/3 - \sqrt{3}/4$
- 10.3.16.** $4\pi^3/3$
- 10.3.17.** π^2
- 10.3.18.** $5\pi/24 - \sqrt{3}/4$
- 10.3.19.** $7\pi/12 - \sqrt{3}$
- 10.3.20.** $4\pi - \sqrt{15}/2 - 7 \arccos(1/4)$
- 10.3.21.** $3\pi^3$
- 10.4.6.** $x = t - \frac{\sin(t)}{2}, t = 1 - \frac{\cos(t)}{2}$
- 10.4.7.** $x = 4 \cos t - \cos(4t), y = 4 \sin t - \sin(4t)$
- 10.4.8.** $x = 2 \cos t + \cos(2t), y = 2 \sin t - \sin(2t)$
- 10.4.9.** $x = \cos t + t \sin t, y = \sin t - t \cos t$
- 10.5.1.** There is a horizontal tangent at all multiples of π .
- 10.5.2.** $9\pi/4$
- 10.5.3.** $\int_0^{2\pi} \frac{1}{2} \sqrt{5 - 4 \cos t} dt$
- 10.5.4.** Four points:

$$\left(\frac{-3 - 3\sqrt{5}}{4}, \pm \sqrt{\frac{5 - \sqrt{5}}{8}} \right),$$

$$\left(\frac{-3 + 3\sqrt{5}}{4}, \pm \sqrt{\frac{5 + \sqrt{5}}{8}} \right)$$
- 10.5.5.** $11\pi/3$
- 10.5.6.** $32/3$
- 10.5.7.** 2π
- 10.5.8.** $16/3$
- 10.5.9.** $(\pi/2, 1)$
- 10.5.10.** $5\pi^3/6$
- 10.5.11.** $2\pi^2$
- 10.5.12.** $(2\pi\sqrt{4\pi^2 + 1} + \ln(2\pi + \sqrt{4\pi^2 + 1}))/2$
- 11.1.1.** 1
- 11.1.3.** 0
- 11.1.4.** 1
- 11.1.5.** 1
- 11.1.6.** 0
- 11.2.1.** $\lim_{n \rightarrow \infty} n^2/(2n^2 + 1) = 1/2$
- 11.2.2.** $\lim_{n \rightarrow \infty} 5/(2^{1/n} + 14) = 1/3$
- 11.2.3.** $\sum_{n=1}^{\infty} \frac{1}{n}$ diverges, so $\sum_{n=1}^{\infty} 3 \frac{1}{n}$ diverges
- 11.2.4.** $-3/2$
- 11.2.5.** 11
- 11.3.1.** diverges
- 11.3.2.** diverges
- 11.3.3.** converges
- 11.3.4.** converges
- 11.3.5.** converges
- 11.3.6.** converges
- 11.3.7.** diverges
- 11.3.8.** converges
- 11.3.9.** $N = 5$
- 11.3.10.** $N = 10$
- 11.3.11.** $N = 1687$
- 11.3.12.** any integer greater than e^{200}
- 11.4.1.** converges
- 11.4.2.** converges
- 11.4.3.** diverges
- 11.4.4.** converges

- 11.4.5.** 0.90
11.4.6. 0.95
11.5.1. converges
11.5.2. converges
11.5.3. converges
11.5.4. diverges
11.5.5. diverges
11.5.6. diverges
11.5.7. converges
11.5.8. diverges
11.5.9. converges
11.5.10. diverges
11.6.1. converges absolutely
11.6.2. diverges
11.6.3. converges conditionally
11.6.4. converges absolutely
11.6.5. converges conditionally
11.6.6. converges absolutely
11.6.7. diverges
11.6.8. converges conditionally
11.7.5. converges
11.7.6. converges
11.7.7. converges
11.7.8. diverges
11.8.1. $R = 1$, $I = (-1, 1)$
11.8.2. $R = \infty$, $I = (-\infty, \infty)$
11.8.3. $R = e$, $I = (-e, e)$
11.8.4. $R = e$, $I = (2 - e, 2 + e)$
11.8.5. $R = 0$, converges only when $x = 2$
11.8.6. $R = 1$, $I = [-6, -4]$
11.9.1. the alternating harmonic series
11.9.2. $\sum_{n=0}^{\infty} (n+1)x^n$

- 11.9.3.** $\sum_{n=0}^{\infty} (n+1)(n+2)x^n$
11.9.4. $\sum_{n=0}^{\infty} \frac{(n+1)(n+2)}{2}x^n$, $R = 1$
11.9.5. $C + \sum_{n=0}^{\infty} \frac{-1}{(n+1)(n+2)}x^{n+2}$
11.10.1. $\sum_{n=0}^{\infty} (-1)^n x^{2n}/(2n)!$, $R = \infty$
11.10.2. $\sum_{n=0}^{\infty} x^n/n!$, $R = \infty$
11.10.3. $\sum_{n=0}^{\infty} (-1)^n \frac{(x-5)^n}{5^{n+1}}$, $R = 5$
11.10.4. $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-1)^n}{n}$, $R = 1$
11.10.5. $\ln(2) + \sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-2)^n}{n2^n}$, $R = 2$
11.10.6. $\sum_{n=0}^{\infty} (-1)^n (n+1)(x-1)^n$, $R = 1$
11.10.7. $1 + \sum_{n=1}^{\infty} \frac{1 \cdot 3 \cdot 5 \cdots (2n-1)}{n!2^n} x^n = 1 + \sum_{n=1}^{\infty} \frac{(2n-1)!}{2^{2n-1}(n-1)!n!} x^n$, $R = 1$
11.10.8. $x + x^3/3$
11.10.9. $\sum_{n=0}^{\infty} (-1)^n x^{4n+1}/(2n)!$
11.10.10. $\sum_{n=0}^{\infty} (-1)^n x^{n+1}/n!$
11.11.1. $1 - \frac{x^2}{2} + \frac{x^4}{24} - \frac{x^6}{720} + \cdots + \frac{x^{12}}{12!}$
11.11.2. 1000; 8

- 11.11.3.** $x + \frac{x^3}{3} + \frac{2x^5}{15}$, error ± 1.27 .
11.12.1. diverges
11.12.2. converges
11.12.3. converges
11.12.4. diverges
11.12.5. diverges
11.12.6. diverges
11.12.7. converges
11.12.8. converges
11.12.9. converges
11.12.10. converges
11.12.11. converges
11.12.12. converges
11.12.13. converges
11.12.14. converges
11.12.15. converges
11.12.16. converges
11.12.17. diverges
11.12.18. $(-\infty, \infty)$
11.12.19. $(-3, 3)$
11.12.20. $(-3, 3)$
11.12.21. $(-1, 1)$
11.12.22. radius is 0—it converges only when $x = 0$
11.12.23. $(-\sqrt{3}, \sqrt{3})$
11.12.24. $(-\infty, \infty)$
11.12.25. $\sum_{n=0}^{\infty} \frac{(\ln(2))^n}{n!} x^n$
11.12.26. $\sum_{n=0}^{\infty} \frac{(-1)^n}{n+1} x^{n+1}$
11.12.27. $\sum_{n=0}^{\infty} \frac{2}{2n+1} x^{2n+1}$
11.12.28. $1 + x/2 + \sum_{n=2}^{\infty} (-1)^{n+1} \frac{1 \cdot 3 \cdot 5 \cdots (2n-3)}{2^n n!} x^n$
11.12.29. $\sum_{n=0}^{\infty} (-1)^n x^{2n}$
11.12.30. $\sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} x^{2n+1}$
11.12.31. $\pi = \sum_{n=0}^{\infty} (-1)^n \frac{4}{2n+1}$
12.1.6. 3, $\sqrt{26}$, $\sqrt{29}$.
12.1.7. $\sqrt{14}$, $2\sqrt{14}$, $3\sqrt{14}$.
12.1.8. $(x-1)^2 + (y-1)^2 + (z-1)^2 = 4$.
12.1.9. $(x-2)^2 + (y+1)^2 + (z-3)^2 = 25$.
12.1.11. $(x-2)^2 + (y-1)^2 + (z+1)^2 = 16$,
 $(y-1)^2 + (z+1)^2 = 12$
12.2.6. $\sqrt{10}$, $\langle 0, -2 \rangle$, $\langle 2, 8 \rangle$, 2, $2\sqrt{17}$,
 $\langle -2, -6 \rangle$
12.2.7. $\sqrt{14}$, $\langle 0, 4, 0 \rangle$, $\langle 2, 0, 6 \rangle$, 4, $2\sqrt{10}$,
 $\langle -2, -4, -6 \rangle$
12.2.8. $\sqrt{2}$, $\langle 0, -2, 3 \rangle$, $\langle 2, 2, -1 \rangle$, $\sqrt{13}$, 3,
 $\langle -2, 0, -2 \rangle$
12.2.9. $\sqrt{3}$, $\langle 1, -1, 4 \rangle$, $\langle 1, -1, -2 \rangle$, $3\sqrt{2}$, $\sqrt{6}$,
 $\langle -2, 2, -2 \rangle$
12.2.10. $\sqrt{14}$, $\langle 2, 1, 0 \rangle$, $\langle 4, 3, 2 \rangle$, $\sqrt{5}$, $\sqrt{29}$,
 $\langle -6, -4, -2 \rangle$
12.2.11. $\langle -3, -3, -11 \rangle$,
 $\langle -3/\sqrt{139}, -3/\sqrt{139}, -11/\sqrt{139} \rangle$
 $\langle -12/\sqrt{139}, -12/\sqrt{139}, -44/\sqrt{139} \rangle$
12.2.12. $\langle 0, 0, 0 \rangle$
12.2.13. 0; $\langle -r\sqrt{3}/2, r/2 \rangle$; $\langle 10r, 0 \rangle$; where r is the radius of the clock
12.3.1. 3

- 12.3.2.** 0
12.3.3. 2
12.3.4. -6
12.3.5. 42
12.3.6. $\sqrt{6}/\sqrt{7}, \approx 0.39$
12.3.7. $-11\sqrt{14}\sqrt{29}/406, \approx 2.15$
12.3.8. $0, \pi/2$
12.3.9. $1/2, \pi/3$
12.3.10. $-1/\sqrt{3}, \approx 2.19$
12.3.11. $\arccos(1/\sqrt{3}) \approx 0.96$
12.3.12. $\sqrt{5}, \langle 1, 2, 0 \rangle$
12.3.13. $3\sqrt{14}/7, \langle 9/7, 6/7, 3/7 \rangle$
12.3.14. $\langle 0, 5 \rangle, \langle 5\sqrt{3}, 0 \rangle$
12.3.15. $\langle 0, 15\sqrt{2}/2 \rangle, \langle 15\sqrt{2}/2, 0 \rangle$
12.3.16. Any vector of the form $\langle a, -7a/2, -2a \rangle$
12.3.17. $\langle 1/\sqrt{3}, -1/\sqrt{3}, 1/\sqrt{3} \rangle$
12.3.18. No.
12.3.19. Yes.
12.4.1. $\langle 1, -2, 1 \rangle$
12.4.2. $\langle 4, -6, -2 \rangle$
12.4.3. $\langle -7, 13, -9 \rangle$
12.4.4. $\langle 0, -1, 0 \rangle$
12.4.5. 3
12.4.6. $21/\sqrt{2}$
12.4.7. 1
12.5.1. $(x - 6) + (y - 2) + (z - 1) = 0$
12.5.2. $4(x + 1) + 5(y - 2) - (z + 3) = 0$
12.5.3. $(x - 1) - (y - 2) = 0$
12.5.4. $-2(x - 1) + 3y - 2z = 0$
12.5.5. $4(x - 1) - 6y = 0$
12.5.6. $x + 3y = 0$

- 12.5.7.** $\langle 1, 0, 3 \rangle + t\langle 0, 2, 1 \rangle$
12.5.8. $\langle 1, 0, 3 \rangle + t\langle 1, 2, -1 \rangle$
12.5.9. $t\langle 1, 1, -1 \rangle$
12.5.10. $-2/5, 13/5$
12.5.12. neither
12.5.13. parallel
12.5.14. intersect
12.5.15. same line
12.5.19. $7/\sqrt{3}$
12.5.20. $4/\sqrt{14}$
12.5.21. $\sqrt{131}/\sqrt{14}$
12.5.22. $\sqrt{68}/3$
12.5.23. $\sqrt{42}/7$
12.5.24. $\sqrt{21}/6$
12.6.1. $(\sqrt{2}, \pi/4, 1), (\sqrt{3}, \pi/4, \arccos(1/\sqrt{3})), (7\sqrt{2}, 7\pi/4, 5), (\sqrt{123}, 7\pi/4, \arccos(5/\sqrt{123})); (1, 1, 1), (\sqrt{2}, 1, \pi/4); (0, 0, -\pi), (\pi, 0, \pi)$
12.6.2. $r^2 + z^2 = 4$
12.6.3. $r \cos \theta = 0$
12.6.4. $r^2 + 2z^2 + 2z - 5 = 0$
12.6.5. $z = e^{-r^2}$
12.6.6. $z = r$
12.6.7. $\sin \theta = 0$
12.6.8. $1 = \rho \cos \phi$
12.6.9. $\rho = 2 \sin \theta \sin \phi$
12.6.10. $\rho \sin \phi = 2$
12.6.11. $\cos \phi = 1/\sqrt{2}$
12.6.13. $z = mr; \cot \phi = m$ if $m \neq 0$, $\phi = 0$
 if $m = 0$

- 12.6.14.** A sphere with radius $1/2$, center at $(0, 1/2, 0)$
12.6.15. $0 < \theta < \pi/2, 0 < \phi < \pi/2, \rho > 0; 0 < \theta < \pi/2, r > 0, z > 0$
13.1.5. $\langle 3 \cos t, 3 \sin t, 2 - 3 \sin t \rangle$
13.1.6. $\langle 0, t \cos t, t \sin t \rangle$
13.2.1. $\langle 2t, 0, 1 \rangle, \mathbf{r}'/\sqrt{1 + 4t^2}$
13.2.2. $\langle -\sin t, 2 \cos 2t, 2t \rangle, \mathbf{r}'/\sqrt{\sin^2 t + 4 \cos^2(2t) + 4t^2}$
13.2.3. $\langle -e^t \sin(e^t), e^t \cos(e^t), \cos t \rangle, \mathbf{r}'/\sqrt{e^{2t} + \cos^2 t}$
13.2.4. $\langle \sqrt{2}/2, \sqrt{2}/2, \pi/4 \rangle + t\langle -\sqrt{2}/2, \sqrt{2}/2, 1 \rangle$
13.2.5. $\langle 1/2, \sqrt{3}/2, -1/2 \rangle + t\langle -\sqrt{3}/2, 1/2, 2\sqrt{3} \rangle$
13.2.6. $2/\sqrt{5}/\sqrt{4 + \pi^2}$
13.2.7. $7\sqrt{5}\sqrt{17}/85, -9\sqrt{5}\sqrt{17}/85$
13.2.9. $\langle 0, t \cos t, t \sin t \rangle, \langle 0, \cos t - t \sin t, \sin t + t \cos t \rangle, \mathbf{r}'/\sqrt{1 + t^2}, \sqrt{1 + t^2}$
13.2.10. $\langle \sin t, 1 - \cos t, t^2/2 \rangle$
13.2.11. $t = 4$
13.2.12. $\langle t^2/2, t^3/3, \sin t \rangle$
13.2.15. $(1, 1, 1)$ when $t = 1$ and $s = 0$; $\theta = \arccos(3/\sqrt{14})$; no
13.2.16. $-6x + (y - \pi) = 0$
13.2.17. $(-1, -3, 1)$
13.3.1. $2\pi\sqrt{13}$
13.3.2. $(-8 + 13\sqrt{13})/27$
13.3.3. $\sqrt{5}/2 + \ln(\sqrt{5} + 2)/4$
13.3.4. $(85\sqrt{85} - 13\sqrt{13})/27$
13.3.5. $\int_0^5 \sqrt{1 + e^{2t}} dt$
13.3.6. $2\sqrt{2}/(2 + 4t^2)^{3/2}$
13.3.7. $2\sqrt{2}/(1 + 8t^2)^{3/2}$
13.3.8. $2\sqrt{1 + 9t^2 + 9t^4}/(1 + 4t^2 + 9t^4)^{3/2}$
13.3.9. $12\sqrt{17}/289$
13.4.1. $\langle -\sin t, \cos t, 1 \rangle, \langle -\cos t, -\sin t, 0 \rangle, 0, 1$
13.4.2. $\langle -\sin t, \cos t, 2t \rangle, \langle -\cos t, -\sin t, 2 \rangle, 4t/\sqrt{4t^2 + 1}, \sqrt{4t^2 + 5}/\sqrt{4t^2 + 1}$
13.4.3. $\langle -\sin t, \cos t, e^t \rangle, \langle -\cos t, -\sin t, e^t \rangle, e^{2t}/\sqrt{e^{2t} + 1}, \sqrt{2e^{2t} + 1}/\sqrt{e^{2t} + 1}$
13.4.4. $\langle e^t, \cos t, e^t \rangle, \langle e^t, -\sin t, e^t \rangle, (2e^{2t} - \cos t \sin t)/\sqrt{2e^{2t} + \cos^2 t}, \sqrt{2e^t} |\cos t + \sin t|/\sqrt{2e^{2t} + \cos^2 t}$
13.4.5. $\langle -3 \sin t, 2 \cos t, 0 \rangle, \langle 3 \cos t, 2 \sin t, 0 \rangle$
13.4.6. $\langle -3 \sin t, 2 \cos t + 0.1, 0 \rangle, \langle 3 \cos t, 2 \sin t + t/10, 0 \rangle$
13.4.7. $\langle -3 \sin t, 2 \cos t, 1 \rangle, \langle 3 \cos t, 2 \sin t, t \rangle$
13.4.8. $\langle -3 \sin t, 2 \cos t + 1/10, 1 \rangle, \langle 3 \cos t, 2 \sin t + t/10, t \rangle$
14.1.1. $z = y^2, z = x^2, z = 0$, lines of slope 1
14.1.2. $z = |y|, z = |x|, z = 2|x|$, diamonds
14.1.3. $z = e^{-y^2} \sin(y^2), z = e^{-x^2} \sin(x^2), z = e^{-2x^2} \sin(2x^2)$, circles
14.1.4. $z = -\sin(y), z = \sin(x), z = 0$, lines of slope 1
14.1.5. $z = y^4, z = x^4, z = 0$, hyperbolas
14.1.6. (a) $\{(x, y) \mid |x| \leq 3 \text{ and } |y| \geq 2\}$
 (b) $\{(x, y) \mid 1 \leq x^2 + y^2 \leq 3\}$
 (c) $\{(x, y) \mid x^2 + 4y^2 \leq 16\}$
14.2.1. No limit; use $x = 0$ and $y = 0$.
14.2.2. No limit; use $x = 0$ and $x = y$.
14.2.3. No limit; use $x = 0$ and $x = y$.

- 14.2.4.** Limit is zero.
14.2.5. Limit is 1.
14.2.6. Limit is zero.
14.2.7. Limit is -1 .
14.2.8. Limit is zero.
14.2.9. No limit; use $x = 0$ and $y = 0$.
14.2.10. Limit is zero.
14.2.11. Limit is -1 .
14.2.12. Limit is zero.
14.3.1. $-2xy \sin(x^2y)$, $-x^2 \sin(x^2y) + 3y^2$
14.3.2. $(y^2 - x^2y)/(x^2 + y)^2$, $x^3/(x^2 + y)^2$
14.3.3. $2xe^{x^2+y^2}$, $2ye^{x^2+y^2}$
14.3.4. $y \ln(xy) + y$, $x \ln(xy) + x$
14.3.5. $-x/\sqrt{1-x^2-y^2}$,
 $-y/\sqrt{1-x^2-y^2}$
14.3.6. $\tan y$, $x \sec^2 y$
14.3.7. $-1/(x^2y)$, $-1/(xy^2)$
14.3.8. $z = -2(x-1) - 3(y-1) - 1$
14.3.9. $z = 1$
14.3.10. $z = 6(x-3) + 3(y-1) + 10$
14.3.11. $z = (x-2) + 4(y-1/2)$
14.3.12. $\mathbf{r}(t) = \langle 2, 1, 4 \rangle + t\langle 2, 4, -1 \rangle$
14.4.1. $4xt \cos(x^2 + y^2) + 6yt^2 \cos(x^2 + y^2)$
14.4.2. $2xy \cos t + 2x^2 t$
14.4.3. $2xyt \cos(st) + 2x^2 s$, $2xys \cos(st) + 2x^2 t$
14.4.4. $2xy^2 t - 4yx^2 s$, $2xy^2 s + 4yx^2 t$
14.4.5. x/z , $3y/(2z)$
14.4.6. $-2x/z$, $-y/z$
14.4.7. (a) $V' = (nR - 0.2V)/P$
(b) $P' = (nR + 0.6P)/2V$
(c) $T' = (3P - 0.4V)/(nR)$

- 14.5.1.** $9\sqrt{5}/5$
14.5.2. $\sqrt{2} \cos 3$
14.5.3. $e\sqrt{2}(\sqrt{3}-1)/4$
14.5.4. $\sqrt{3} + 5$
14.5.5. $-\sqrt{6}(2+\sqrt{3})/72$
14.5.6. $-1/5, 0$
14.5.7. $4(x-2) + 8(y-1) = 0$
14.5.8. $2(x-3) + 3(y-2) = 0$
14.5.9. $\langle -1, -1 - \cos 1, -\cos 1 \rangle$,
 $-\sqrt{2+2\cos 1+2\cos^2 1}$
14.5.10. Any direction perpendicular to
 $\nabla T = \langle 1, 1, 1 \rangle$, for example,
 $\langle -1, 1, 0 \rangle$
14.5.11. $2(x-1) - 6(y-1) + 6(z-3) = 0$
14.5.12. $6(x-1) + 3(y-2) + 2(z-3) = 0$
14.5.13. $\langle 2+4t, -3-12t, -1-8t \rangle$
14.5.14. $\langle 4+8t, 2+4t, -2-36t \rangle$
14.5.15. $\langle 4+8t, 2+20t, 6-12t \rangle$
14.5.16. $\langle 0, 1 \rangle$, $\langle 4/5, -3/5 \rangle$
14.5.17. (a) $\langle 4, 9 \rangle$ (b) $\langle -81, 2 \rangle$ or $\langle 81, -2 \rangle$
14.5.18. in the direction of $\langle 8, 1 \rangle$
14.5.19. $\nabla g(-1, 3) = \langle 2, 1 \rangle$

- 14.6.1.** $f_{xx} = (2x^3y - 6xy^3)/(x^2 + y^2)^3$,
 $f_{yy} = (2xy^3 - 6x^3y)/(x^2 + y^2)^3$
14.6.2. $f_x = 3x^2y^2$, $f_y = 2x^3y + 5y^4$,
 $f_{xx} = 6xy^2$, $f_{yy} = 2x^3 + 20y^3$,
 $f_{xy} = 6x^2y$
14.6.3. $f_x = 12x^2 + y^2$, $f_y = 2xy$,
 $f_{xx} = 24x$, $f_{yy} = 2x$, $f_{xy} = 2y$
14.6.4. $f_x = \sin y$, $f_y = x \cos y$, $f_{xx} = 0$,
 $f_{yy} = -x \sin y$, $f_{xy} = \cos y$

- 14.6.5.** $f_x = 3 \cos(3x) \cos(2y)$,
 $f_y = -2 \sin(3x) \sin(2y)$,
 $f_{xy} = -6 \cos(3x) \sin(2y)$,
 $f_{yy} = -4 \sin(3x) \cos(2y)$,
 $f_{xx} = -9 \sin(3x) \cos(2y)$
14.6.6. $f_x = e^{x+y^2}$, $f_y = 2ye^{x+y^2}$,
 $f_{xx} = e^{x+y^2}$,
 $f_{yy} = 4y^2e^{x+y^2} + 2e^{x+y^2}$,
 $f_{xy} = 2ye^{x+y^2}$
14.6.7. $f_x = \frac{3x^2}{2(x^3+y^4)}$, $f_y = \frac{2y^3}{x^3+y^4}$,
 $f_{xx} = \frac{3x}{x^3+y^4} - \frac{9x^4}{2(x^3+y^4)^2}$,
 $f_{yy} = \frac{6y^2}{x^3+y^4} - \frac{8y^6}{(x^3+y^4)^2}$,
 $f_{xy} = \frac{-6x^2y^3}{(x^3+y^4)^2}$
14.6.8. $z_x = \frac{-x}{16z}$, $z_y = \frac{-y}{4z}$,
 $z_{xx} = -\frac{16z^2+x^2}{16^2z^3}$,
 $z_{yy} = -\frac{4z^2+y^2}{16z^3}$,
 $z_{xy} = \frac{-xy}{64z^3}$
14.6.9. $z_x = -\frac{y+z}{x+y}$, $z_y = -\frac{x+z}{x+y}$,
 $z_{xx} = 2\frac{y+z}{(x+y)^2}$, $z_{yy} = 2\frac{x+z}{(x+y)^2}$,
 $z_{xy} = \frac{2z}{(x+y)^2}$
14.7.1. minimum at $(1, -1)$
14.7.2. none
14.7.3. none
14.7.4. maximum at $(1, -1/6)$
14.7.5. none
14.7.6. minimum at $(2, -1)$
14.7.7. $f(2, 2) = -2$, $f(2, 0) = 4$
14.7.8. a cube $1/\sqrt[3]{2}$ on a side
14.7.9. $65/3 \times 65/3 \times 130/3$
14.7.10. It has a square base, and is one and one half times as tall as wide. If the volume is V the dimensions are $\sqrt[3]{2V/3} \times \sqrt[3]{2V/3} \times \sqrt[3]{9V/4}$.
14.7.11. $\sqrt{100/3}$
14.7.12. $|ax_0 + by_0 + cz_0 - d|/\sqrt{a^2 + b^2 + c^2}$
14.7.13. The sides and bottom should all be $2/3$ meter, and the sides should be bent up at angle $\pi/3$.
14.7.14. $(3, 4/3)$
14.7.16. $|b|$ if $b \leq 1/2$, otherwise $\sqrt{b-1/4}$
14.7.17. $|b|$ if $b \leq 1/2$, otherwise $\sqrt{b-1/4}$
14.7.19. $1024/\sqrt{3}$
14.8.1. a cube
14.8.2. $65/3 \times 65/3 \times 130/3$
14.8.3. It has a square base, and is one and one half times as tall as wide. If the volume is V the dimensions are $\sqrt[3]{2V/3} \times \sqrt[3]{2V/3} \times \sqrt[3]{9V/4}$.
14.8.4. $|ax_0 + by_0 + cz_0 - d|/\sqrt{a^2 + b^2 + c^2}$
14.8.5. $(0, 0, 1)$, $(0, 0, -1)$
14.8.6. $\sqrt[3]{4V} \times \sqrt[3]{4V} \times \sqrt[3]{V/16}$
14.8.7. Farthest: $(-\sqrt{2}, \sqrt{2}, 2+2\sqrt{2})$;
closest: $(2, 0, 0)$, $(0, -2, 0)$
14.8.8. $x = y = z = 16$
14.8.9. $(1, 2, 2)$
14.8.10. $(0, \sqrt{5}, -\sqrt{5})$, $(0, -\sqrt{5}, \sqrt{5})$
14.8.11. standard \$65, deluxe \$75
14.8.12. $x = 9$, $\phi = \pi/3$
14.8.13. $35, -35$

14.8.14. maximum e^4 , no minimum14.8.15. 5, $-9/2$

14.8.16. 3, 3, 3

14.8.17. a cube of side length $2/\sqrt{3}$ 14.8.18. $\approx 5/8$ knots/mi

15.1.1. 16

15.1.2. 4

15.1.3. $15/8$ 15.1.4. $1/2$ 15.1.5. $5/6$ 15.1.6. $12 - 65/(2e)$.15.1.7. $1/2$ 15.1.8. $\pi/64$ 15.1.9. $(2/9)2^{3/2} - (2/9)$ 15.1.10. $(1 - \cos(1))/4$ 15.1.11. $(2\sqrt{2} - 1)/6$ 15.1.12. $\pi - 2$ 15.1.13. $(e^9 - 1)/6$ 15.1.14. 448 15.1.15. 8π

15.1.16. 2

15.1.17. $5/3$ 15.1.18. $81/2$ 15.1.19. $2a^3/3$ 15.1.20. 4π 15.1.21. $\pi/32$ 15.1.22. $31/8$ 15.1.23. $128/15$ 15.1.24. $1800\pi \text{ m}^3$ 15.1.25. $\frac{(e^2 + 8e + 16)}{15}\sqrt{e+4} - \frac{5\sqrt{5}}{3} - \frac{e^{5/2}}{15} + \frac{1}{15}$ 15.1.27. $16 - 8\sqrt{2}$ 15.2.1. 4π 15.2.2. $32\pi/3 - 4\sqrt{3}\pi$ 15.2.3. $(2 - \sqrt{2})\pi/3$ 15.2.4. $4/9$ 15.2.5. $5\pi/3$ 15.2.6. $\pi/6$ 15.2.7. $\pi/2$ 15.2.8. $\pi/2 - 1$ 15.2.9. $\sqrt{3}/4 + \pi/6$ 15.2.10. $8 + \pi$ 15.2.11. $\pi/12$ 15.2.12. $(1 - \cos(9))\pi/2$ 15.2.13. $-a^5/15$ 15.2.15. 2π 15.3.1. $\bar{x} = \bar{y} = 2/3$ 15.3.2. $\bar{x} = 4/5, \bar{y} = 8/15$ 15.3.3. $\bar{x} = 0, \bar{y} = 3\pi/16$ 15.3.4. $\bar{x} = 0, \bar{y} = 16/(15\pi)$ 15.3.5. $\bar{x} = 3/2, \bar{y} = 9/4$ 15.3.6. $\bar{x} = 6/5, \bar{y} = 12/5$ 15.3.7. $\bar{x} = 14/27, \bar{y} = 28/55$ 15.3.8. $(3/4, 2/5)$ 15.3.9. $\left(\frac{81\sqrt{3}}{80\pi}, 0\right)$ 15.4.1. $\pi a\sqrt{h^2 + a^2}$ 15.4.2. $\pi a^2\sqrt{m^2 + 1}$ 15.4.3. $\sqrt{3}/2$ 15.4.4. $\pi\sqrt{2}$ 15.4.5. $\pi\sqrt{2}/8$ 15.4.6. $\pi/2 - 1$ 15.4.7. $\frac{d^2\sqrt{a^2 + b^2 + c^2}}{2abc}$ 15.4.8. $8\sqrt{3}\pi/3$ 15.5.1. $11/24$ 15.5.2. $623/60$ 15.5.3. $-3e^2/4 + 2e - 3/4$ 15.5.4. $1/20$ 15.5.5. $\pi/48$ 15.5.6. $11/84$ 15.5.7. $151/60$

15.5.9. 32

15.5.10. $64/3$ 15.5.11. $\bar{x} = \bar{y} = 0, \bar{z} = 16/15$ 15.5.12. $\bar{x} = \bar{y} = 0, \bar{z} = 1/3$ 15.6.1. $\pi/12$ 15.6.2. $\pi(1 - \sqrt{2}/2)$ 15.6.3. $\pi/12$ 15.6.4. $5\pi/4$

15.6.5. 0

15.6.6. $5\pi/4$ 15.6.7. $4/5$ 15.6.8. $256\pi/15$ 15.6.9. $4\pi^2$ 15.6.10. $\pi kh^2 a^2/12$ 15.6.11. $\pi kha^3/6$ 15.6.12. $\pi^2/4$ 15.6.13. $4\pi/5$ 15.6.14. 15π 15.6.15. $9k\pi(5\sqrt{2} - 2\sqrt{5})/20$ 15.7.1. $4\pi\sqrt{3}/3$

15.7.2. 0

15.7.3. $2/3$ 15.7.4. $\frac{e^2 - 1}{2e^2}$

15.7.5. 36

15.7.6. $32(\sqrt{2} + \ln(1 + \sqrt{2}))/3$ 15.7.7. $3\cos(1) - 3\cos(4)$ 15.7.8. $(4/3)\pi abc$ 15.7.9. $\pi(1 - \cos(1))/24$ 16.2.1. $13\sqrt{11}/4$

16.2.2. 0

16.2.3. $3\sin(4)/2$

16.2.4. 0

16.2.5. $2e^3$

16.2.6. 128

16.2.7. $(9e - 3)/2$ 16.2.8. $e^{e+1} - e^e - e^{1/e-1} + e^{1/e} + e^4/4 - e^{-4}/4$ 16.2.9. $1 + \sin(1) - \cos(1)$ 16.2.10. $3\ln 3 - 2\ln 2$ 16.2.11. $3/20 + 10\ln(2)/7$ 16.2.12. $2\ln 5 - 2\ln 2 + 15/32$

16.2.13. 1

16.2.14. 0

16.2.15. $21 + \cos(1) - \cos(8)$ 16.2.16. $(\ln 29 - \ln 2)/2$ 16.2.17. $2\ln 2 + \pi/4 - 2$ 16.2.18. $1243/3$ 16.2.19. $\ln 2 + 11/3$ 16.2.20. $3\cos(1) - \cos(2) - \cos(4) - \cos(8)$ 16.2.21. $-10/3$ 16.3.1. no f 16.3.2. $x^4/4 - y^5/5$ 16.3.3. no f

- 16.3.4.** no f
16.3.5. $y \sin x$
16.3.6. no f
16.3.7. xyz
16.3.8. 414
16.3.9. 6
16.3.10. $1/e - \sin 3$
16.3.11. $1/\sqrt{77} - 1/\sqrt{3}$
16.4.1. 1
16.4.2. 0
16.4.3. $1/(2e) - 1/(2e^7) + e/2 - e^7/2$
16.4.4. $1/2$
16.4.5. $-1/6$
16.4.6. $(2\sqrt{3} - 10\sqrt{5} + 8\sqrt{6})/3 - 2\sqrt{2}/5 + 1/5$
16.4.7. $11/2 - \ln(2)$
16.4.8. $2 - \pi/2$
16.4.9. $-17/12$
16.4.10. 0
16.4.11. $-\pi/2$
16.4.12. 12π
16.4.13. $2 \cos(1) - 2 \sin(1) - 1$
16.5.1. $-1, 0$
16.5.2. 0, $a + b$
16.5.3. $(2b - a)/3, 0$
16.5.4. 0, 1
16.5.5. $-2\pi, 0$
16.5.6. 0, 2π
16.6.3. $25\sqrt{21}/4$
16.6.4. $\pi\sqrt{21}$
16.6.5. $\pi(5\sqrt{5} - 1)/6$
16.6.6. $4\pi\sqrt{2}$
16.6.7. $\pi a^2/2$

- 16.6.8.** $2\pi a(a - \sqrt{a^2 - b^2})$
16.6.9. $\pi((1 + 4a^2)^{3/2} - 1)/6$
16.6.10. $2\pi((1 + a^2)^{3/2} - 1)/3$
16.6.11. $\pi a^2 - 2a^2$
16.6.12. $\pi a^2\sqrt{1 + k^2}/4$
16.6.13. $A\sqrt{1 + a^2 + b^2}$
16.6.14. $A\sqrt{k^2 + 1}$
16.6.15. $8a^2$
16.7.1. $(0, 0, 3/8)$
16.7.2. $(11/20, 11/20, 3/10)$
16.7.3. $(0, 0, 1364/425)$
16.7.4. on center axis, $h/3$ above the base
16.7.5. 16
16.7.6. 7
16.7.7. $-\pi$
16.7.8. $-137/120$
16.7.9. $-2/e$
16.7.10. $\pi b^2(-4b^4 - 3b^2 + 6a^2b^2 + 6a^2)/6$
16.7.11. 0 kg/s
16.7.12. $24\epsilon_0$
16.8.1. -3π
16.8.2. 0
16.8.3. -4π
16.8.4. 3π
16.8.5. $A(p(c - b) + q(a - c) + a - b)$
16.9.1. both are $-45\pi/4$
16.9.2. $a^2bc + ab^2c + abc^2$
16.9.3. $e^2 - 2e + 7/2$
16.9.4. 3
16.9.5. $384\pi/5$
16.9.6. $\pi/3$

- 16.9.7.** 10π
16.9.8. $\pi/2$
17.1.2. $y = \arctan t + C$
17.1.3. $y = \frac{t^{n+1}}{n+1} + 1$
17.1.4. $y = t \ln t - t + C$
17.1.5. $y = n\pi$, for any integer n .
17.1.6. none
17.1.7. $y = \pm\sqrt{t^2 + C}$
17.1.8. $y = \pm 1, y = (1 + Ae^{2t})/(1 - Ae^{2t})$
17.1.9. $y^4/4 - 5y = t^2/2 + C$
17.1.10. $y = (2t/3)^{3/2}$
17.1.11. $y = M + Ae^{-kt}$
17.1.12. $\frac{10 \ln(15/2)}{\ln 5} \approx 2.52$ minutes
17.1.13. $y = \frac{M}{1 + Ae^{-Mkt}}$
17.1.14. $y = 2e^{3t/2}$
17.1.15. $t = -\frac{\ln 2}{k}$
17.1.16. $600e^{-6 \ln 2/5} \approx 261$ mg; $\frac{5 \ln 300}{\ln 2} \approx 41$ days
17.1.17. $100e^{-200 \ln 2/191} \approx 48$ mg;
 $\frac{5730 \ln 50}{\ln 2} \approx 32339$ years
17.1.18. $y = y_0 e^{t \ln 2}$
17.1.19. $500e^{-5 \ln 2/4} \approx 210$ g
17.2.1. $y = Ae^{-5t}$
17.2.2. $y = Ae^{2t}$
17.2.3. $y = Ae^{-\arctan t}$
17.2.4. $y = Ae^{-t^3/3}$
17.2.5. $y = 4e^{-t}$
17.2.6. $y = -2e^{3t-3}$
17.2.7. $y = e^{1+\cos t}$
17.2.8. $y = e^2 e^{-e^t}$
17.2.9. $y = 0$
17.2.10. $y = 0$
17.2.11. $y = 4t^2$
17.2.12. $y = -2e^{(1/t)-1}$
17.2.13. $y = e^{1-t^{-2}}$
17.2.14. $y = 0$
17.2.15. $k = \ln 5, y = 100e^{-t \ln 5}$
17.2.16. $k = -12/13, y = \exp(-13t^{1/13})$
17.2.17. $y = 10^6 e^{t \ln(3/2)}$
17.2.18. $y = 10e^{-t \ln(2)/6}$
17.3.1. $y = Ae^{-4t} + 2$
17.3.2. $y = Ae^{2t} - 3$
17.3.3. $y = Ae^{-(1/2)t^2} + 5$
17.3.4. $y = Ae^{-e^t} - 2$
17.3.5. $y = Ae^t - t^2 - 2t - 2$
17.3.6. $y = Ae^{-t/2} + t - 2$
17.3.7. $y = At^2 - \frac{1}{3t}$
17.3.8. $y = \frac{c}{t} + \frac{2}{3}\sqrt{t}$
17.3.9. $y = A \cos t + \sin t$
17.3.10. $y = \frac{A}{\sec t + \tan t} + 1 - \frac{t}{\sec t + \tan t}$
17.4.1. $y(1) \approx 1.355$
17.4.2. $y(1) \approx 40.31$
17.4.3. $y(1) \approx 1.05$
17.4.4. $y(1) \approx 2.30$
17.5.4. $\frac{\omega+1}{2\omega}e^{\omega t} + \frac{\omega-1}{2\omega}e^{-\omega t}$
17.5.5. $2 \cos(3t) + 5 \sin(3t)$
17.5.6. $-(1/4)e^{-5t} + (5/4)e^{-t}$
17.5.7. $-2e^{-3t} + 2e^{4t}$

17.5.8. $5e^{-6t} + 20te^{-6t}$

17.5.9. $(16t - 3)e^{4t}$

17.5.10. $-2\cos(\sqrt{5}t) + \sqrt{5}\sin(\sqrt{5}t)$

17.5.11. $-\sqrt{2}\cos t + \sqrt{2}\sin t$

17.5.12. $e^{-6t}(4\cos t + 24\sin t)$

17.5.13. $2e^{-3t}\sin(3t)$

17.5.14. $2\cos(2t - \pi/6)$

17.5.15. $5\sqrt{2}\cos(10t - \pi/4)$

17.5.16. $\sqrt{2}e^{-2t}\cos(3t - \pi/4)$

17.5.17. $5e^{4t}\cos(3t + \arcsin(4/5))$

17.5.18. $(2\cos(5t) + \sin(5t))e^{-2t}$

17.5.19. $-(1/2)e^{-2t}\sin(2t)$

17.6.1. $Ae^{5t} + Bte^{5t} + (6/169)\cos t - (5/338)\sin t$

17.6.2. $Ae^{-\sqrt{2}t} + Bte^{-\sqrt{2}t} + 5$

17.6.3. $A\cos(4t) + B\sin(4t) + (1/2)t^2 + (3/16)t - 5/16$

17.6.4. $A\cos(\sqrt{2}t) + B\sin(\sqrt{2}t) - (\cos(5t) + \sin(5t))/23$

17.6.5. $e^t(A\cos t + B\sin t) + e^{2t}/2$

17.6.6. $Ae^{\sqrt{6}t} + Be^{-\sqrt{6}t} + 2 - t/3 - e^{-t}/5$

17.6.7. $Ae^{-3t} + Be^{2t} - (1/5)te^{-3t}$

17.6.8. $Ae^t + Be^{3t} + (1/2)te^{3t}$

17.6.9. $A\cos(4t) + B\sin(4t) + (1/8)t\sin(4t)$

17.6.10. $A\cos(3t) + B\sin(3t) - (1/2)t\cos(3t)$

17.6.11. $Ae^{-6t} + Bte^{-6t} + 3t^2e^{-6t}$

17.6.12. $Ae^{4t} + Bte^{4t} - t^2e^{4t}$

17.6.13. $Ae^{-t} + Be^{-5t} + (4/5)$

17.6.14. $Ae^{4t} + Be^{-3t} + (1/144) - (t/12)$

17.6.15. $A\cos(\sqrt{5}t) + B\sin(\sqrt{5}t) + 8\sin(2t)$

17.6.16. $Ae^{2t} + Be^{-2t} + te^{2t}$

17.6.17. $4e^t + e^{-t} - 3t - 5$

17.6.18. $-(4/27)\sin(3t) + (4/9)t$

17.6.19. $e^{-6t}(2\cos t + 20\sin t) + 2e^{-4t}$

17.6.20. $\left(-\frac{23}{325}\cos(3t) + \frac{592}{975}\sin(3t)\right) + \frac{23}{325}\cos t - \frac{11}{325}\sin t$

17.6.21. $e^{-2t}(A\sin(5t) + B\cos(5t)) + 8\sin(2t) + 25\cos(2t)$

17.6.22. $e^{-2t}(A\sin(2t) + B\cos(2t)) + (14/195)\sin t - (8/195)\cos t$

17.7.1. $A\sin(t) + B\cos(t) - \cos t \ln |\sec t + \tan t|$

17.7.2. $A\sin(t) + B\cos(t) + \frac{1}{5}e^{2t}$

17.7.3. $A\sin(2t) + B\cos(2t) + \cos t - \sin t \cos t \ln |\sec t + \tan t|$

17.7.4. $A\sin(2t) + B\cos(2t) + \frac{1}{2}\sin(2t)\sin^2(t) + \frac{1}{2}\sin(2t)\ln|\cos t| - \frac{t}{2}\cos(2t) + \frac{1}{4}\sin(2t)\cos(2t)$

17.7.5. $Ae^{2t} + Be^{-3t} + \frac{t^3}{15}e^{2t} -$

$$\left(\frac{t^2}{5} - \frac{2t}{25} + \frac{2}{125}\right) \frac{e^{2t}}{5}$$

17.7.6. $Ae^t \sin t + Be^t \cos t - e^t \cos t \ln |\sec t + \tan t|$

17.7.7. $Ae^t \sin t + Be^t \cos t - \frac{1}{10} \cos t (\cos^3 t + 3\sin^3 t - 2\cos t - \sin t) +$

$$\frac{1}{10} \sin t (\sin^3 t - 3\cos^3 t - 2\sin t + \cos t) = \frac{1}{10} \cos(2t) - \frac{1}{20} \sin(2t)$$