

A

Selected Answers

- 1.1.1. $(2/3)x + (1/3)$
 1.1.2. $y = -2x$
 1.1.3. $(-2/3)x + (1/3)$
 1.1.4. $y = 2x + 2, 2, -1$
 1.1.5. $y = -x + 6, 6, 6$
 1.1.6. $y = x/2 + 1/2, 1/2, -1$
 1.1.7. $y = 3/2$, y -intercept: $3/2$, no x -intercept
 1.1.8. $y = (-2/3)x - 2, -2, -3$
 1.1.9. yes
 1.1.10. $y = 0, y = -2x + 2, y = 2x + 2$
 1.1.11. $y = 75t$ (t in hours); 164 minutes
 1.1.12. $y = (9/5)x + 32, (-40, -40)$
 1.1.13. $y = 0.15x + 10$
 1.1.14. $0.03x + 1.2$
 1.1.15. (a) $y = \begin{cases} 0 & 0 \leq x < 100 \\ (x/10) - 10 & 100 \leq x \leq 1000 \\ x - 910 & 1000 < x \end{cases}$

- 1.1.16. $y = \begin{cases} 0.15x & 0 \leq x \leq 19450 \\ 0.28x - 2528.50 & 19450 < x \leq 47050 \\ 0.33x - 4881 & 47050 < x \leq 97620 \end{cases}$
 1.1.17. (a) $P = -0.0001x + 2$
 (b) $x = -10000P + 20000$
 1.1.18. $(2/25)x - (16/5)$
 1.2.1. (a) $x^2 + y^2 = 9$
 (b) $(x - 5)^2 + (y - 6)^2 = 9$
 (c) $(x + 5)^2 + (y + 6)^2 = 9$
 (d) $x^2 + (y - 3)^2 = 9$
 (e) $x^2 + (y + 3)^2 = 9$
 (f) $(x - 3)^2 + y^2 = 9$
 1.2.2. (a) $\Delta x = 2, \Delta y = 3, m = 3/2$,
 $y = (3/2)x - 3, \sqrt{13}$
 (b) $\Delta x = -1, \Delta y = 3, m = -3$,
 $y = -3x + 2, \sqrt{10}$
 (c) $\Delta x = -2, \Delta y = -2, m = 1$,
 $y = x, \sqrt{8}$
 1.2.6. $(x + 2/7)^2 + (y - 41/7)^2 = 1300/49$
 1.3.1. $\{x \mid x \geq 3/2\}$
 1.3.2. $\{x \mid x \neq -1\}$

309

- 1.3.3. $\{x \mid x \neq 1 \text{ and } x \neq -1\}$
 1.3.4. $\{x \mid x < 0\}$
 1.3.5. $\{x \mid x \in \mathbb{R}\}$, i.e., all x
 1.3.6. $\{x \mid x \geq 0\}$
 1.3.7. $\{x \mid h - r \leq x \leq h + r\}$
 1.3.8. $\{x \mid x \geq 1 \text{ or } x < 0\}$
 1.3.9. $\{x \mid -1/3 < x < 1/3\}$
 1.3.10. $\{x \mid x \geq 0 \text{ and } x \neq 1\}$
 1.3.11. $\{x \mid x \geq 0 \text{ and } x \neq 1\}$
 1.3.12. \mathbb{R}
 1.3.13. $\{x \mid x \geq 3\}, \{x \mid x \geq 0\}$
 1.3.14. $A = x(500 - 2x), \{x \mid 0 \leq x \leq 250\}$
 1.3.15. $V = r(50 - \pi r^2), \{r \mid 0 < r \leq \sqrt{50/\pi}\}$
 1.3.16. $A = 2\pi r^2 + 2000/r, \{r \mid 0 < r < \infty\}$
 2.1.1. $-5, -2.47106145, -2.4067927$,
 $-2.400676, -2.4$
 2.1.2. $-4/3, -24/7, 7/24, 3/4$
 2.1.3. $-0.107526881, -0.11074197$,
 $-0.1110741, \frac{-1}{3(3 + \Delta x)} \rightarrow \frac{-1}{9}$
 2.1.4. $\frac{3 + 3\Delta x + \Delta x^2}{1 + \Delta x} \rightarrow 3$
 2.1.5. $3.31, 3.003001, 3.0000$,
 $3 + 3\Delta x + \Delta x^2 \rightarrow 3$
 2.1.6. m
 2.2.1. $10, 25/2, 20, 15, 25, 35$
 2.2.2. $5, 4.1, 4.01, 4.001, 4 + \Delta t \rightarrow 4$
 2.2.3. $-10.29, -9.849, -9.8049$,
 $-9.8 - 4.9\Delta t \rightarrow -9.8$
 2.3.1. 7
 2.3.2. 5
 2.3.3. 0

- 2.3.4. undefined
 2.3.5. $1/6$
 2.3.6. 0
 2.3.7. 3
 2.3.8. 172
 2.3.9. 0
 2.3.10. 2
 2.3.11. does not exist
 2.3.12. $\sqrt{2}$
 2.3.13. $3a^2$
 2.3.14. 512
 2.3.15. -4
 2.3.16. 0
 2.3.18. (a) 8, (b) 6, (c) dne, (d) -2 , (e) -1 ,
 (f) 8, (g) 7, (h) 6, (i) 3, (j) $-3/2$,
 (k) 6, (l) 2
 2.4.1. $-x/\sqrt{169 - x^2}$
 2.4.2. $-9.8t$
 2.4.3. $2x + 1/x^2$
 2.4.4. $2ax + b$
 2.4.5. $3x^2$
 2.4.8. $-2/(2x + 1)^{3/2}$
 2.4.9. $5/(t + 2)^2$
 2.4.10. $y = -13x + 17$
 2.4.11. -8
 2.5.2. Yes; $M = 1$
 2.5.3. Yes; $M = 1$
 2.5.4. No
 2.5.5. No
 2.5.6. -0.5 or 1.3 or 3.2
 2.5.7. 0.2 or 1.3
 3.1.1. $100x^{99}$

- 3.1.2. $-100x^{-101}$
 3.1.3. $-5x^{-6}$
 3.1.4. $\pi x^{\pi-1}$
 3.1.5. $(3/4)x^{-1/4}$
 3.1.6. $-(9/7)x^{-16/7}$
 3.2.1. $15x^2 + 24x$
 3.2.2. $-20x^4 + 6x + 10/x^3$
 3.2.3. $-30x + 25$
 3.2.4. $6x^2 + 2x - 8$
 3.2.5. $3x^2 + 6x - 1$
 3.2.6. $9x^2 - x/\sqrt{625 - x^2}$
 3.2.7. $y = 13x/4 + 5$
 3.2.8. $y = 24x - 48 - \pi^3$
 3.2.9. $-49t/5 + 5, -49/5$
 3.2.11. $\sum_{k=1}^n ka_k x^{k-1}$
 3.2.12. $x^3/16 - 3x/4 + 4$
 3.3.1. $3x^2(x^3 - 5x + 10) + x^3(3x^2 - 5)$
 3.3.2. $(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7) + (2x + 5)(x^5 - 6x^3 + 3x^2 - 7x + 1)$
 $\frac{\sqrt{625 - x^2}}{2\sqrt{x}} - \frac{x\sqrt{x}}{\sqrt{625 - x^2}}$
 3.3.3. $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$
 3.3.5. $f' = 4(2x - 3), y = 4x - 7$
 3.4.1. $\frac{3x^2}{x^3 - 5x + 10} - \frac{x^3(3x^2 - 5)}{(x^3 - 5x + 10)^2}$
 3.4.2. $\frac{2x + 5}{x^5 - 6x^3 + 3x^2 - 7x + 1} - \frac{(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7)}{(x^5 - 6x^3 + 3x^2 - 7x + 1)^2}$
 3.4.3. $\frac{1}{2\sqrt{x}\sqrt{625 - x^2}} + \frac{x^{3/2}}{(625 - x^2)^{3/2}}$

- 3.4.4. $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$
 3.4.5. $y = 17x/4 - 41/4$
 3.4.6. $y = 11x/16 - 15/16$
 3.4.8. $y = 19/169 - 5x/338$
 3.4.9. $13/18$
 3.5.1. $4x^3 - 9x^2 + x + 7$
 3.5.2. $3x^2 - 4x + 2/\sqrt{x}$
 3.5.3. $6(x^2 + 1)^2 x$
 3.5.4. $\sqrt{169 - x^2} - x^2/\sqrt{169 - x^2}$
 3.5.5. $(2x - 4)\sqrt{25 - x^2} - (x^2 - 4x + 5)x/\sqrt{25 - x^2}$
 3.5.6. $-x/\sqrt{r^2 - x^2}$
 3.5.7. $2x^3/\sqrt{1 + x^4}$
 3.5.8. $\frac{1}{4\sqrt{x}(5 - \sqrt{x})^{3/2}}$
 3.5.9. $6 + 18x$
 3.5.10. $\frac{2x + 1}{1 - x} + \frac{x^2 + x + 1}{(1 - x)^2}$
 3.5.11. $-1/\sqrt{25 - x^2} - \sqrt{25 - x^2}/x^2$
 3.5.12. $\frac{1}{2} \left(\frac{-169}{x^2} - 1 \right) / \sqrt{\frac{169}{x} - x}$
 3.5.13. $\frac{3x^2 - 2x + 1/x^2}{2\sqrt{x^3 - x^2 - (1/x)}}$
 3.5.14. $\frac{300x}{(100 - x^2)^{5/2}}$
 3.5.15. $\frac{1 + 3x^2}{3(x + x^3)^{2/3}}$
 3.5.16. $\left(4x(x^2 + 1) + \frac{4x^3 + 4x}{2\sqrt{1 + (x^2 + 1)^2}} \right) / 2\sqrt{(x^2 + 1)^2 + \sqrt{1 + (x^2 + 1)^2}}$
 3.5.17. $5(x + 8)^4$
 3.5.18. $-3(4 - x)^2$

- 3.5.19. $6x(x^2 + 5)^2$
 3.5.20. $-12x(6 - 2x^2)^2$
 3.5.21. $24x^2(1 - 4x^3)^{-3}$
 3.5.22. $5 + 5/x^2$
 3.5.23. $-8(4x - 1)(2x^2 - x + 3)^{-3}$
 3.5.24. $1/(x + 1)^2$
 3.5.25. $3(8x - 2)/(4x^2 - 2x + 1)^2$
 3.5.26. $-3x^2 + 5x - 1$
 3.5.27. $6x(2x - 4)^3 + 6(3x^2 + 1)(2x - 4)^2$
 3.5.28. $-2/(x - 1)^2$
 3.5.29. $4x/(x^2 + 1)^2$
 3.5.30. $(x^2 - 6x + 7)/(x - 3)^2$
 3.5.31. $-5/(3x - 4)^2$
 3.5.32. $60x^4 + 72x^3 + 18x^2 + 18x - 6$
 3.5.33. $(5 - 4x)/(2(x + 1)^2(x - 3)^2)$
 3.5.34. $1/(2(2 + 3x)^2)$
 3.5.35. $56x^6 + 72x^5 + 110x^4 + 100x^3 + 60x^2 + 28x + 6$
 3.5.36. $y = 23x/96 - 29/96$
 3.5.37. $y = 3 - 2x/3$
 3.5.38. $y = 13x/2 - 23/2$
 3.5.39. $y = 2x - 11$
 3.5.40. $y = \frac{20 + 2\sqrt{5}}{5\sqrt{4 + \sqrt{5}}} x + \frac{3\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}$
 4.1.1. $2n\pi - \pi/2$, any integer n
 4.1.2. $n\pi \pm \pi/6$, any integer n
 4.1.3. $(\sqrt{2} + \sqrt{6})/4$
 4.1.4. $-(1 + \sqrt{3})/(1 - \sqrt{3}) = 2 + \sqrt{3}$
 4.1.11. $t = \pi/2$
 4.3.1. 5
 4.3.2. 7/2
 4.3.3. 3/4

- 4.3.4. 1
 4.3.5. $-\sqrt{2}/2$
 4.3.6. 7
 4.3.7. 2
 4.4.1. $\sin(\sqrt{x}) \cos(\sqrt{x})/\sqrt{x}$
 4.4.2. $\frac{\sin x}{2\sqrt{x}} + \sqrt{x} \cos x$
 4.4.3. $-\frac{\cos x}{\sin^2 x}$
 4.4.4. $\frac{(2x + 1) \sin x - (x^2 + x) \cos x}{\sin^2 x}$
 4.4.5. $\frac{-\sin x \cos x}{\sqrt{1 - \sin^2 x}}$
 4.5.1. $\cos^2 x - \sin^2 x$
 4.5.2. $-\sin x \cos(\cos x)$
 4.5.3. $\frac{\tan x + x \sec^2 x}{2\sqrt{x} \tan x}$
 4.5.4. $\frac{\sec^2 x(1 + \sin x) - \tan x \cos x}{(1 + \sin x)^2}$
 4.5.5. $-\csc^2 x$
 4.5.6. $-\csc x \cot x$
 4.5.7. $3x^2 \sin(23x^2) + 46x^4 \cos(23x^2)$
 4.5.8. 0
 4.5.9. $-6 \cos(\cos(6x)) \sin(6x)$
 4.5.10. $\frac{\sec \theta \tan \theta}{(1 + \sec \theta)^2} = \frac{\sin \theta}{(\cos \theta + 1)^2}$
 4.5.11. $5t^4 \cos(6t) - 6t^5 \sin(6t)$
 4.5.12. $3t^2(\sin(3t) + t \cos(3t))/\cos(2t) + 2t^3 \sin(3t) \sin(2t)/\cos^2(2t)$
 4.5.13. $n\pi/2$, any integer n
 4.5.14. $\pi/2 + n\pi$, any integer n
 4.5.15. $y = \sqrt{3}x/2 + 3/4 - \sqrt{3}\pi/6$
 4.5.16. $y = 8\sqrt{3}x + 4 - 8\sqrt{3}\pi/3$
 4.5.17. $y = 3\sqrt{3}x/2 - \sqrt{3}\pi/4$

- 4.5.18. $\pi/6 + 2n\pi, 5\pi/6 + 2n\pi$, any integer
 n
- 4.6.1. x/y
- 4.6.2. $-(2x+y)/(x+2y)$
- 4.6.3. $(2xy - 3x^2 - y^2)/(2xy - 3y^2 - x^2)$
- 4.6.4. $\sin(x)\sin(y)/(\cos(x)\cos(y))$
- 4.6.5. $-\sqrt{y}/\sqrt{x}$
- 4.6.6. $(y \sec^2(x/y) - y^2)/(x \sec^2(x/y) + y^2)$
- 4.6.7. $(y - \cos(x+y))/(\cos(x+y) - x)$
- 4.6.8. $-y^2/x^2$
- 4.6.9. 1
- 4.6.12. $y = 2x \pm 6$
- 4.6.13. $y = x/2 \pm 3$
- 4.6.14. $(\sqrt{3}, 2\sqrt{3}), (-\sqrt{3}, -2\sqrt{3}), (2\sqrt{3}, \sqrt{3}), (-2\sqrt{3}, -\sqrt{3})$
- 4.6.15. $y = 7x/\sqrt{3} - 8/\sqrt{3}$
- 4.6.16. $y = (-y_1^{1/3}x + y_1^{1/3}x_1 + x_1^{1/3}y_1)/x_1^{1/3}$
- 4.6.17. $(y - y_1) = \frac{(x_1 - 2x_1^3 - 2x_1y_1^2)}{(y_1 + 2y_1^3 + 2y_1x_1^2)}(x - x_1)$
- 4.7.1. 1
- 4.7.2. $1/6$
- 4.7.3. $-\infty$
- 4.7.4. $1/16$
- 4.7.5. $1/3$
- 4.7.6. 0
- 4.7.7. $3/2$
- 4.7.8. $-1/4$
- 4.7.9. -3
- 4.7.10. $1/2$
- 4.7.11. 0
- 4.7.12. -1
- 4.7.13. $-1/2$
- 4.7.14. 5
- 4.7.15. ∞
- 4.7.16. ∞
- 4.7.17. $2/7$
- 4.7.18. 2
- 4.7.19. $-\infty$
- 4.7.20. 0
- 4.7.21. ∞
- 4.7.22. $1/2$
- 4.7.23. 0
- 4.7.24. $1/2$
- 4.7.25. 5
- 4.7.26. $2\sqrt{2}$
- 4.7.27. $-1/2$
- 4.7.28. 2
- 4.7.29. 0
- 4.7.30. ∞
- 4.7.31. 0
- 4.7.32. $3/2$
- 4.7.33. ∞
- 4.7.34. 5
- 4.7.35. $-1/2$
- 4.7.36. does not exist
- 4.7.37. ∞
- 4.7.38. $y = 1$ and $y = -1$
- 5.1.1. min at $x = 1/2$
- 5.1.2. min at $x = -1$, max at $x = 1$
- 5.1.3. max at $x = 2$, min at $x = 4$
- 5.1.4. min at $x = \pm 1$, max at $x = 0$.
- 5.1.5. min at $x = 1$
- 5.1.6. none

- 5.4.11. concave up on $(0, \infty)$
- 5.4.12. concave down on $(2n\pi/3, (2n + 1)\pi/3)$
- 5.4.13. concave up on $(0, \infty)$
- 5.4.14. concave up on $(-\infty, -1)$ and $(0, \infty)$
- 5.4.15. concave down everywhere
- 5.4.16. concave up everywhere
- 5.4.17. concave up on $(\pi/4 + n\pi, 3\pi/4 + n\pi)$
- 5.4.18. inflection points at $n\pi$, $\pm \arcsin(\sqrt{2}/3) + n\pi$
- 5.4.19. up/incr: $(3, \infty)$, up/decr: $(-\infty, 0)$, $(2, 3)$, down/decr: $(0, 2)$
- 6.1.1. max at $(2, 5)$, min at $(0, 1)$
- 6.1.2. 25×25
- 6.1.3. $P/4 \times P/4$
- 6.1.4. $w = l = 2 \cdot 5^{2/3}$, $h = 5^{2/3}$, $h/w = 1/2$
- 6.1.5. $\sqrt[3]{100} \times \sqrt[3]{100} \times 2\sqrt[3]{100}$, $h/s = 2$
- 6.1.6. $w = l = 2^{1/3}V^{1/3}$, $h = V^{1/3}/2^{2/3}$, $h/w = 1/2$
- 6.1.7. 1250 square feet
- 6.1.8. $t^2/8$ square feet
- 6.1.9. \$5000
- 6.1.10. 100
- 6.1.11. r^2
- 6.1.12. $h/r = 2$
- 6.1.13. $h/r = 2$
- 6.1.14. $r = 5$ cm, $h = 40/\pi$ cm, $h/r = 8/\pi$
- 6.1.15. $8/\pi$
- 6.1.16. $4/27$
- 6.1.17. Go direct from D to A .
- 6.1.18. (a) 2, (b) 7/2
- 6.1.19. $\left(\frac{\sqrt{3}}{6}\right) \times \left(\frac{\sqrt{3}}{6} + \frac{1}{2}\right) \times \left(\frac{1}{4} - \frac{\sqrt{3}}{12}\right)$
- 6.1.20. (a) $a/6$, (b) $(a + b - \sqrt{a^2 - ab + b^2})/6$
- 6.1.21. 1.5 meters wide by 1.25 meters tall
- 6.1.22. If $k \leq 2/\pi$ the ratio is $(2 - k\pi)/4$; if $k \geq 2/\pi$, the ratio is zero: the window should be semicircular with no rectangular part.
- 6.1.23. a/b
- 6.1.24. $w = 2r/\sqrt{3}$, $h = 2\sqrt{2}r/\sqrt{3}$
- 6.1.25. $1/\sqrt{3} \approx 58\%$
- 6.1.26. $18 \times 18 \times 36$
- 6.1.27. $r = 5/(2\pi)^{1/3} \approx 2.7$ cm,
 $h = 5 \cdot 2^{5/3}/\pi^{1/3} = 4r \approx 10.8$ cm
- 6.1.28. $h = \frac{750}{\pi} \left(\frac{2\pi^2}{750^2} \right)^{1/3}$, $r = \left(\frac{750^2}{2\pi^2} \right)^{1/6}$
- 6.1.29. $h/r = \sqrt{2}$
- 6.1.30. The ratio of the volume of the cone to the volume of the sphere is $1033/4096 + 33\sqrt{17}/4096 \approx 0.2854$, so the cone occupies approximately 28.54% of the sphere.
- 6.1.31. P should be at distance $c\sqrt[3]{a}/(\sqrt[3]{a} + \sqrt[3]{b})$ from charge A .
- 6.1.32. $1/2$
- 6.1.33. \$7000
- 6.1.34. There is a critical point when $\sin\theta_1/v_1 = \sin\theta_2/v_2$, and the second derivative is positive, so there is a minimum at the critical point.

- 5.1.7. none
- 5.1.8. min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
- 5.1.9. none
- 5.1.10. local max at $x = 5$
- 5.1.11. local min at $x = 49$
- 5.1.12. local min at $x = 0$
- 5.1.13. Local min of 1 at every point of $[0, 1]$, local max of 1 at every point of $(0, 1)$.
- 5.1.16. one
- 5.2.1. min at $x = 1/2$
- 5.2.2. min at $x = -1$, max at $x = 1$
- 5.2.3. max at $x = 2$, min at $x = 4$
- 5.2.4. min at $x = \pm 1$, max at $x = 0$.
- 5.2.5. min at $x = 1$
- 5.2.6. none
- 5.2.7. none
- 5.2.8. min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
- 5.2.9. none
- 5.2.10. max at $x = 0$, min at $x = \pm 11$
- 5.2.11. min at $x = -3/2$, neither at $x = 0$
- 5.2.13. min at $n\pi$, max at $\pi/2 + n\pi$
- 5.2.14. min at $2n\pi$, max at $(2n + 1)\pi$
- 5.2.15. min at $\pi/2 + 2n\pi$, max at $3\pi/2 + 2n\pi$
- 5.3.1. min at $x = 1/2$
- 5.3.2. min at $x = -1$, max at $x = 1$
- 5.3.3. max at $x = 2$, min at $x = 4$
- 5.3.4. min at $x = \pm 1$, max at $x = 0$.
- 5.3.5. min at $x = 1$
- 5.3.6. none
- 5.3.7. none
- 5.3.8. min at $x = 7\pi/12 + n\pi$, max at $x = -\pi/12 + n\pi$, for integer n .
- 5.3.9. max at $x = 63/64$
- 5.3.10. max at $x = 7$
- 5.3.11. max at $-5^{-1/4}$, min at $5^{-1/4}$
- 5.3.12. none
- 5.3.13. max at -1 , min at 1
- 5.3.14. min at $2^{-1/3}$
- 5.3.15. none
- 5.3.16. min at $n\pi$
- 5.3.17. max at $n\pi$, min at $\pi/2 + n\pi$
- 5.3.18. max at $\pi/2 + 2n\pi$, min at $3\pi/2 + 2n\pi$
- 5.4.1. concave up everywhere
- 5.4.2. concave up when $x < 0$, concave down when $x > 0$
- 5.4.3. concave down when $x < 3$, concave up when $x > 3$
- 5.4.4. concave up when $x < -1/\sqrt{3}$ or $x > 1/\sqrt{3}$, concave down when $-1/\sqrt{3} < x < 1/\sqrt{3}$
- 5.4.5. concave up when $x < 0$ or $x > 2/3$, concave down when $0 < x < 2/3$
- 5.4.6. concave up when $x < 0$, concave down when $x > 0$
- 5.4.7. concave up when $x < -1$ or $x > 1$, concave down when $-1 < x < 0$ or $0 < x < 1$
- 5.4.8. concave down on $((8n-1)\pi/4, (8n+3)\pi/4)$, concave up on $((8n+3)\pi/4, (8n+7)\pi/4)$, for integer n
- 5.4.9. concave down everywhere
- 5.4.10. concave up on $(-\infty, (21 - \sqrt{497})/4)$ and $(21 + \sqrt{497})/4, \infty)$
- 6.2.1. $1/(16\pi)$ cm/s
- 6.2.2. $3/(1000\pi)$ meters/second
- 6.2.3. $1/4$ m/s
- 6.2.4. $6/25$ m/s
- 6.2.5. 80 mi/min
- 6.2.6. $3\sqrt{5}$ ft/s
- 6.2.7. $20/(3\pi)$ cm/s
- 6.2.8. $13/20$ ft/s
- 6.2.9. $5\sqrt{10}/2$ m/s
- 6.2.10. $75/64$ m/min
- 6.2.11. $145\pi/72$ m/s
- 6.2.12. $25\pi/144$ m/min
- 6.2.13. $\pi\sqrt{2}/36$ ft³/s
- 6.2.14. tip: 6 ft/s, length: $5/2$ ft/s
- 6.2.15. tip: $20/11$ m/s, length: $9/11$ m/s
- 6.2.16. $380/\sqrt{3} - 150 \approx 69.4$ mph
- 6.2.17. $500/\sqrt{3} - 200 \approx 88.7$ km/hr
- 6.2.18. 18 m/s
- 6.2.19. $136\sqrt{475}/19 \approx 156$ km/hr
- 6.2.20. -50 m/s
- 6.2.21. 68 m/s
- 6.2.22. $3800/\sqrt{329} \approx 210$ km/hr
- 6.2.23. $820/\sqrt{329} + 150\sqrt{57}/\sqrt{47} \approx 210$ km/hr
- 6.2.24. $4000/49$ m/s
- 6.2.25. (a) $x = a \cos \theta - a \sin \theta \cot(\theta + \beta) = a \sin \beta / \sin(\theta + \beta)$, (c) $\dot{x} \approx 3.79$ cm/s
- 6.3.1. $x_3 = 1.475773162$
- 6.3.2. 2.15
- 6.3.3. 3.36
- 6.3.4. 2.19 or 1.26
- 6.4.1. $\Delta y = 65/16$, $dy = 2$
- 6.4.2. $\Delta y = \sqrt{11/10} - 1$, $dy = 0.05$
- 6.4.3. $\Delta y = \sin(\pi/50)$, $dy = \pi/50$
- 6.4.4. $dV = 8\pi/25$
- 6.5.1. $c = 1/2$
- 6.5.2. $c = \sqrt{18} - 2$
- 6.5.6. $x^3/3 + 47x^2/2 - 5x + k$
- 6.5.7. $-\cos(2x)/2 + k$
- 7.1.1. 10
- 7.1.2. $35/3$
- 7.1.3. x^2
- 7.1.4. $2x^2$
- 7.1.5. $2x^2 - 8$
- 7.1.6. $2b^2 - 2a^2$
- 7.1.7. 4 rectangles: $41/4 = 10.25$, 8 rectangles: $183/16 = 11.4375$
- 7.1.8. $23/4$
- 7.2.1. $(16/3)x^{3/2} + C$
- 7.2.2. $t^3 + t + C$
- 7.2.3. $8\sqrt{x} + C$
- 7.2.4. $-2/z + C$
- 7.2.5. $(5x + 1)^3/15 + C$
- 7.2.6. $(x - 6)^3/3 + C$
- 7.2.7. $2x^{5/2}/5 + C$
- 7.2.8. $-4/\sqrt{x} + C$
- 7.2.9. $4t - t^2 + C$, $t < 2$; $t^2 - 4t + 8 + C$, $t \geq 2$
- 7.2.10. 87/2
- 7.2.11. 2
- 7.2.12. $3^4/4$
- 7.2.13. $2^6/6 - 1/6$
- 7.2.14. $x^2 - 3x$
- 7.2.15. $2x(x^4 - 3x^2)$

- 11.5.1. $8\pi\sqrt{3} - \frac{16\pi\sqrt{2}}{3}$
 11.5.3. $\frac{730\pi\sqrt{730}}{27} - \frac{10\pi\sqrt{10}}{27}$
 11.5.4. $\pi + 2\pi e + \frac{1}{4}\pi e^2 - \frac{\pi}{4e^2} - \frac{2\pi}{e}$
 11.5.6. $8\pi^2$
 11.5.7. $2\pi + \frac{8\pi^2}{3\sqrt{3}}$
 11.5.8. $a > b: 2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{a^2 - b^2}} \arcsin(\sqrt{a^2 - b^2}/a),$
 $a < b: 2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{b^2 - a^2}} \ln\left(\frac{b}{a} + \frac{\sqrt{b^2 - a^2}}{a}\right)$
 12.1.2. $\theta = \arctan(3)$
 12.1.3. $r = -4\csc\theta$
 12.1.4. $r^3 \cos\theta \sin^2\theta = 1$
 12.1.5. $r = \sqrt{5}$
 12.1.6. $r^2 = \sin\theta \sec^3\theta$
 12.1.7. $r \sin\theta = \sin(r \cos\theta)$
 12.1.8. $r = 2/(\sin\theta - 5\cos\theta)$
 12.1.9. $r = 2\sec\theta$
 12.1.10. $0 = r^2 \cos^2\theta - r \sin\theta + 1$
 12.1.11. $0 = 3r^2 \cos^2\theta - 2r \cos\theta - r \sin\theta$
 12.1.12. $r = \sin\theta$
 12.1.21. $(x^2 + y^2)^2 = 4x^2y - (x^2 + y^2)y$
 12.1.22. $(x^2 + y^2)^{3/2} = y^2$
 12.1.23. $x^2 + y^2 = x^2y^2$
 12.1.24. $x^4 + x^2y^2 = y^2$
 12.2.1. $(\theta \cos\theta + \sin\theta)/(-\theta \sin\theta + \cos\theta),$
 $(\theta^2 + 2)/(-\theta \sin\theta + \cos\theta)^3$
 12.2.2. $\frac{\cos\theta + 2\sin\theta \cos\theta}{\cos^2\theta - \sin^2\theta - \sin\theta},$
 $\frac{3(1 + \sin\theta)}{(\cos^2\theta - \sin^2\theta - \sin\theta)^3}$

- 12.2.3. $(\sin^2\theta - \cos^2\theta)/(2\sin\theta \cos\theta),$
 $-1/(4\sin^3\theta \cos^3\theta)$
 12.2.4. $\frac{2\sin\theta \cos\theta}{\cos^2\theta - \sin^2\theta}, \frac{2}{(\cos^2\theta - \sin^2\theta)^3}$
 12.2.5. undefined
 12.2.6. $\frac{2\sin\theta - 3\sin^3\theta}{3\cos^3\theta - 2\cos\theta},$
 $\frac{3\cos^4\theta - 3\cos^2\theta + 2}{2\cos^3\theta(3\cos^2\theta - 2)^3}$
 12.3.1. 1
 12.3.2. $9\pi/2$
 12.3.3. $\sqrt{3}/3$
 12.3.4. $\pi/12 + \sqrt{3}/16$
 12.3.5. πa^2
 12.3.6. $41\pi/2$
 12.3.7. $2 - \pi/2$
 12.3.8. $\pi/12$
 12.3.9. $3\pi/16$
 12.3.10. $\pi/4 - 3\sqrt{3}/8$
 12.3.11. $\pi/2 + 3\sqrt{3}/8$
 12.3.12. 1/2
 12.3.13. $3/2 - \pi/4$
 12.3.14. $\pi/3 + \sqrt{3}/2$
 12.3.15. $\pi/3 - \sqrt{3}/4$
 12.3.16. $4\pi^3/3$
 12.3.17. π^2
 12.3.18. $5\pi/24 - \sqrt{3}/4$
 12.3.19. $7\pi/12 - \sqrt{3}$
 12.3.20. $4\pi - \sqrt{15}/2 - 7 \arccos(1/4)$
 12.3.21. $3\pi^3$
 12.4.6. $x = t - \frac{\sin(t)}{2}, y = 1 - \frac{\cos(t)}{2}$

- 12.4.7. $x = 4\cos t - \cos(4t),$
 $y = 4\sin t - \sin(4t)$
 12.4.8. $x = 2\cos t + \cos(2t),$
 $y = 2\sin t - \sin(2t)$
 12.4.9. $x = \cos t + t \sin t,$
 $y = \sin t - t \cos t$
 12.5.1. There is a horizontal tangent at all multiples of π .
 12.5.2. $9\pi/4$
 12.5.3. $\int_0^{2\pi} \frac{1}{2} \sqrt{5 - 4\cos t} dt$
 12.5.4. Four points:

$$\left(\frac{-3 - 3\sqrt{5}}{4}, \pm 5\sqrt{\frac{5 - \sqrt{5}}{8}} \right),$$

$$\left(\frac{-3 + 3\sqrt{5}}{4}, \pm 5\sqrt{\frac{5 + \sqrt{5}}{8}} \right)$$

 12.5.5. $11\pi/3$
 12.5.6. $32/3$
 12.5.7. 2π
 12.5.8. $16/3$
 12.5.9. $(\pi/2, 1)$
 12.5.10. $5\pi^3/6$
 12.5.11. $2\pi^2$
 12.5.12. $(2\pi\sqrt{4\pi^2 + 1} + \ln(2\pi + \sqrt{4\pi^2 + 1}))/2$
 13.1.1. 1
 13.1.3. 0
 13.1.4. 1
 13.1.5. 1
 13.1.6. 0
 13.2.1. $\lim_{n \rightarrow \infty} n^2/(2n^2 + 1) = 1/2$
 13.2.2. $\lim_{n \rightarrow \infty} 5/(2^{1/n} + 14) = 1/3$
 13.2.3. $\sum_{n=1}^{\infty} \frac{1}{n}$ diverges, so $\sum_{n=1}^{\infty} 3 \frac{1}{n}$ diverges
 13.2.4. $-3/2$
 13.2.5. 11
 13.2.6. 20
 13.2.7. 3/4
 13.2.8. 3/2
 13.2.9. 3/10
 13.3.1. diverges
 13.3.2. diverges
 13.3.3. converges
 13.3.4. converges
 13.3.5. converges
 13.3.6. converges
 13.3.7. diverges
 13.3.8. converges
 13.3.9. $N = 5$
 13.3.10. $N = 10$
 13.3.11. $N = 1687$
 13.3.12. any integer greater than e^{200}
 13.4.1. converges
 13.4.2. converges
 13.4.3. diverges
 13.4.4. converges
 13.4.5. 0.90
 13.4.6. 0.95
 13.5.1. converges
 13.5.2. converges
 13.5.3. converges
 13.5.4. diverges
 13.5.5. diverges

- 13.5.6. diverges
 13.5.7. converges
 13.5.8. diverges
 13.5.9. converges
 13.5.10. diverges
 13.6.1. converges absolutely
 13.6.2. diverges
 13.6.3. converges conditionally
 13.6.4. converges absolutely
 13.6.5. converges conditionally
 13.6.6. converges absolutely
 13.6.7. diverges
 13.6.8. converges conditionally
 13.7.5. converges
 13.7.6. converges
 13.7.7. converges
 13.7.8. diverges
 13.8.1. $R = 1, I = (-1, 1)$
 13.8.2. $R = \infty, I = (-\infty, \infty)$
 13.8.3. $R = e, I = (-e, e)$
 13.8.4. $R = e, I = (2 - e, 2 + e)$
 13.8.5. $R = 0$, converges only when $x = 2$
 13.8.6. $R = 1, I = [-6, -4]$
 13.9.1. the alternating harmonic series
 13.9.2. $\sum_{n=0}^{\infty} (n+1)x^n$
 13.9.3. $\sum_{n=0}^{\infty} (n+1)(n+2)x^n$
 13.9.4. $\sum_{n=0}^{\infty} \frac{(n+1)(n+2)}{2} x^n, R = 1$
 13.9.5. $C + \sum_{n=0}^{\infty} \frac{-1}{(n+1)(n+2)} x^{n+2}$

- 13.10.1. $\sum_{n=0}^{\infty} (-1)^n x^{2n}/(2n)!, R = \infty$
 13.10.2. $\sum_{n=0}^{\infty} x^n/n!, R = \infty$
 13.10.3. $\sum_{n=0}^{\infty} (-1)^n \frac{(x-5)^n}{5^{n+1}}, R = 5$
 13.10.4. $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-1)^n}{n}, R = 1$
 13.10.5. $\ln(2) + \sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-2)^n}{n2^n}, R = 2$
 13.10.6. $\sum_{n=0}^{\infty} (-1)^n (n+1)(x-1)^n, R = 1$
 13.10.7. $1 + \sum_{n=1}^{\infty} \frac{1 \cdot 3 \cdot 5 \cdots (2n-1)}{n! 2^n} x^n =$
 $1 + \sum_{n=1}^{\infty} \frac{(2n-1)!}{2^{2n-1}(n-1)! n!} x^n, R = 1$
 13.10.8. $x + x^3/3$
 13.10.9. $\sum_{n=0}^{\infty} (-1)^n x^{4n+1}/(2n)!$
 13.10.10. $\sum_{n=0}^{\infty} (-1)^n x^{n+1}/n!$
 13.11.1. $1 - \frac{x^2}{2} + \frac{x^4}{24} - \frac{x^6}{720} + \cdots + \frac{x^{12}}{12!}$
 13.11.2. 1000; 8
 13.11.3. $x + \frac{x^3}{3} + \frac{2x^5}{15}$, error ± 1.32 .
 13.12.1. diverges
 13.12.2. converges
 13.12.3. converges
 13.12.4. diverges
 13.12.5. diverges
 13.12.6. diverges

- 13.12.7. converges
 13.12.8. converges
 13.12.9. converges
 13.12.10. converges
 13.12.11. converges
 13.12.12. converges
 13.12.13. converges
 13.12.14. converges
 13.12.15. converges
 13.12.16. converges
 13.12.17. diverges
 13.12.18. $(-\infty, \infty)$
 13.12.19. $(-3, 3)$
 13.12.20. $(-3, 3)$
 13.12.21. $(-1, 1)$
 13.12.22. radius is 0—it converges only when $x = 0$
 13.12.23. $(-\sqrt{3}, \sqrt{3})$
 13.12.24. $(-\infty, \infty)$
 13.12.25. $\sum_{n=0}^{\infty} \frac{(\ln(2))^n}{n!} x^n$
 13.12.26. $\sum_{n=0}^{\infty} \frac{(-1)^n}{n+1} x^{n+1}$
 13.12.27. $\sum_{n=0}^{\infty} \frac{2}{2n+1} x^{2n+1}$
 13.12.28. $1 + \frac{x}{2} + \sum_{n=2}^{\infty} \frac{(-1)^{n+1} 1 \cdot 3 \cdot 5 \cdots (2n-3)}{2^n n!} x^n$
 13.12.29. $\sum_{n=0}^{\infty} (-1)^n x^{2n}$
 13.12.30. $\sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} x^{2n+1}$
 13.12.31. $\pi = \sum_{n=0}^{\infty} (-1)^n \frac{4}{2n+1}$