

# A

## Selected Answers

- 1.1.1.  $(2/3)x + (1/3)$
- 1.1.2.  $y = -2x$
- 1.1.3.  $(-2/3)x + (1/3)$
- 1.1.4.  $y = 2x + 2, 2, -1$
- 1.1.5.  $y = -x + 6, 6, 6$
- 1.1.6.  $y = x/2 + 1/2, 1/2, -1$
- 1.1.7.  $y = 3/2$ ,  $y$ -intercept:  $3/2$ , no  $x$ -intercept
- 1.1.8.  $y = (-2/3)x - 2, -2, -3$
- 1.1.9. yes
- 1.1.10.  $y = 0, y = -2x + 2, y = 2x + 2$
- 1.1.11.  $y = 75t$  ( $t$  in hours); 164 minutes
- 1.1.12.  $y = (9/5)x + 32, (-40, -40)$
- 1.1.13.  $y = 0.15x + 10$
- 1.1.14.  $0.03x + 1.2$
- 1.1.15. (a)  $y = \begin{cases} 0 & 0 \leq x < 100 \\ (x/10) - 10 & 100 \leq x \leq 1000 \\ x - 910 & 1000 < x \end{cases}$
- 1.1.16.  $y = \begin{cases} 0.15x & 0 \leq x \leq 19450 \\ 0.28x - 2528.50 & 19450 < x \leq 47050 \\ 0.33x - 4881 & 47050 < x \leq 97620 \end{cases}$
- 1.1.17. (a)  $P = -0.0001x + 2$   
(b)  $x = -10000P + 20000$
- 1.1.18.  $(2/25)x - (16/5)$
- 1.2.1. (a)  $x^2 + y^2 = 9$   
(b)  $(x - 5)^2 + (y - 6)^2 = 9$   
(c)  $(x + 5)^2 + (y + 6)^2 = 9$   
(d)  $x^2 + (y - 3)^2 = 9$   
(e)  $x^2 + (y + 3)^2 = 9$   
(f)  $(x - 3)^2 + y^2 = 9$
- 1.2.2. (a)  $\Delta x = 2, \Delta y = 3, m = 3/2,$   
 $y = (3/2)x - 3, \sqrt{13}$   
(b)  $\Delta x = -1, \Delta y = 3, m = -3,$   
 $y = -3x + 2, \sqrt{10}$   
(c)  $\Delta x = -2, \Delta y = -2, m = 1,$   
 $y = x, \sqrt{8}$
- 1.2.6.  $(x + 2/7)^2 + (y - 41/7)^2 = 1300/49$
- 1.3.1.  $\{x \mid x \geq 3/2\}$
- 1.3.2.  $\{x \mid x \neq -1\}$

- 1.3.3.**  $\{x \mid x \neq 1 \text{ and } x \neq -1\}$   
**1.3.4.**  $\{x \mid x < 0\}$   
**1.3.5.**  $\{x \mid x \in \mathbb{R}\}$ , i.e., all  $x$   
**1.3.6.**  $\{x \mid x \geq 0\}$   
**1.3.7.**  $\{x \mid h - r \leq x \leq h + r\}$   
**1.3.8.**  $\{x \mid x \geq 1 \text{ or } x < 0\}$   
**1.3.9.**  $\{x \mid -1/3 < x < 1/3\}$   
**1.3.10.**  $\{x \mid x \geq 0 \text{ and } x \neq 1\}$   
**1.3.11.**  $\{x \mid x \geq 0 \text{ and } x \neq 1\}$   
**1.3.12.**  $\mathbb{R}$   
**1.3.13.**  $\{x \mid x \geq 3\}$ ,  $\{x \mid x \geq 0\}$   
**1.3.14.**  $A = x(500 - 2x)$ ,  $\{x \mid 0 \leq x \leq 250\}$   
**1.3.15.**  $V = r(50 - \pi r^2)$ ,  $\{r \mid 0 < r \leq \sqrt{50/\pi}\}$   
**1.3.16.**  $A = 2\pi r^2 + 2000/r$ ,  $\{r \mid 0 < r < \infty\}$   
**2.1.1.**  $-5$ ,  $-2.47106145$ ,  $-2.4067927$ ,  
 $-2.400676$ ,  $-2.4$   
**2.1.2.**  $-4/3$ ,  $-24/7$ ,  $7/24$ ,  $3/4$   
**2.1.3.**  $-0.107526881$ ,  $-0.11074197$ ,  
 $-0.1110741$ ,  $\frac{-1}{3(3 + \Delta x)} \rightarrow \frac{-1}{9}$   
**2.1.4.**  $\frac{3 + 3\Delta x + \Delta x^2}{1 + \Delta x} \rightarrow 3$   
**2.1.5.**  $3.31$ ,  $3.003001$ ,  $3.0000$ ,  
 $3 + 3\Delta x + \Delta x^2 \rightarrow 3$   
**2.1.6.**  $m$   
**2.2.1.**  $10$ ,  $25/2$ ,  $20$ ,  $15$ ,  $25$ ,  $35$ .  
**2.2.2.**  $5$ ,  $4.1$ ,  $4.01$ ,  $4.001$ ,  $4 + \Delta t \rightarrow 4$   
**2.2.3.**  $-10.29$ ,  $-9.849$ ,  $-9.8049$ ,  
 $-9.8 - 4.9\Delta t \rightarrow -9.8$   
**2.3.1.**  $7$   
**2.3.2.**  $5$   
**2.3.3.**  $0$   
**2.3.4.** undefined  
**2.3.5.**  $1/6$   
**2.3.6.**  $0$   
**2.3.7.**  $3$   
**2.3.8.**  $172$   
**2.3.9.**  $0$   
**2.3.10.**  $2$   
**2.3.11.** does not exist  
**2.3.12.**  $\sqrt{2}$   
**2.3.13.**  $3a^2$   
**2.3.14.**  $512$   
**2.3.15.**  $-4$   
**2.3.16.**  $0$   
**2.3.18.** (a)  $8$ , (b)  $6$ , (c) dne, (d)  $-2$ , (e)  $-1$ ,  
(f)  $8$ , (g)  $7$ , (h)  $6$ , (i)  $3$ , (j)  $-3/2$ ,  
(k)  $6$ , (l)  $2$   
**2.4.1.**  $-x/\sqrt{169 - x^2}$   
**2.4.2.**  $-9.8t$   
**2.4.3.**  $2x + 1/x^2$   
**2.4.4.**  $2ax + b$   
**2.4.5.**  $3x^2$   
**2.4.8.**  $-2/(2x + 1)^{3/2}$   
**2.4.9.**  $5/(t + 2)^2$   
**2.4.10.**  $y = -13x + 17$   
**2.4.11.**  $-8$   
**2.5.2.** Yes;  $M = 1$   
**2.5.3.** Yes;  $M = 1$   
**2.5.4.** No  
**2.5.5.** No  
**2.5.6.**  $-0.5$  or  $1.3$  or  $3.2$   
**2.5.7.**  $0.2$  or  $1.3$   
**3.1.1.**  $100x^{99}$

- 3.1.2.**  $-100x^{-101}$   
**3.1.3.**  $-5x^{-6}$   
**3.1.4.**  $\pi x^{\pi-1}$   
**3.1.5.**  $(3/4)x^{-1/4}$   
**3.1.6.**  $-(9/7)x^{-16/7}$   
**3.2.1.**  $15x^2 + 24x$   
**3.2.2.**  $-20x^4 + 6x + 10/x^3$   
**3.2.3.**  $-30x + 25$   
**3.2.4.**  $6x^2 + 2x - 8$   
**3.2.5.**  $3x^2 + 6x - 1$   
**3.2.6.**  $9x^2 - x/\sqrt{625 - x^2}$   
**3.2.7.**  $y = 13x/4 + 5$   
**3.2.8.**  $y = 24x - 48 - \pi^3$   
**3.2.9.**  $-49t/5 + 5, -49/5$   
**3.2.11.**  $\sum_{k=1}^n ka_k x^{k-1}$   
**3.2.12.**  $x^3/16 - 3x/4 + 4$   
**3.3.1.**  $3x^2(x^3 - 5x + 10) + x^3(3x^2 - 5)$   
**3.3.2.**  $(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7) + (2x + 5)(x^5 - 6x^3 + 3x^2 - 7x + 1)$   
**3.3.3.**  $\frac{\sqrt{625 - x^2}}{2\sqrt{x}} - \frac{x\sqrt{x}}{\sqrt{625 - x^2}}$   
**3.3.4.**  $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$   
**3.3.5.**  $f' = 4(2x - 3), y = 4x - 7$   
**3.4.1.**  $\frac{3x^2}{x^3 - 5x + 10} - \frac{x^3(3x^2 - 5)}{(x^3 - 5x + 10)^2}$   
**3.4.2.**  $\frac{2x + 5}{x^5 - 6x^3 + 3x^2 - 7x + 1} - \frac{(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7)}{(x^5 - 6x^3 + 3x^2 - 7x + 1)^2}$   
**3.4.3.**  $\frac{1}{2\sqrt{x}\sqrt{625 - x^2}} + \frac{x^{3/2}}{(625 - x^2)^{3/2}}$   
**3.4.4.**  $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$   
**3.4.5.**  $y = 17x/4 - 41/4$   
**3.4.6.**  $y = 11x/16 - 15/16$   
**3.4.8.**  $y = 19/169 - 5x/338$   
**3.4.9.**  $13/18$   
**3.5.1.**  $4x^3 - 9x^2 + x + 7$   
**3.5.2.**  $3x^2 - 4x + 2/\sqrt{x}$   
**3.5.3.**  $6(x^2 + 1)^2x$   
**3.5.4.**  $\sqrt{169 - x^2} - x^2/\sqrt{169 - x^2}$   
**3.5.5.**  $(2x - 4)\sqrt{25 - x^2} - (x^2 - 4x + 5)x/\sqrt{25 - x^2}$   
**3.5.6.**  $-x/\sqrt{r^2 - x^2}$   
**3.5.7.**  $2x^3/\sqrt{1 + x^4}$   
**3.5.8.**  $\frac{1}{4\sqrt{x}(5 - \sqrt{x})^{3/2}}$   
**3.5.9.**  $6 + 18x$   
**3.5.10.**  $\frac{2x + 1}{1 - x} + \frac{x^2 + x + 1}{(1 - x)^2}$   
**3.5.11.**  $-1/\sqrt{25 - x^2} - \sqrt{25 - x^2}/x^2$   
**3.5.12.**  $\frac{1}{2} \left( \frac{-169}{x^2} - 1 \right) / \sqrt{\frac{169}{x} - x}$   
**3.5.13.**  $\frac{3x^2 - 2x + 1/x^2}{2\sqrt{x^3 - x^2 - (1/x)}}$   
**3.5.14.**  $\frac{300x}{(100 - x^2)^{5/2}}$   
**3.5.15.**  $\frac{1 + 3x^2}{3(x + x^3)^{2/3}}$   
**3.5.16.**  $\left( 4x(x^2 + 1) + \frac{4x^3 + 4x}{2\sqrt{1 + (x^2 + 1)^2}} \right) / 2\sqrt{(x^2 + 1)^2 + \sqrt{1 + (x^2 + 1)^2}}$   
**3.5.17.**  $5(x + 8)^4$   
**3.5.18.**  $-3(4 - x)^2$

- 3.5.19.**  $6x(x^2 + 5)^2$   
**3.5.20.**  $-12x(6 - 2x^2)^2$   
**3.5.21.**  $24x^2(1 - 4x^3)^{-3}$   
**3.5.22.**  $5 + 5/x^2$   
**3.5.23.**  $-8(4x - 1)(2x^2 - x + 3)^{-3}$   
**3.5.24.**  $1/(x + 1)^2$   
**3.5.25.**  $3(8x - 2)/(4x^2 - 2x + 1)^2$   
**3.5.26.**  $-3x^2 + 5x - 1$   
**3.5.27.**  $6x(2x - 4)^3 + 6(3x^2 + 1)(2x - 4)^2$   
**3.5.28.**  $-2/(x - 1)^2$   
**3.5.29.**  $4x/(x^2 + 1)^2$   
**3.5.30.**  $(x^2 - 6x + 7)/(x - 3)^2$   
**3.5.31.**  $-5/(3x - 4)^2$   
**3.5.32.**  $60x^4 + 72x^3 + 18x^2 + 18x - 6$   
**3.5.33.**  $(5 - 4x)/((2x + 1)^2(x - 3)^2)$   
**3.5.34.**  $1/(2(2 + 3x)^2)$   
**3.5.35.**  $56x^6 + 72x^5 + 110x^4 + 100x^3 + 60x^2 + 28x + 6$   
**3.5.36.**  $y = 23x/96 - 29/96$   
**3.5.37.**  $y = 3 - 2x/3$   
**3.5.38.**  $y = 13x/2 - 23/2$   
**3.5.39.**  $y = 2x - 11$   
**3.5.40.**  $y = \frac{20 + 2\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}x + \frac{3\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}$
- 4.1.1.**  $2n\pi - \pi/2$ , any integer  $n$   
**4.1.2.**  $n\pi \pm \pi/6$ , any integer  $n$   
**4.1.3.**  $(\sqrt{2} + \sqrt{6})/4$   
**4.1.4.**  $-(1 + \sqrt{3})/(1 - \sqrt{3}) = 2 + \sqrt{3}$   
**4.1.11.**  $t = \pi/2$   
**4.3.1.** 5  
**4.3.2.**  $7/2$   
**4.3.3.**  $3/4$   
**4.3.4.** 1  
**4.3.5.**  $-\sqrt{2}/2$   
**4.3.6.** 7  
**4.3.7.** 2  
**4.4.1.**  $\sin(\sqrt{x}) \cos(\sqrt{x})/\sqrt{x}$   
**4.4.2.**  $\frac{\sin x}{2\sqrt{x}} + \sqrt{x} \cos x$   
**4.4.3.**  $-\frac{\cos x}{\sin^2 x}$   
**4.4.4.**  $\frac{(2x + 1) \sin x - (x^2 + x) \cos x}{\sin^2 x}$   
**4.4.5.**  $\frac{-\sin x \cos x}{\sqrt{1 - \sin^2 x}}$   
**4.5.1.**  $\cos^2 x - \sin^2 x$   
**4.5.2.**  $-\sin x \cos(\cos x)$   
**4.5.3.**  $\frac{\tan x + x \sec^2 x}{2\sqrt{x} \tan x}$   
**4.5.4.**  $\frac{\sec^2 x(1 + \sin x) - \tan x \cos x}{(1 + \sin x)^2}$   
**4.5.5.**  $-\csc^2 x$   
**4.5.6.**  $-\csc x \cot x$   
**4.5.7.**  $3x^2 \sin(23x^2) + 46x^4 \cos(23x^2)$   
**4.5.8.** 0  
**4.5.9.**  $-6 \cos(\cos(6x)) \sin(6x)$   
**4.5.10.**  $\frac{\sec \theta \tan \theta}{(1 + \sec \theta)^2} = \frac{\sin \theta}{(\cos \theta + 1)^2}$   
**4.5.11.**  $5t^4 \cos(6t) - 6t^5 \sin(6t)$   
**4.5.12.**  $3t^2(\sin(3t) + t \cos(3t))/\cos(2t) + 2t^3 \sin(3t) \sin(2t)/\cos^2(2t)$   
**4.5.13.**  $n\pi/2$ , any integer  $n$   
**4.5.14.**  $\pi/2 + n\pi$ , any integer  $n$   
**4.5.15.**  $y = \sqrt{3}x/2 + 3/4 - \sqrt{3}\pi/6$   
**4.5.16.**  $y = 8\sqrt{3}x + 4 - 8\sqrt{3}\pi/3$   
**4.5.17.**  $y = 3\sqrt{3}x/2 - \sqrt{3}\pi/4$

- 4.5.18.  $\pi/6 + 2n\pi, 5\pi/6 + 2n\pi$ , any integer  $n$   
 4.6.1.  $7 \log_{10}(x + 45) + \log_{10}(x - 2)$   
 4.6.2.  $3 \log_2 x - \log_2(3x - 5 + (7/x))$   
 4.6.3.  $\log_2(3x(x - 2)^{17}/(x^2 + 4x + 1)^2)$   
 4.6.4.  $63^2$   
 4.6.5.  $\pm\sqrt{3}$   
 4.6.6. 9  
 4.7.1.  $2 \ln(3)x3^{x^2}$   
 4.7.2.  $\frac{\cos x - \sin x}{e^x}$   
 4.7.3.  $2e^{2x}$   
 4.7.4.  $e^x \cos(e^x)$   
 4.7.5.  $\cos(x)e^{\sin x}$   
 4.7.6.  $x^{\sin x} \left( \cos x \ln x + \frac{\sin x}{x} \right)$   
 4.7.7.  $3x^2 e^x + x^3 e^x$   
 4.7.8.  $1 + 2^x \ln(2)$   
 4.7.9.  $-2x \ln(3)(1/3)^{x^2}$   
 4.7.10.  $e^{4x}(4x - 1)/x^2$   
 4.7.11.  $(3x^2 + 3)/(x^3 + 3x)$   
 4.7.12.  $-\tan(x)$   
 4.7.13.  $(1 - \ln(x^2))/(x^2 \sqrt{\ln(x^2)})$   
 4.7.14.  $\sec(x)$   
 4.7.15.  $x^{\cos(x)}(\cos(x)/x - \sin(x) \ln(x))$   
 4.7.16.  $\ln x + 1$   
 4.7.17.  $1/(x \ln(3x))$   
 4.7.18.  $\frac{1 + \ln(16/3)}{x(1 + \ln(4x))^2}$   
 4.7.19.  $\frac{-22x^3 + 537x^2 + 276x}{13824(2x - 3)^9 \sqrt{x - 23}}$   
 4.7.20.  $e$   
 4.7.21.  $3e^{2/3}/(e + 2)$   
 4.8.1.  $x/y$   
 4.8.2.  $-(2x + y)/(x + 2y)$   
 4.8.3.  $(2xy - 3x^2 - y^2)/(2xy - 3y^2 - x^2)$   
 4.8.4.  $\sin(x) \sin(y)/(\cos(x) \cos(y))$   
 4.8.5.  $-\sqrt{y}/\sqrt{x}$   
 4.8.6.  $(y \sec^2(x/y) - y^2)/(x \sec^2(x/y) + y^2)$   
 4.8.7.  $(y - \cos(x + y))/(\cos(x + y) - x)$   
 4.8.8.  $-y^2/x^2$   
 4.8.9. 1  
 4.8.12.  $y = 2x \pm 6$   
 4.8.13.  $y = x/2 \pm 3$   
 4.8.14.  $(\sqrt{3}, 2\sqrt{3}), (-\sqrt{3}, -2\sqrt{3}),$   
 $(2\sqrt{3}, \sqrt{3}), (-2\sqrt{3}, -\sqrt{3})$   
 4.8.15.  $y = 7x/\sqrt{3} - 8/\sqrt{3}$   
 4.8.16.  $y = (-y_1^{1/3}x + y_1^{1/3}x_1 + x_1^{1/3}y_1)/x_1^{1/3}$   
 4.8.17.  $(y - y_1) = \frac{(x_1 - 2x_1^3 - 2x_1y_1^2)}{(y_1 + 2y_1^3 + 2y_1x_1^2)}(x - x_1)$   
 4.9.3.  $\frac{-1}{1 + x^2}$   
 4.9.5.  $\frac{2x}{\sqrt{1 - x^4}}$   
 4.9.6.  $\frac{e^x}{1 + e^{2x}}$   
 4.9.7.  $-3x^2 \cos(x^3)/\sqrt{1 - \sin^2(x^3)}$   
 4.9.8.  $\frac{2}{(\arcsin x)\sqrt{1 - x^2}}$   
 4.9.9.  $-e^x/\sqrt{1 - e^{2x}}$   
 4.9.10. 0  
 4.9.11.  $\frac{(1 + \ln x)x^x}{\ln 5(1 + x^{2x}) \arctan(x^x)}$   
 4.10.1. 0  
 4.10.2.  $\infty$   
 4.10.3. 1

- 4.10.4. 0  
4.10.5. 0  
4.10.6. 1  
4.10.7.  $1/6$   
4.10.8.  $-\infty$   
4.10.9.  $1/16$   
4.10.10.  $1/3$   
4.10.11. 0  
4.10.12.  $3/2$   
4.10.13.  $-1/4$   
4.10.14.  $-3$   
4.10.15.  $1/2$   
4.10.16. 0  
4.10.17.  $-1$   
4.10.18.  $-1/2$   
4.10.19. 5  
4.10.20.  $\infty$   
4.10.21.  $\infty$   
4.10.22.  $2/7$   
4.10.23. 2  
4.10.24.  $-\infty$   
4.10.25. 1  
4.10.26. 1  
4.10.27. 2  
4.10.28. 1  
4.10.29. 0  
4.10.30.  $1/2$   
4.10.31. 2  
4.10.32. 0  
4.10.33.  $\infty$   
4.10.34.  $1/2$   
4.10.35. 0  
4.10.36.  $1/2$   
4.10.37. 5  
4.10.38.  $2\sqrt{2}$   
4.10.39.  $-1/2$   
4.10.40. 2  
4.10.41. 0  
4.10.42.  $\infty$   
4.10.43. 0  
4.10.44.  $3/2$   
4.10.45.  $\infty$   
4.10.46. 5  
4.10.47.  $-1/2$   
4.10.48. does not exist  
4.10.49.  $\infty$   
4.10.50.  $y = 1$  and  $y = -1$   
4.11.2.  $\infty, \infty, 1, 0$   
5.1.1. min at  $x = 1/2$   
5.1.2. min at  $x = -1$ , max at  $x = 1$   
5.1.3. max at  $x = 2$ , min at  $x = 4$   
5.1.4. min at  $x = \pm 1$ , max at  $x = 0$ .  
5.1.5. min at  $x = 1$   
5.1.6. none  
5.1.7. none  
5.1.8. min at  $x = 7\pi/12 + k\pi$ , max at  $x = -\pi/12 + k\pi$ , for integer  $k$ .  
5.1.9. none  
5.1.10. local max at  $x = 5$   
5.1.11. local min at  $x = 49$   
5.1.12. local min at  $x = 0$   
5.1.15. one  
5.2.1. min at  $x = 1/2$   
5.2.2. min at  $x = -1$ , max at  $x = 1$

- 5.2.3.** max at  $x = 2$ , min at  $x = 4$   
**5.2.4.** min at  $x = \pm 1$ , max at  $x = 0$ .  
**5.2.5.** min at  $x = 1$   
**5.2.6.** none  
**5.2.7.** none  
**5.2.8.** min at  $x = 7\pi/12 + k\pi$ , max at  $x = -\pi/12 + k\pi$ , for integer  $k$ .  
**5.2.9.** none  
**5.2.10.** max at  $x = 0$ , min at  $x = \pm 11$   
**5.2.11.** min at  $x = -3/2$ , neither at  $x = 0$   
**5.2.13.** min at  $n\pi$ , max at  $\pi/2 + n\pi$   
**5.2.14.** min at  $2n\pi$ , max at  $(2n + 1)\pi$   
**5.2.15.** min at  $\pi/2 + 2n\pi$ , max at  $3\pi/2 + 2n\pi$   
**5.3.1.** min at  $x = 1/2$   
**5.3.2.** min at  $x = -1$ , max at  $x = 1$   
**5.3.3.** max at  $x = 2$ , min at  $x = 4$   
**5.3.4.** min at  $x = \pm 1$ , max at  $x = 0$ .  
**5.3.5.** min at  $x = 1$   
**5.3.6.** none  
**5.3.7.** none  
**5.3.8.** min at  $x = 7\pi/12 + n\pi$ , max at  $x = -\pi/12 + n\pi$ , for integer  $n$ .  
**5.3.9.** max at  $x = 63/64$   
**5.3.10.** max at  $x = 7$   
**5.3.11.** max at  $-5^{-1/4}$ , min at  $5^{-1/4}$   
**5.3.12.** none  
**5.3.13.** max at  $-1$ , min at  $1$   
**5.3.14.** min at  $2^{-1/3}$   
**5.3.15.** none  
**5.3.16.** min at  $n\pi$   
**5.3.17.** max at  $n\pi$ , min at  $\pi/2 + n\pi$   
**5.3.18.** max at  $\pi/2 + 2n\pi$ , min at  $3\pi/2 + 2n\pi$   
**5.4.1.** concave up everywhere  
**5.4.2.** concave up when  $x < 0$ , concave down when  $x > 0$   
**5.4.3.** concave down when  $x < 3$ , concave up when  $x > 3$   
**5.4.4.** concave up when  $x < -1/\sqrt{3}$  or  $x > 1/\sqrt{3}$ , concave down when  $-1/\sqrt{3} < x < 1/\sqrt{3}$   
**5.4.5.** concave up when  $x < 0$  or  $x > 2/3$ , concave down when  $0 < x < 2/3$   
**5.4.6.** concave up when  $x < 0$ , concave down when  $x > 0$   
**5.4.7.** concave up when  $x < -1$  or  $x > 1$ , concave down when  $-1 < x < 0$  or  $0 < x < 1$   
**5.4.8.** concave down on  $((8n-1)\pi/4, (8n+3)\pi/4)$ , concave up on  $((8n+3)\pi/4, (8n+7)\pi/4)$ , for integer  $n$   
**5.4.9.** concave down everywhere  
**5.4.10.** concave up on  $(-\infty, (21 - \sqrt{497})/4)$  and  $(21 + \sqrt{497})/4, \infty)$   
**5.4.11.** concave up on  $(0, \infty)$   
**5.4.12.** concave down on  $(2n\pi/3, (2n+1)\pi/3)$   
**5.4.13.** concave up on  $(0, \infty)$   
**5.4.14.** concave up on  $(-\infty, -1)$  and  $(0, \infty)$   
**5.4.15.** concave down everywhere  
**5.4.16.** concave up everywhere  
**5.4.17.** concave up on  $(\pi/4 + n\pi, 3\pi/4 + n\pi)$   
**5.4.18.** inflection points at  $n\pi$ ,  $\pm \arcsin(\sqrt{2/3}) + n\pi$   
**5.4.19.** up/incl:  $(3, \infty)$ , up/decr:  $(-\infty, 0)$ ,  $(2, 3)$ , down/decr:  $(0, 2)$   
**6.1.1.** max at  $(2, 5)$ , min at  $(0, 1)$

- 6.1.2.  $25 \times 25$
- 6.1.3.  $P/4 \times P/4$
- 6.1.4.  $w = l = 2 \cdot 5^{2/3}$ ,  $h = 5^{2/3}$ ,  $h/w = 1/2$
- 6.1.5.  $\sqrt[3]{100} \times \sqrt[3]{100} \times 2\sqrt[3]{100}$ ,  $h/s = 2$
- 6.1.6.  $w = l = 2^{1/3}V^{1/3}$ ,  $h = V^{1/3}/2^{2/3}$ ,  
 $h/w = 1/2$
- 6.1.7. 1250 square feet
- 6.1.8.  $l^2/8$  square feet
- 6.1.9. \$5000
- 6.1.10. 100
- 6.1.11.  $r^2$
- 6.1.12.  $h/r = 2$
- 6.1.13.  $h/r = 2$
- 6.1.14.  $r = 5$  cm,  $h = 40/\pi$  cm,  $h/r = 8/\pi$
- 6.1.15.  $8/\pi$
- 6.1.16.  $4/27$
- 6.1.17. Go direct from  $A$  to  $D$ .
- 6.1.18. (a) 2, (b)  $7/2$
- 6.1.19.  $\frac{\sqrt{3}}{6} \times \frac{\sqrt{3}}{6} + \frac{1}{2} \times \frac{1}{4} - \frac{\sqrt{3}}{12}$
- 6.1.20. (a)  $a/6$ , (b)  $(a + b - \sqrt{a^2 - ab + b^2})/6$
- 6.1.21. 1.5 meters wide by 1.25 meters tall
- 6.1.22. If  $k \leq 2/\pi$  the ratio is  $(2 - k\pi)/4$ ;  
if  $k \geq 2/\pi$ , the ratio is zero: the  
window should be semicircular with  
no rectangular part.
- 6.1.23.  $a/b$
- 6.1.24.  $w = 2r/\sqrt{3}$ ,  $h = 2\sqrt{2}r/\sqrt{3}$
- 6.1.25.  $1/\sqrt{3} \approx 58\%$
- 6.1.26.  $18 \times 18 \times 36$
- 6.1.27.  $r = 5/(2\pi)^{1/3} \approx 2.7$  cm,  
 $h = 5 \cdot 2^{5/3}/\pi^{1/3} = 4r \approx 10.8$  cm
- 6.1.28.  $h = \frac{750}{\pi} \left( \frac{2\pi^2}{750^2} \right)^{1/3}$ ,  $r = \left( \frac{750^2}{2\pi^2} \right)^{1/6}$
- 6.1.29.  $h/r = \sqrt{2}$
- 6.1.30. The ratio of the volume of the  
sphere to the volume of the cone is  
 $1033/4096 + 33/4096\sqrt{17} \approx 0.2854$ ,  
so the cone occupies approximately  
28.54% of the sphere.
- 6.1.31.  $P$  should be at distance  $c\sqrt[3]{a}/(\sqrt[3]{a} + \sqrt[3]{b})$  from charge  $A$ .
- 6.1.32.  $1/2$
- 6.1.33. \$7000
- 6.1.34. There is a critical point when  
 $\sin \theta_1/v_1 = \sin \theta_2/v_2$ , and the  
second derivative is positive, so  
there is a minimum at the critical  
point.
- 6.2.1.  $1/(16\pi)$  cm/s
- 6.2.2.  $3/(1000\pi)$  meters/second
- 6.2.3.  $1/4$  m/s
- 6.2.4.  $6/25$  m/s
- 6.2.5.  $80\pi$  mi/min
- 6.2.6.  $3\sqrt{5}$  ft/s
- 6.2.7.  $20/(3\pi)$  cm/s
- 6.2.8.  $13/20$  ft/s
- 6.2.9.  $5\sqrt{10}/2$  m/s
- 6.2.10.  $75/64$  m/min
- 6.2.11.  $145\pi/72$  m/s
- 6.2.12.  $25\pi/144$  m/min
- 6.2.13.  $\pi\sqrt{2}/36$  ft<sup>3</sup>/s



- 6.2.14.** tip: 6 ft/s, length:  $5/2$  ft/s  
**6.2.15.** tip:  $20/11$  m/s, length:  $9/11$  m/s  
**6.2.16.**  $380/\sqrt{3} - 150 \approx 69.4$  mph  
**6.2.17.**  $500/\sqrt{3} - 200 \approx 88.7$  km/hr  
**6.2.18.** 18 m/s  
**6.2.19.**  $136\sqrt{475}/19 \approx 156$  km/hr  
**6.2.20.**  $-50$  m/s  
**6.2.21.** 68 m/s  
**6.2.22.**  $3800/\sqrt{329} \approx 210$  km/hr  
**6.2.23.**  $820/\sqrt{329} + 150\sqrt{57}/\sqrt{47} \approx 210$  km/hr  
**6.2.24.**  $4000/49$  m/s  
**6.2.25.** (a)  $x = a \cos \theta - a \sin \theta \cot(\theta + \beta) = a \sin \beta / \sin(\theta + \beta)$ , (c)  $\dot{x} \approx 3.79$  cm/s  
**6.3.1.**  $x_3 = 1.475773162$   
**6.3.2.** 2.15  
**6.3.3.** 3.36  
**6.3.4.** 2.19 or 1.26  
**6.4.1.**  $\Delta y = 65/16$ ,  $dy = 2$   
**6.4.2.**  $\Delta y = \sqrt{11/10} - 1$ ,  $dy = 0.05$   
**6.4.3.**  $\Delta y = \sin(\pi/50)$ ,  $dy = \pi/50$   
**6.4.4.**  $dV = 8\pi/25$   
**6.5.1.**  $c = 1/2$   
**6.5.2.**  $c = \sqrt{18} - 2$   
**6.5.6.**  $x^3/3 + 47x^2/2 - 5x + k$   
**6.5.7.**  $\arctan x + k$   
**6.5.8.**  $x^4/4 - \ln x + k$   
**6.5.9.**  $-\cos(2x)/2 + k$   
**7.1.1.** 10  
**7.1.2.**  $35/3$   
**7.1.3.**  $x^2$   
**7.1.4.**  $2x^2$   
**7.1.5.**  $2x^2 - 8$   
**7.1.6.**  $2b^2 - 2a^2$   
**7.1.7.** 4 rectangles:  $41/4 = 10.25$ ,  
 8 rectangles:  $183/16 = 11.4375$   
**7.1.8.**  $23/4$   
**7.2.1.**  $(16/3)x^{3/2} + C$   
**7.2.2.**  $t^3 + t + C$   
**7.2.3.**  $8\sqrt{x} + C$   
**7.2.4.**  $-2/z + C$   
**7.2.5.**  $7 \ln s + C$   
**7.2.6.**  $(5x + 1)^3/15 + C$   
**7.2.7.**  $(x - 6)^3/3 + C$   
**7.2.8.**  $2x^{5/2}/5 + C$   
**7.2.9.**  $-4/\sqrt{x} + C$   
**7.2.10.**  $4t - t^2 + C$ ,  $t < 2$ ;  $t^2 - 4t + 8 + C$ ,  
 $t \geq 2$   
**7.2.11.**  $87/2$   
**7.2.12.** 2  
**7.2.13.**  $\ln(10)$   
**7.2.14.**  $e^5 - 1$   
**7.2.15.**  $3^4/4$   
**7.2.16.**  $2^6/6 - 1/6$   
**7.2.17.**  $x^2 - 3x$   
**7.2.18.**  $2x(x^4 - 3x^2)$   
**7.2.19.**  $e^{x^2}$   
**7.2.20.**  $2xe^{x^4}$   
**7.2.21.**  $\tan(x^2)$   
**7.2.22.**  $2x \tan(x^4)$   
**7.3.1.** It rises until  $t = 100/49$ , then falls. The position of the object at time  $t$  is  $s(t) = -4.9t^2 + 20t + k$ . The net distance traveled is  $-45/2$ , that is, it ends up  $45/2$  meters below where it started. The total distance traveled is  $6205/98$  meters.

- 7.3.2.  $\int_0^{2\pi} \sin t \, dt = 0$
- 7.3.3. net:  $2\pi$ , total:  $2\pi/3 + 4\sqrt{3}$
- 7.3.4. 8
- 7.3.5.  $17/3$
- 7.3.6.  $A = 18$ ,  $B = 44/3$ ,  $C = 10/3$
- 8.1.1.  $-(1-t)^{10}/10 + C$
- 8.1.2.  $x^5/5 + 2x^3/3 + x + C$
- 8.1.3.  $(x^2 + 1)^{101}/202 + C$
- 8.1.4.  $-3(1-5t)^{2/3}/10 + C$
- 8.1.5.  $(\sin^4 x)/4 + C$
- 8.1.6.  $-(100-x^2)^{3/2}/3 + C$
- 8.1.7.  $-2\sqrt{1-x^3}/3 + C$
- 8.1.8.  $\sin(\sin \pi t)/\pi + C$
- 8.1.9.  $1/(2 \cos^2 x) = (1/2) \sec^2 x + C$
- 8.1.10.  $-\ln |\cos x| + C$
- 8.1.11. 0
- 8.1.12.  $\tan^2(x)/2 + C$
- 8.1.13.  $1/4$
- 8.1.14.  $-\cos(\tan x) + C$
- 8.1.15.  $1/10$
- 8.1.16.  $\sqrt{3}/4$
- 8.1.17.  $(27/8)(x^2 - 7)^{8/9} + C$
- 8.1.18.  $-(3^7 + 1)/14$
- 8.1.19. 0
- 8.1.20.  $f(x)^2/2$
- 8.2.1.  $x/2 - \sin(2x)/4 + C$
- 8.2.2.  $-\cos x + (\cos^3 x)/3 + C$
- 8.2.3.  $3x/8 - (\sin 2x)/4 + (\sin 4x)/32 + C$
- 8.2.4.  $(\cos^5 x)/5 - (\cos^3 x)/3 + C$
- 8.2.5.  $\sin x - (\sin^3 x)/3 + C$
- 8.2.6.  $x/8 - (\sin 4x)/32 + C$
- 8.2.7.  $(\sin^3 x)/3 - (\sin^5 x)/5 + C$
- 8.2.8.  $-2(\cos x)^{5/2}/5 + C$
- 8.2.9.  $\tan x - \cot x + C$
- 8.2.10.  $(\sec^3 x)/3 - \sec x + C$
- 8.3.1.  $-\ln |\csc x + \cot x| + C$
- 8.3.2.  $-\csc x \cot x/2 - (1/2) \ln |\csc x + \cot x| + C$
- 8.3.3.  $x\sqrt{x^2-1}/2 - \ln|x+\sqrt{x^2-1}|/2 + C$
- 8.3.4.  $x\sqrt{9+4x^2}/2 + (9/4) \ln|2x + \sqrt{9+4x^2}| + C$
- 8.3.5.  $-(1-x^2)^{3/2}/3 + C$
- 8.3.6.  $\arcsin(x)/8 - \sin(4 \arcsin x)/32 + C$
- 8.3.7.  $\ln|x + \sqrt{1+x^2}| + C$
- 8.3.8.  $(x+1)\sqrt{x^2+2x}/2 - \ln|x+1 + \sqrt{x^2+2x}|/2 + C$
- 8.3.9.  $-\arctan x - 1/x + C$
- 8.3.10.  $2 \arcsin(x/2) - x\sqrt{4-x^2}/2 + C$
- 8.3.11.  $\arcsin(\sqrt{x}) - \sqrt{x}\sqrt{1-x} + C$
- 8.3.12.  $(2x^2+1)\sqrt{4x^2-1}/24 + C$
- 8.4.1.  $\cos x + x \sin x + C$
- 8.4.2.  $x^2 \sin x - 2 \sin x + 2x \cos x + C$
- 8.4.3.  $(x-1)e^x + C$
- 8.4.4.  $(1/2)e^{x^2} + C$
- 8.4.5.  $(x/2) - \sin(2x)/4 + C = (x/2) - (\sin x \cos x)/2 + C$
- 8.4.6.  $x \ln x - x + C$
- 8.4.7.  $(x^2 \arctan x + \arctan x - x)/2 + C$
- 8.4.8.  $-x^3 \cos x + 3x^2 \sin x + 6x \cos x - 6 \sin x + C$
- 8.4.9.  $x^3 \sin x + 3x^2 \cos x - 6x \sin x - 6 \cos x + C$

$$8.4.10. \quad x^2/4 - (\cos^2 x)/4 - (x \sin x \cos x)/2 + C$$

$$8.4.11. \quad x/4 - (x \cos^2 x)/2 + (\cos x \sin x)/4 + C$$

$$8.4.12. \quad x \arctan(\sqrt{x}) + \arctan(\sqrt{x}) - \sqrt{x} + C$$

$$8.4.13. \quad 2 \sin(\sqrt{x}) - 2\sqrt{x} \cos(\sqrt{x}) + C$$

$$8.4.14. \quad \sec x \csc x - 2 \cot x + C$$

$$8.5.1. \quad -\ln|x-2|/4 + \ln|x+2|/4 + C$$

$$8.5.2. \quad -x^3/3 - 4x - 4 \ln|x-2| + 4 \ln|x+2| + C$$

$$8.5.3. \quad -1/(x+5) + C$$

$$8.5.4. \quad -x - \ln|x-2| + \ln|x+2| + C$$

$$8.5.5. \quad -4x + x^3/3 + 8 \arctan(x/2) + C$$

$$8.5.6. \quad (1/2) \arctan(x/2 + 5/2) + C$$

$$8.5.7. \quad x^2/2 - 2 \ln(4+x^2) + C$$

$$8.5.8. \quad (1/4) \ln|x+3| - (1/4) \ln|x+7| + C$$

$$8.5.9. \quad (1/5) \ln|2x-3| - (1/5) \ln|1+x| + C$$

$$8.5.10. \quad (1/3) \ln|x| - (1/3) \ln|x+3| + C$$

$$8.6.1. \quad T, S: 4 \pm 0$$

$$8.6.2. \quad T: 9.28125 \pm 0.281125; S: 9 \pm 0$$

$$8.6.3. \quad T: 60.75 \pm 1; S: 60 \pm 0$$

$$8.6.4. \quad T: 1.1167 \pm 0.0833; S: 1.1000 \pm 0.0167$$

$$8.6.5. \quad T: 0.3235 \pm 0.0026; S: 0.3217 \pm 0.000065$$

$$8.6.6. \quad T: 0.6478 \pm 0.0052; S: 0.6438 \pm 0.000033$$

$$8.6.7. \quad T: 2.8833 \pm 0.0834; S: 2.9000 \pm 0.0167$$

$$8.6.8. \quad T: 1.1170 \pm 0.0077; S: 1.1114 \pm 0.0002$$

$$8.6.9. \quad T: 1.097 \pm 0.0147; S: 1.089 \pm 0.0003$$

$$8.6.10. \quad T: 3.63 \pm 0.087; S: 3.62 \pm 0.032$$

$$8.7.1. \quad \frac{(t+4)^4}{4} + C$$

$$8.7.2. \quad \frac{(t^2-9)^{5/2}}{5} + C$$

$$8.7.3. \quad \frac{(e^{t^2} + 16)^2}{4} + C$$

$$8.7.4. \quad \cos t - \frac{2}{3} \cos^3 t + C$$

$$8.7.5. \quad \frac{\tan^2 t}{2} + C$$

$$8.7.6. \quad \ln|t^2 + t + 3| + C$$

$$8.7.7. \quad \frac{1}{8} \ln|1 - 4/t^2| + C$$

$$8.7.8. \quad \frac{1}{25} \tan(\arcsin(t/5)) + C = \frac{t}{25\sqrt{25-t^2}} + C$$

$$8.7.9. \quad \frac{2}{3} \sqrt{\sin 3t} + C$$

$$8.7.10. \quad t \tan t + \ln|\cos t| + C$$

$$8.7.11. \quad 2\sqrt{e^t + 1} + C$$

$$8.7.12. \quad \frac{3t}{8} + \frac{\sin 2t}{4} + \frac{\sin 4t}{32} + C$$

$$8.7.13. \quad \frac{\ln|t|}{3} - \frac{\ln|t+3|}{3} + C$$

$$8.7.14. \quad \frac{-1}{\sin \arctan t} + C = -\sqrt{1+t^2}/t + C$$

$$8.7.15. \quad \frac{-1}{2(1+\tan t)^2} + C$$

$$8.7.16. \quad \frac{(t^2+1)^{5/2}}{5} - \frac{(t^2+1)^{3/2}}{3} + C$$

$$8.7.17. \quad \frac{e^t \sin t - e^t \cos t}{2} + C$$

$$8.7.18. \quad \frac{(t^{3/2} + 47)^4}{6} + C$$

$$8.7.19. \quad \frac{2}{3(2-t^2)^{3/2}} - \frac{1}{(2-t^2)^{1/2}} + C$$

$$8.7.20. \quad \frac{\ln|\sin(\arctan(2t/3))|}{9} + C = \frac{\ln(4t^2) - \ln(9+4t^2)}{18} + C$$

$$8.7.21. \quad \frac{(\arctan(2t))^2}{4} + C$$

$$8.7.22. \frac{3 \ln |t+3|}{4} + \frac{\ln |t-1|}{4} + C$$

$$8.7.23. \frac{\cos^7 t}{7} - \frac{\cos^5 t}{5} + C$$

$$8.7.24. \frac{-1}{t-3} + C$$

$$8.7.25. \frac{-1}{\ln t} + C$$

$$8.7.26. \frac{t^2(\ln t)^2}{2} - \frac{t^2 \ln t}{2} + \frac{t^2}{4} + C$$

$$8.7.27. (t^3 - 3t^2 + 6t - 6)e^t + C$$

$$8.7.28. \frac{5 + \sqrt{5}}{10} \ln(2t + 1 - \sqrt{5}) + \frac{5 - \sqrt{5}}{10} \ln(2t + 1 + \sqrt{5}) + C$$

$$9.1.1. 8\sqrt{2}/15$$

$$9.1.2. 1/12$$

$$9.1.3. 9/2$$

$$9.1.4. 4/3$$

$$9.1.5. 2/3 - 2/\pi$$

$$9.1.6. 3/\pi - 3\sqrt{3}/(2\pi) - 1/8$$

$$9.1.7. 1/3$$

$$9.1.8. 10\sqrt{5}/3 - 6$$

$$9.1.9. 500/3$$

$$9.1.10. 2$$

$$9.1.11. 1/5$$

$$9.1.12. 1/6$$

$$9.2.1. 1/\pi, 5/\pi$$

$$9.2.2. 0, 245$$

$$9.2.3. 20, 28$$

$$9.2.4. (3 - \pi)/(2\pi), (18 - 12\sqrt{3} + \pi)/(4\pi)$$

$$9.2.5. 10/49 \text{ meters}, 20/49 \text{ seconds}$$

$$9.2.6. 45/98 \text{ meters}, 30/49 \text{ seconds}$$

$$9.2.7. 25000/49 \text{ meters}, 1000/49 \text{ seconds}$$

$$9.2.8. s(t) = \cos t, v(t) = -\sin t, \\ \text{maximum distance is 1,} \\ \text{maximum speed is 1}$$

$$9.2.9. s(t) = -\sin(\pi t)/\pi^2 + t/\pi, \\ v(t) = -\cos(\pi t)/\pi + 1/\pi, \\ \text{maximum speed is } 2/\pi$$

$$9.2.10. s(t) = t^2/2 - \sin(\pi t)/\pi^2 + t/\pi, \\ v(t) = t - \cos(\pi t)/\pi + 1/\pi$$

$$9.2.11. s(t) = t^2/2 + \sin(\pi t)/\pi^2 - t/\pi, \\ v(t) = t + \cos(\pi t)/\pi - 1/\pi$$

$$9.3.5. 8\pi/3$$

$$9.3.6. \pi/30$$

$$9.3.7. \pi(\pi/2 - 1)$$

$$9.3.8. (a) 114\pi/5 \text{ (b) } 74\pi/5 \text{ (c) } 20\pi \\ \text{(d) } 4\pi$$

$$9.3.9. 16\pi, 24\pi$$

$$9.3.11. \pi h^2(3r - h)/3$$

$$9.3.13. 2\pi$$

$$9.4.1. 2/\pi; 2/\pi; 0$$

$$9.4.2. 4/3$$

$$9.4.3. 1/A$$

$$9.4.4. \pi/4$$

$$9.4.5. -1/3, 1$$

$$9.4.6. -4\sqrt{1224} \text{ ft/s}; -8\sqrt{1224} \text{ ft/s}$$

$$9.5.1. \approx 5, 305, 028, 516 \text{ N-m}$$

$$9.5.2. \approx 4, 457, 854, 041 \text{ N-m}$$

$$9.5.3. 367, 500\pi \text{ N-m}$$

$$9.5.4. 49000\pi + 196000/3 \text{ N-m}$$

$$9.5.5. 2450\pi \text{ N-m}$$

$$9.5.6. 0.05 \text{ N-m}$$

$$9.5.7. 6/5 \text{ N-m}$$

$$9.5.8. 3920 \text{ N-m}$$

$$9.5.9. 23520 \text{ N-m}$$

- 9.5.10.** 12740 N-m  
**9.6.1.**  $15/2$   
**9.6.2.** 5  
**9.6.3.**  $16/5$   
**9.6.5.**  $\bar{x} = 45/28, \bar{y} = 93/70$   
**9.6.6.**  $\bar{x} = 0, \bar{y} = 4/(3\pi)$   
**9.6.7.**  $\bar{x} = 1/2, \bar{y} = 2/5$   
**9.6.8.**  $\bar{x} = 0, \bar{y} = 8/5$   
**9.6.9.**  $\bar{x} = 4/7, \bar{y} = 2/5$   
**9.6.10.**  $\bar{x} = \bar{y} = 1/5$   
**9.6.11.**  $\bar{x} = 0, \bar{y} = 28/(9\pi)$   
**9.6.12.**  $\bar{x} = \bar{y} = 28/(9\pi)$   
**9.6.13.**  $\bar{x} = 0, \bar{y} = 244/(27\pi) \approx 2.88$   
**9.7.1.**  $\infty$   
**9.7.2.**  $1/2$   
**9.7.3.** diverges  
**9.7.4.** diverges  
**9.7.5.** 1  
**9.7.6.** diverges  
**9.7.7.** 2  
**9.7.8.** diverges  
**9.7.9.**  $\pi/6$   
**9.7.10.** diverges, 0  
**9.7.11.** diverges, 0  
**9.7.12.** diverges, no CPV  
**9.7.13.**  $\pi$   
**9.7.14.** 80 mph: 90.8 to 95.3 N-m  
 90 mph: 114.9 to 120.6 N-m  
 100.9 mph: 144.5 to 151.6 N-m  
**9.8.2.**  $\mu = 1/c, \sigma = 1/c$   
**9.8.3.**  $\mu = (a + b)/2, \sigma = \frac{(b - a)}{2\sqrt{3}}$   
**9.8.4.**  $7/2$   
**9.8.5.**  $21/2$   
**9.8.9.**  $r = 6$   
**9.9.1.**  $(22\sqrt{22} - 8)/27$   
**9.9.2.**  $\ln(2) + 3/8$   
**9.9.3.**  $a + a^3/3$   
**9.9.4.**  $\ln((\sqrt{2} + 1)/\sqrt{3})$   
**9.9.6.**  $3/4$   
**9.9.7.**  $\approx 3.82$   
**9.9.8.**  $\approx 1.01$   
**9.9.9.**  $\sqrt{1 + e^2} - \sqrt{2} + 1 - \ln(\sqrt{1 + e^2} + 1) + \ln(\sqrt{2} + 1)$   
**9.10.1.**  $8\pi\sqrt{3} - \frac{16\pi\sqrt{2}}{3}$   
**9.10.3.**  $\frac{730\pi\sqrt{730}}{27} - \frac{10\pi\sqrt{10}}{27}$   
**9.10.4.**  $\pi + 2\pi e + \frac{1}{4}\pi e^2 - \frac{\pi}{4e^2} - \frac{2\pi}{e}$   
**9.10.6.**  $8\pi^2$   
**9.10.7.**  $2\pi + \frac{8\pi^2}{3\sqrt{3}}$   
**9.10.8.**  $a > b: 2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{a^2 - b^2}} \arcsin(\sqrt{a^2 - b^2}/a),$   
 $a < b: 2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{b^2 - a^2}} \ln\left(\frac{b}{a} + \frac{\sqrt{b^2 - a^2}}{a}\right)$   
**10.1.2.**  $\theta = \arctan(3)$   
**10.1.3.**  $r = -4 \csc \theta$   
**10.1.4.**  $r^3 \cos \theta \sin^2 \theta = 1$   
**10.1.5.**  $r = \sqrt{5}$   
**10.1.6.**  $r^2 = \sin \theta \sec^3 \theta$   
**10.1.7.**  $r \sin \theta = \sin(r \cos \theta)$   
**10.1.8.**  $r = 2/(\sin \theta - 5 \cos \theta)$

- 10.1.9.  $r = 2 \sec \theta$   
 10.1.10.  $0 = r^2 \cos^2 \theta - r \sin \theta + 1$   
 10.1.11.  $0 = 3r^2 \cos^2 \theta - 2r \cos \theta - r \sin \theta$   
 10.1.12.  $r = \sin \theta$   
 10.1.21.  $(x^2 + y^2)^2 = 4x^2y - (x^2 + y^2)y$   
 10.1.22.  $(x^2 + y^2)^{3/2} = y^2$   
 10.1.23.  $x^2 + y^2 = x^2y^2$   
 10.1.24.  $x^4 + x^2y^2 = y^2$   
 10.2.1.  $(\theta \cos \theta + \sin \theta)/(-\theta \sin \theta + \cos \theta),$   
 $(\theta^2 + 2)/(-\theta \sin \theta + \cos \theta)^3$   
 10.2.2.  $\frac{\cos \theta + 2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta - \sin \theta},$   
 $\frac{3(1 + \sin \theta)}{(\cos^2 \theta - \sin^2 \theta - \sin \theta)^3}$   
 10.2.3.  $(\sin^2 \theta - \cos^2 \theta)/(2 \sin \theta \cos \theta),$   
 $-1/(4 \sin^3 \theta \cos^3 \theta)$   
 10.2.4.  $\frac{2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta}, \frac{2}{(\cos^2 \theta - \sin^2 \theta)^3}$   
 10.2.5. undefined  
 10.2.6.  $\frac{2 \sin \theta - 3 \sin^3 \theta}{3 \cos^3 \theta - 2 \cos \theta},$   
 $\frac{3 \cos^4 \theta - 3 \cos^2 \theta + 2}{2 \cos^3 \theta (3 \cos^2 \theta - 2)^3}$   
 10.3.1. 1  
 10.3.2.  $9\pi/2$   
 10.3.3.  $\sqrt{3}/3$   
 10.3.4.  $\pi/12 + \sqrt{3}/16$   
 10.3.5.  $\pi a^2$   
 10.3.6.  $41\pi/2$   
 10.3.7.  $2 - \pi/2$   
 10.3.8.  $\pi/12$   
 10.3.9.  $3\pi/16$   
 10.3.10.  $\pi/4 - 3\sqrt{3}/8$   
 10.3.11.  $\pi/2 + 3\sqrt{3}/8$   
 10.3.12.  $1/2$   
 10.3.13.  $3/2 - \pi/4$   
 10.3.14.  $\pi/3 + \sqrt{3}/2$   
 10.3.15.  $\pi/3 - \sqrt{3}/4$   
 10.3.16.  $4\pi^3/3$   
 10.3.17.  $\pi^2$   
 10.3.18.  $5\pi/24 - \sqrt{3}/4$   
 10.3.19.  $7\pi/12 - \sqrt{3}$   
 10.3.20.  $4\pi - \sqrt{15}/2 - 7 \arccos(1/4)$   
 10.3.21.  $3\pi^3$   
 10.4.6.  $x = t - \frac{\sin(t)}{2}, y = 1 - \frac{\cos(t)}{2}$   
 10.4.7.  $x = 4 \cos t - \cos(4t),$   
 $y = 4 \sin t - \sin(4t)$   
 10.4.8.  $x = 2 \cos t + \cos(2t),$   
 $y = 2 \sin t - \sin(2t)$   
 10.4.9.  $x = \cos t + t \sin t,$   
 $y = \sin t - t \cos t$   
 10.5.1. There is a horizontal tangent at all multiples of  $\pi$ .  
 10.5.2.  $9\pi/4$   
 10.5.3.  $\int_0^{2\pi} \frac{1}{2} \sqrt{5 - 4 \cos t} dt$   
 10.5.4. Four points:  
 $\left( \frac{-3 - 3\sqrt{5}}{4}, \pm 5\sqrt{\frac{5 - \sqrt{5}}{8}} \right),$   
 $\left( \frac{-3 + 3\sqrt{5}}{4}, \pm 5\sqrt{\frac{5 + \sqrt{5}}{8}} \right)$   
 10.5.5.  $11\pi/3$   
 10.5.6.  $32/3$   
 10.5.7.  $2\pi$   
 10.5.8.  $16/3$

- 10.5.9.**  $(\pi/2, 1)$   
**10.5.10.**  $5\pi^3/6$   
**10.5.11.**  $2\pi^2$   
**10.5.12.**  $(2\pi\sqrt{4\pi^2+1} + \ln(2\pi + \sqrt{4\pi^2+1}))/2$   
**11.1.1.** 1  
**11.1.3.** 0  
**11.1.4.** 1  
**11.1.5.** 1  
**11.1.6.** 0  
**11.2.1.**  $\lim_{n \rightarrow \infty} n^2/(2n^2+1) = 1/2$   
**11.2.2.**  $\lim_{n \rightarrow \infty} 5/(2^{1/n}+14) = 1/3$   
**11.2.3.**  $\sum_{n=1}^{\infty} \frac{1}{n}$  diverges, so  $\sum_{n=1}^{\infty} 3\frac{1}{n}$  diverges  
**11.2.4.**  $-3/2$   
**11.2.5.** 11  
**11.2.6.** 20  
**11.2.7.**  $3/4$   
**11.2.8.**  $3/2$   
**11.2.9.**  $3/10$   
**11.3.1.** diverges  
**11.3.2.** diverges  
**11.3.3.** converges  
**11.3.4.** converges  
**11.3.5.** converges  
**11.3.6.** converges  
**11.3.7.** diverges  
**11.3.8.** converges  
**11.3.9.**  $N = 5$   
**11.3.10.**  $N = 10$   
**11.3.11.**  $N = 1687$   
**11.3.12.** any integer greater than  $e^{200}$   
**11.4.1.** converges  
**11.4.2.** converges  
**11.4.3.** diverges  
**11.4.4.** converges  
**11.4.5.** 0.90  
**11.4.6.** 0.95  
**11.5.1.** converges  
**11.5.2.** converges  
**11.5.3.** converges  
**11.5.4.** diverges  
**11.5.5.** diverges  
**11.5.6.** diverges  
**11.5.7.** converges  
**11.5.8.** diverges  
**11.5.9.** converges  
**11.5.10.** diverges  
**11.6.1.** converges absolutely  
**11.6.2.** diverges  
**11.6.3.** converges conditionally  
**11.6.4.** converges absolutely  
**11.6.5.** converges conditionally  
**11.6.6.** converges absolutely  
**11.6.7.** diverges  
**11.6.8.** converges conditionally  
**11.7.5.** converges  
**11.7.6.** converges  
**11.7.7.** converges  
**11.7.8.** diverges  
**11.8.1.**  $R = 1, I = (-1, 1)$   
**11.8.2.**  $R = \infty, I = (-\infty, \infty)$

- 11.8.3.  $R = e, I = (-e, e)$
- 11.8.4.  $R = e, I = (2 - e, 2 + e)$
- 11.8.5.  $R = 0$ , converges only when  $x = 2$
- 11.8.6.  $R = 1, I = [-6, -4]$
- 11.9.1. the alternating harmonic series
- 11.9.2.  $\sum_{n=0}^{\infty} (n+1)x^n$
- 11.9.3.  $\sum_{n=0}^{\infty} (n+1)(n+2)x^n$
- 11.9.4.  $\sum_{n=0}^{\infty} \frac{(n+1)(n+2)}{2} x^n, R = 1$
- 11.9.5.  $C + \sum_{n=0}^{\infty} \frac{-1}{(n+1)(n+2)} x^{n+2}$
- 11.10.1.  $\sum_{n=0}^{\infty} (-1)^n x^{2n} / (2n)!, R = \infty$
- 11.10.2.  $\sum_{n=0}^{\infty} x^n / n!, R = \infty$
- 11.10.3.  $\sum_{n=0}^{\infty} (-1)^n \frac{(x-5)^n}{5^{n+1}}, R = 5$
- 11.10.4.  $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-1)^n}{n}, R = 1$
- 11.10.5.  $\ln(2) + \sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-2)^n}{n2^n}, R = 2$
- 11.10.6.  $\sum_{n=0}^{\infty} (-1)^n (n+1)(x-1)^n, R = 1$
- 11.10.7.  $1 + \sum_{n=1}^{\infty} \frac{1 \cdot 3 \cdot 5 \cdots (2n-1)}{n!2^n} x^n =$   
 $1 + \sum_{n=1}^{\infty} \frac{(2n-1)!}{2^{2n-1}(n-1)!n!} x^n, R = 1$
- 11.10.8.  $x + x^3/3$
- 11.10.9.  $\sum_{n=0}^{\infty} (-1)^n x^{4n+1} / (2n)!$
- 11.10.10.  $\sum_{n=0}^{\infty} (-1)^n x^{n+1} / n!$
- 11.11.1.  $1 - \frac{x^2}{2} + \frac{x^4}{24} - \frac{x^6}{720} + \cdots + \frac{x^{12}}{12!}$
- 11.11.2. 1000; 8
- 11.11.3.  $x + \frac{x^3}{3} + \frac{2x^5}{15}$ , error  $\pm 1.32$ .
- 11.12.1. diverges
- 11.12.2. converges
- 11.12.3. converges
- 11.12.4. diverges
- 11.12.5. diverges
- 11.12.6. diverges
- 11.12.7. converges
- 11.12.8. converges
- 11.12.9. converges
- 11.12.10. converges
- 11.12.11. converges
- 11.12.12. converges
- 11.12.13. converges
- 11.12.14. converges
- 11.12.15. converges
- 11.12.16. converges
- 11.12.17. diverges
- 11.12.18.  $(-\infty, \infty)$
- 11.12.19.  $(-3, 3)$
- 11.12.20.  $(-3, 3)$
- 11.12.21.  $(-1, 1)$
- 11.12.22. radius is 0—it converges only when  $x = 0$
- 11.12.23.  $(-\sqrt{3}, \sqrt{3})$
- 11.12.24.  $(-\infty, \infty)$



$$11.12.25. \sum_{n=0}^{\infty} \frac{(\ln(2))^n}{n!} x^n$$

$$11.12.26. \sum_{n=0}^{\infty} \frac{(-1)^n}{n+1} x^{n+1}$$

$$11.12.27. \sum_{n=0}^{\infty} \frac{2}{2n+1} x^{2n+1}$$

$$11.12.28. 1 + x/2 + \sum_{n=2}^{\infty} (-1)^{n+1} \frac{1 \cdot 3 \cdot 5 \cdots (2n-3)}{2^n n!} x^n$$

$$11.12.29. \sum_{n=0}^{\infty} (-1)^n x^{2n}$$

$$11.12.30. \sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} x^{2n+1}$$

$$11.12.31. \pi = \sum_{n=0}^{\infty} (-1)^n \frac{4}{2n+1}$$

$$12.1.6. 3, \sqrt{26}, \sqrt{29}$$

$$12.1.7. \sqrt{14}, 2\sqrt{14}, 3\sqrt{14}.$$

$$12.1.8. (x-1)^2 + (y-1)^2 + (z-1)^2 = 4.$$

$$12.1.9. (x-2)^2 + (y+1)^2 + (z-3)^2 = 25.$$

$$12.1.10. (x-3)^2 + (y+2)^2 + (z-1)^2 = 33.$$

$$12.1.11. (x-2)^2 + (y-1)^2 + (z+1)^2 = 16, \\ (y-1)^2 + (z+1)^2 = 12$$

$$12.2.6. \sqrt{10}, \langle 0, -2 \rangle, \langle 2, 8 \rangle, 2, 2\sqrt{17}, \\ \langle -2, -6 \rangle$$

$$12.2.7. \sqrt{14}, \langle 0, 4, 0 \rangle, \langle 2, 0, 6 \rangle, 4, 2\sqrt{10}, \\ \langle -2, -4, -6 \rangle$$

$$12.2.8. \sqrt{2}, \langle 0, -2, 3 \rangle, \langle 2, 2, -1 \rangle, \sqrt{13}, 3, \\ \langle -2, 0, -2 \rangle$$

$$12.2.9. \sqrt{3}, \langle 1, -1, 4 \rangle, \langle 1, -1, -2 \rangle, 3\sqrt{2}, \\ \sqrt{6}, \langle -2, 2, -2 \rangle$$

$$12.2.10. \sqrt{14}, \langle 2, 1, 0 \rangle, \langle 4, 3, 2 \rangle, \sqrt{5}, \sqrt{29}, \\ \langle -6, -4, -2 \rangle$$

$$12.2.11. \langle -3, -3, -11 \rangle, \\ \langle -3/\sqrt{139}, -3/\sqrt{139}, -11/\sqrt{139} \rangle \\ \langle -12/\sqrt{139}, -12/\sqrt{139}, -44/\sqrt{139} \rangle$$

$$12.2.12. \langle 0, 0, 0 \rangle$$

$$12.2.13. \mathbf{0}; \langle -r\sqrt{3}/2, r/2 \rangle; \langle 0, -12r \rangle; \text{ where } r \text{ is the radius of the clock}$$

$$12.3.1. 3$$

$$12.3.2. 0$$

$$12.3.3. 2$$

$$12.3.4. -6$$

$$12.3.5. 42$$

$$12.3.6. \sqrt{6}/\sqrt{7}, \approx 0.39$$

$$12.3.7. -11\sqrt{14}\sqrt{29}/406, \approx 2.15$$

$$12.3.8. 0, \pi/2$$

$$12.3.9. 1/2, \pi/3$$

$$12.3.10. -1/\sqrt{3}, \approx 2.19$$

$$12.3.11. \arccos(1/\sqrt{3}) \approx 0.96$$

$$12.3.12. \sqrt{5}, \langle 1, 2, 0 \rangle.$$

$$12.3.13. 3\sqrt{14}/7, \langle 9/7, 6/7, 3/7 \rangle.$$

$$12.3.14. 10, 10\sqrt{3}$$

$$12.3.15. 10\sqrt{2}, 10\sqrt{2}$$

$$12.3.16. \langle 0, 5 \rangle, \langle 5\sqrt{3}, 0 \rangle$$

$$12.3.17. \langle 0, 15\sqrt{2}/2 \rangle, \langle 15\sqrt{2}/2, 0 \rangle$$

$$12.3.18. 10/\cos(\pi/6) = 20/\sqrt{3}.$$

$$12.3.19. \text{Any vector of the form } \langle a, -7a/2, -2a \rangle$$

$$12.3.20. \langle 1/\sqrt{3}, -1/\sqrt{3}, 1/\sqrt{3} \rangle$$

$$12.3.21. \text{No.}$$

$$12.3.22. \text{Yes.}$$

$$12.4.1. \langle 1, -2, 1 \rangle$$

$$12.4.2. \langle 4, -6, -2 \rangle$$

$$12.4.3. \langle -7, 13, -9 \rangle$$

- 12.4.4.  $\langle 0, -1, 0 \rangle$   
 12.4.5. 3  
 12.4.6.  $21\sqrt{2}/2$   
 12.4.7. 1  
 12.4.8. 16  
 12.4.9.  $\sqrt{443}/2$   
 12.4.10.  $3\sqrt{166}/2$   
 12.5.1.  $(x - 6) + (y - 2) + (z - 1) = 0$   
 12.5.2.  $4(x + 1) + 5(y - 2) - (z + 3) = 0$   
 12.5.3.  $(x - 1) - (y - 2) = 0$   
 12.5.4.  $-2(x - 1) + 3y - 2z = 0$   
 12.5.5.  $4(x - 1) - 6y = 0$   
 12.5.6.  $7x - y + 11z = 11$   
 12.5.7.  $-68x - 153y + 85z = -1462/7$   
 12.5.8.  $3x - 19y - 10z = -10$   
 12.5.9.  $\langle 1, 0, 3 \rangle + t\langle 0, 2, 1 \rangle$   
 12.5.10.  $\langle 1, 0, 3 \rangle + t\langle 1, 2, -1 \rangle$   
 12.5.11.  $t\langle 1, 1, -1 \rangle$   
 12.5.12.  $-2/5, 13/5$   
 12.5.14. neither  
 12.5.15. parallel  
 12.5.16. intersect at  $(3, 6, 5)$   
 12.5.17. same line  
 12.5.21.  $7/\sqrt{3}$   
 12.5.22.  $4/\sqrt{14}$   
 12.5.23.  $\sqrt{131}/\sqrt{14}$   
 12.5.24.  $\sqrt{68}/3$   
 12.5.25.  $25/\sqrt{198}$   
 12.5.26.  $50/\sqrt{237}$   
 12.5.27.  $3\sqrt{26}/\sqrt{14}$   
 12.5.28.  $\sqrt{3}$   
 12.5.29.  $\sqrt{42}/7$   
 12.5.30.  $\sqrt{21}/6$   
 12.6.1.  $(\sqrt{2}, \pi/4, 1),$   
 $(\sqrt{3}, \pi/4, \arccos(1/\sqrt{3}));$   
 $(7\sqrt{2}, 7\pi/4, 5),$   
 $(\sqrt{123}, 7\pi/4, \arccos(5/\sqrt{123}));$   
 $(1, 1, 1), (\sqrt{2}, 1, \pi/4); (0, 0, -\pi),$   
 $(\pi, 0, \pi)$   
 12.6.2.  $r^2 + z^2 = 4$   
 12.6.3.  $r \cos \theta = 0$   
 12.6.4.  $r^2 + 2z^2 + 2z - 5 = 0$   
 12.6.5.  $z = e^{-r^2}$   
 12.6.6.  $z = r$   
 12.6.7.  $\sin \theta = 0$   
 12.6.8.  $1 = \rho \cos \phi$   
 12.6.9.  $\rho = 2 \sin \theta \sin \phi.$   
 12.6.10.  $\rho \sin \phi = 3$   
 12.6.11.  $\phi = \pi/4$   
 12.6.13.  $z = mr; \cot \phi = m$  if  $m \neq 0, \phi = 0$   
 if  $m = 0$   
 12.6.14. A sphere with radius  $1/2$ , center at  
 $(0, 1/2, 0)$   
 12.6.15.  $0 < \theta < \pi/2, 0 < \phi < \pi/2, \rho > 0;$   
 $0 < \theta < \pi/2, r > 0, z > 0$   
 13.1.5.  $\langle 3 \cos t, 3 \sin t, 2 - 3 \sin t \rangle$   
 13.1.6.  $\langle 0, t \cos t, t \sin t \rangle$   
 13.2.1.  $\langle 2t, 0, 1 \rangle, \mathbf{r}'/\sqrt{1 + 4t^2}$   
 13.2.2.  $\langle -\sin t, 2 \cos 2t, 2t \rangle,$   
 $\mathbf{r}'/\sqrt{\sin^2 t + 4 \cos^2(2t) + 4t^2}$   
 13.2.3.  $\langle -e^t \sin(e^t), e^t \cos(e^t), \cos t \rangle,$   
 $\mathbf{r}'/\sqrt{e^{2t} + \cos^2 t}$   
 13.2.4.  $\langle \sqrt{2}/2, \sqrt{2}/2, \pi/4 \rangle +$   
 $t\langle -\sqrt{2}/2, \sqrt{2}/2, 1 \rangle$

- 13.2.5.**  $\langle 1/2, \sqrt{3}/2, -1/2 \rangle + t\langle -\sqrt{3}/2, 1/2, 2\sqrt{3} \rangle$
- 13.2.6.**  $2/\sqrt{5}/\sqrt{4+\pi^2}$
- 13.2.7.**  $7\sqrt{5}\sqrt{17}/85, -9\sqrt{5}\sqrt{17}/85$
- 13.2.9.**  $\langle 0, t \cos t, t \sin t \rangle, \langle 0, \cos t - t \sin t, \sin t + t \cos t \rangle, \mathbf{r}'/\sqrt{1+t^2}, \sqrt{1+t^2}$
- 13.2.10.**  $\langle \sin t, 1 - \cos t, t^2/2 \rangle$
- 13.2.11.**  $\langle 1 + t^2/2, 2 + t^3/3, 3 - t^2/2 \rangle$
- 13.2.12.**  $\langle -4/3 + t^3/3, 1 - \cos t + \cos 1, 2 + \sin t - \sin 1 \rangle$
- 13.2.13.**  $t = 4$
- 13.2.14.**  $\sqrt{37}, 1$
- 13.2.15.**  $\langle t^2/2, t^3/3, \sin t \rangle$
- 13.2.18.**  $(1, 1, 1)$  when  $t = 1$  and  $s = 0$ ;  
 $\theta = \arccos(3/\sqrt{14})$ ; no
- 13.2.19.**  $-6x + (y - \pi) = 0$
- 13.2.20.**  $-x/\sqrt{2} + y/\sqrt{2} + 6z = 0$
- 13.2.21.**  $(-1, -3, 1)$
- 13.2.22.**  $\langle 1/\sqrt{2}, 1/\sqrt{2}, 0 \rangle + t\langle -1, 1, 6\sqrt{2} \rangle$
- 13.3.1.**  $2\pi\sqrt{13}$
- 13.3.2.**  $(-8 + 13\sqrt{13})/27$
- 13.3.3.**  $\sqrt{5}/2 + \ln(\sqrt{5} + 2)/4$
- 13.3.4.**  $(85\sqrt{85} - 13\sqrt{13})/27$
- 13.3.5.**  $\int_0^5 \sqrt{1 + e^{2t}} dt$
- 13.3.6.**  $2\sqrt{2}/(2 + 4t^2)^{3/2}$
- 13.3.7.**  $2\sqrt{2}/(1 + 8t^2)^{3/2}$
- 13.3.8.**  $2\sqrt{1 + 9t^2 + 9t^4}/(1 + 4t^2 + 9t^4)^{3/2}$
- 13.3.9.**  $12\sqrt{17}/289$
- 13.4.1.**  $\langle -\sin t, \cos t, 1 \rangle, \langle -\cos t, -\sin t, 0 \rangle, 0, 1$
- 13.4.2.**  $\langle -\sin t, \cos t, 2t \rangle, \langle -\cos t, -\sin t, 2 \rangle, 4t/\sqrt{4t^2 + 1}, \sqrt{4t^2 + 5}/\sqrt{4t^2 + 1}$
- 13.4.3.**  $\langle -\sin t, \cos t, e^t \rangle, \langle -\cos t, -\sin t, e^t \rangle, e^{2t}/\sqrt{e^{2t} + 1}, \sqrt{2e^{2t} + 1}/\sqrt{e^{2t} + 1}$
- 13.4.4.**  $\langle 2t, 2, 6t - 3 \rangle, \langle 2, 0, 6 \rangle, (40t - 18)/\sqrt{40t^2 - 36t + 13}, 14/\sqrt{40t^2 - 36t + 13}$
- 13.4.5.**  $\langle e^t, \cos t, e^t \rangle, \langle e^t, -\sin t, e^t \rangle, (2e^{2t} - \cos t \sin t)/\sqrt{2e^{2t} + \cos^2 t}, \sqrt{2}e^t|\cos t + \sin t|/\sqrt{2e^{2t} + \cos^2 t}$
- 13.4.6.**  $\langle -3 \sin t, 2 \cos t, 0 \rangle, \langle 3 \cos t, 2 \sin t, 0 \rangle$
- 13.4.7.**  $\langle -3 \sin t, 2 \cos t + 0.1, 0 \rangle, \langle 3 \cos t, 2 \sin t + t/10, 0 \rangle$
- 13.4.8.**  $\langle -3 \sin t, 2 \cos t, 1 \rangle, \langle 3 \cos t, 2 \sin t, t \rangle$
- 13.4.9.**  $\langle -3 \sin t, 2 \cos t + 1/10, 1 \rangle, \langle 3 \cos t, 2 \sin t + t/10, t \rangle$
- 14.1.1.**  $z = y^2, z = x^2, z = 0$ , lines of slope 1
- 14.1.2.**  $z = |y|, z = |x|, z = 2|x|$ , diamonds
- 14.1.3.**  $z = e^{-y^2} \sin(y^2), z = e^{-x^2} \sin(x^2), z = e^{-2x^2} \sin(2x^2)$ , circles
- 14.1.4.**  $z = -\sin(y), z = \sin(x), z = 0$ , lines of slope 1
- 14.1.5.**  $z = y^4, z = x^4, z = 0$ , hyperbolas
- 14.1.6.** (a)  $\{(x, y) \mid |x| \leq 3 \text{ and } |y| \geq 2\}$   
 (b)  $\{(x, y) \mid 1 \leq x^2 + y^2 \leq 3\}$   
 (c)  $\{(x, y) \mid x^2 + 4y^2 \leq 16\}$
- 14.2.1.** No limit; use  $x = 0$  and  $y = 0$ .
- 14.2.2.** No limit; use  $x = 0$  and  $x = y$ .
- 14.2.3.** No limit; use  $x = 0$  and  $x = y$ .
- 14.2.4.** Limit is zero.
- 14.2.5.** Limit is 1.
- 14.2.6.** Limit is zero.
- 14.2.7.** Limit is  $-1$ .

- 14.2.8. Limit is zero.
- 14.2.9. No limit; use  $x = 0$  and  $y = 0$ .
- 14.2.10. Limit is zero.
- 14.2.11. Limit is  $-1$ .
- 14.2.12. Limit is zero.
- 14.3.1.  $-2xy \sin(x^2y)$ ,  $-x^2 \sin(x^2y) + 3y^2$
- 14.3.2.  $(y^2 - x^2y)/(x^2 + y)^2$ ,  $x^3/(x^2 + y)^2$
- 14.3.3.  $2xe^{x^2+y^2}$ ,  $2ye^{x^2+y^2}$
- 14.3.4.  $y \ln(xy) + y$ ,  $x \ln(xy) + x$
- 14.3.5.  $-x/\sqrt{1-x^2-y^2}$ ,  
 $-y/\sqrt{1-x^2-y^2}$
- 14.3.6.  $\tan y$ ,  $x \sec^2 y$
- 14.3.7.  $-1/(x^2y)$ ,  $-1/(xy^2)$
- 14.3.8.  $z = -2(x-1) - 3(y-1) - 1$
- 14.3.9.  $z = 1$
- 14.3.10.  $z = 6(x-3) + 3(y-1) + 10$
- 14.3.11.  $z = (x-2) + 4(y-1/2)$
- 14.3.12.  $\mathbf{r}(t) = \langle 2, 1, 4 \rangle + t\langle 2, 4, -1 \rangle$
- 14.3.15.  $-0.42$
- 14.3.17. (a)  $f'(x)g(y)$ ,  $f(x)g'(y)$ ; (b)  
 $f'(xy)y$ ,  $f'(xy)x$ ; (c)  $f'(x/y)/y$ ,  
 $-xf'(x/y)/y^2$
- 14.4.1.  $4xt \cos(x^2 + y^2) + 6yt^2 \cos(x^2 + y^2)$
- 14.4.2.  $2xy \cos t + 2x^2t$
- 14.4.3.  $2xyt \cos(st) + 2x^2s$ ,  $2xys \cos(st) + 2x^2t$
- 14.4.4.  $2xy^2t - 4yx^2s$ ,  $2xy^2s + 4yx^2t$
- 14.4.5.  $x/z$ ,  $3y/(2z)$
- 14.4.6.  $-2x/z$ ,  $-y/z$
- 14.4.7.  $-y^2/(2z)$ ,  $-xy/z$
- 14.4.8.  $z/x$ ,  $z/y$
- 14.4.9. (a)  $V' = (nR - 0.2V)/P$   
(b)  $P' = (nR + 0.6P)/2V$   
(c)  $T' = (3P - 0.4V)/(nR)$
- 14.5.1.  $9\sqrt{5}/5$
- 14.5.2.  $\sqrt{2} \cos 3$
- 14.5.3.  $e\sqrt{2}(\sqrt{3} - 1)/4$
- 14.5.4.  $\sqrt{3} + 5$
- 14.5.5.  $-\sqrt{6}(2 + \sqrt{3})/72$
- 14.5.6.  $-1/5$ ,  $0$
- 14.5.7.  $4(x-2) + 8(y-1) = 0$
- 14.5.8.  $2(x-3) + 3(y-2) = 0$
- 14.5.9.  $\langle -1, -1 - \cos 1, -\cos 1 \rangle$ ,  
 $-\sqrt{2 + 2 \cos 1 + 2 \cos^2 1}$
- 14.5.10. Any direction perpendicular to  
 $\nabla T = \langle 1, 1, 1 \rangle$ , for example,  
 $\langle -1, 1, 0 \rangle$
- 14.5.11.  $2(x-1) - 6(y-1) + 6(z-3) = 0$
- 14.5.12.  $6(x-1) + 3(y-2) + 2(z-3) = 0$
- 14.5.13.  $\langle 2 + 4t, -3 - 12t, -1 - 8t \rangle$
- 14.5.14.  $\langle 4 + 8t, 2 + 4t, -2 - 36t \rangle$
- 14.5.15.  $\langle 4 + 8t, 2 + 20t, 6 - 12t \rangle$
- 14.5.16.  $\langle 0, 1 \rangle$ ,  $\langle 4/5, -3/5 \rangle$
- 14.5.18. (a)  $\langle 4, 9 \rangle$  (b)  $\langle -81, 2 \rangle$  or  $\langle 81, -2 \rangle$
- 14.5.19. in the direction of  $\langle 8, 1 \rangle$
- 14.5.20.  $\approx 5/8$  knots/mi
- 14.5.21.  $\nabla g(-1, 3) = \langle 2, 1 \rangle$
- 14.6.1.  $f_x = (y^3 - yx^2)/(x^2 + y^2)^2$ ,  
 $f_y = (x^3 - xy^2)/(x^2 + y^2)^2$ ,  
 $f_{xx} = (2x^3y - 6xy^3)/(x^2 + y^2)^3$ ,  
 $f_{yy} = (2xy^3 - 6x^3y)/(x^2 + y^2)^3$ ,  
 $f_{yx} = (6x^2y^2 - x^4 - y^4)/(x^2 + y^2)^3$
- 14.6.2.  $f_x = 3x^2y^2$ ,  $f_y = 2x^3y + 5y^4$ ,  
 $f_{xx} = 6xy^2$ ,  $f_{yy} = 2x^3 + 20y^3$ ,  
 $f_{xy} = 6x^2y$

- 14.6.3.**  $f_x = 12x^2 + y^2$ ,  $f_y = 2xy$ ,  
 $f_{xx} = 24x$ ,  $f_{yy} = 2x$ ,  $f_{xy} = 2y$
- 14.6.4.**  $f_x = \sin y$ ,  $f_y = x \cos y$ ,  $f_{xx} = 0$ ,  
 $f_{yy} = -x \sin y$ ,  $f_{xy} = \cos y$
- 14.6.5.**  $f_x = 3 \cos(3x) \cos(2y)$ ,  
 $f_y = -2 \sin(3x) \sin(2y)$ ,  
 $f_{xy} = -6 \cos(3x) \sin(2y)$ ,  
 $f_{yy} = -4 \sin(3x) \cos(2y)$ ,  
 $f_{xx} = -9 \sin(3x) \cos(2y)$
- 14.6.6.**  $f_x = e^{x+y^2}$ ,  $f_y = 2ye^{x+y^2}$ ,  
 $f_{xx} = e^{x+y^2}$ ,  
 $f_{yy} = 4y^2 e^{x+y^2} + 2e^{x+y^2}$ ,  
 $f_{xy} = 2ye^{x+y^2}$
- 14.6.7.**  $f_x = \frac{3x^2}{2(x^3 + y^4)}$ ,  $f_y = \frac{2y^3}{x^3 + y^4}$ ,  
 $f_{xx} = \frac{3x}{x^3 + y^4} - \frac{9x^4}{2(x^3 + y^4)^2}$ ,  
 $f_{yy} = \frac{6y^2}{x^3 + y^4} - \frac{8y^6}{(x^3 + y^4)^2}$ ,  
 $f_{xy} = \frac{-6x^2 y^3}{(x^3 + y^4)^2}$
- 14.6.8.**  $z_x = \frac{-x}{16z}$ ,  $z_y = \frac{-y}{4z}$ ,  
 $z_{xx} = -\frac{16z^2 + x^2}{16^2 z^3}$ ,  
 $z_{yy} = -\frac{4z^2 + y^2}{16z^3}$ ,  
 $z_{xy} = \frac{-xy}{64z^3}$
- 14.6.9.**  $z_x = -\frac{y+z}{x+y}$ ,  $z_y = -\frac{x+z}{x+y}$ ,  
 $z_{xx} = 2\frac{y+z}{(x+y)^2}$ ,  $z_{yy} = 2\frac{x+z}{(x+y)^2}$ ,  
 $z_{xy} = \frac{2z}{(x+y)^2}$
- 14.7.1.** minimum at  $(1, -1)$
- 14.7.2.** none
- 14.7.3.** none
- 14.7.4.** maximum at  $(1, -1/6)$
- 14.7.5.** none
- 14.7.6.** minimum at  $(2, -1)$
- 14.7.7.**  $f(2, 2) = -2$ ,  $f(2, 0) = 4$
- 14.7.8.** a cube  $1/\sqrt[3]{2}$  on a side
- 14.7.9.**  $65/3 \cdot 65/3 \cdot 130/3 = 2 \cdot 65^3/27 \approx 20343$  cubic inches.
- 14.7.10.** It has a square base, and is one and one half times as tall as wide. If the volume is  $V$  the dimensions are  $\sqrt[3]{2V/3} \times \sqrt[3]{2V/3} \times \sqrt[3]{9V/4}$ .
- 14.7.11.**  $\sqrt{100/3}$
- 14.7.12.**  $|ax_0 + by_0 + cz_0 - d|/\sqrt{a^2 + b^2 + c^2}$
- 14.7.13.** The sides and bottom should all be  $2/3$  meter, and the sides should be bent up at angle  $\pi/3$ .
- 14.7.14.**  $(3, 4/3)$
- 14.7.16.**  $|b|$  if  $b \leq 1/2$ , otherwise  $\sqrt{b - 1/4}$
- 14.7.17.**  $|b|$  if  $b \leq 1/2$ , otherwise  $\sqrt{b - 1/4}$
- 14.7.19.**  $256/\sqrt{3}$
- 14.8.1.** a cube,  $\sqrt[3]{1/2} \times \sqrt[3]{1/2} \times \sqrt[3]{1/2}$
- 14.8.2.**  $65/3 \cdot 65/3 \cdot 130/3 = 2 \cdot 65^3/27$
- 14.8.3.** It has a square base, and is one and one half times as tall as wide. If the volume is  $V$  the dimensions are  $\sqrt[3]{2V/3} \times \sqrt[3]{2V/3} \times \sqrt[3]{9V/4}$ .
- 14.8.4.**  $|ax_0 + by_0 + cz_0 - d|/\sqrt{a^2 + b^2 + c^2}$
- 14.8.5.**  $(0, 0, 1)$ ,  $(0, 0, -1)$
- 14.8.6.**  $\sqrt[3]{4V} \times \sqrt[3]{4V} \times \sqrt[3]{V/16}$
- 14.8.7.** Farthest:  $(-\sqrt{2}, \sqrt{2}, 2 + 2\sqrt{2})$ ;  
 closest:  $(2, 0, 0)$ ,  $(0, -2, 0)$
- 14.8.8.**  $x = y = z = 16$
- 14.8.9.**  $(1, 2, 2)$

- 14.8.10.**  $(\sqrt{5}, 0, 0), (-\sqrt{5}, 0, 0)$   
**14.8.11.** standard \$65, deluxe \$75  
**14.8.12.**  $x = y = 2/3, \phi = \pi/3$   
**14.8.13.** 35,  $-35$   
**14.8.14.** maximum  $e^4$ , no minimum  
**14.8.15.** 5,  $-9/2$   
**14.8.16.** 3, 3, 3  
**14.8.17.** a cube of side length  $2/\sqrt{3}$   
**14.8.18.** An equilateral triangle with side 4.
- 15.1.1.** 16  
**15.1.2.** 4  
**15.1.3.**  $15/8$   
**15.1.4.**  $1/2$   
**15.1.5.**  $5/6$   
**15.1.6.**  $12 - 65/(2e)$ .  
**15.1.7.**  $1/2$   
**15.1.8.**  $\pi/64$   
**15.1.9.**  $(2/9)2^{3/2} - (2/9)$   
**15.1.10.**  $(1 - \cos(1))/4$   
**15.1.11.**  $(2\sqrt{2} - 1)/6$   
**15.1.12.**  $\pi - 2$   
**15.1.13.**  $(e^9 - 1)/6$   
**15.1.14.**  $\frac{4}{15} - \frac{\pi}{4}$   
**15.1.15.**  $1/3$   
**15.1.16.** 448  
**15.1.17.**  $4/5$   
**15.1.18.**  $8\pi$   
**15.1.19.** 2  
**15.1.20.**  $5/3$   
**15.1.21.**  $81/2$   
**15.1.22.**  $2a^3/3$
- 15.1.23.**  $4\pi$   
**15.1.24.**  $\pi/32$   
**15.1.25.**  $31/8$   
**15.1.26.**  $128/15$   
**15.1.27.**  $1800\pi \text{ m}^3$   
**15.1.28.**  $\frac{(e^2 + 8e + 16)}{15}\sqrt{e + 4} - \frac{5\sqrt{5}}{3} - \frac{e^{5/2}}{15} + \frac{1}{15}$   
**15.1.30.**  $16 - 8\sqrt{2}$   
**15.1.32.** (a)  $\int_0^3 \int_0^{9-x^2} f(x, y) dy dx$   
 (b)  $\int_0^{e^2} \int_{e^y}^2 f(x, y) dx dy$   
 (c)  $\int_0^{\pi/2} \int_0^{\sin x} f(x, y) dy dx$   
 (d)  $\int_0^4 \int_0^{y/4} f(x, y) dx dy$   
 (e)  $\int_0^3 \int_0^{\sqrt{9-x^2}} f(x, y) dy dx$
- 15.2.1.**  $4\pi$   
**15.2.2.**  $32\pi/3 - 4\sqrt{3}\pi$   
**15.2.3.**  $(2 - \sqrt{2})\pi/3$   
**15.2.4.**  $4/9$   
**15.2.5.**  $5\pi/3$   
**15.2.6.**  $\pi/6$   
**15.2.7.**  $\pi/2$   
**15.2.8.**  $\pi/2 - 1$   
**15.2.9.**  $\sqrt{3}/4 + \pi/6$   
**15.2.10.**  $8 + \pi$   
**15.2.11.**  $\pi/12$   
**15.2.12.**  $(1 - \cos(9))\pi/2$   
**15.2.13.**  $-a^5/15$   
**15.2.14.**  $12\pi$

15.2.15.  $\pi$

15.2.16.  $16/3$

15.2.17.  $21\pi$

15.2.19.  $2\pi$

15.3.1.  $\bar{x} = \bar{y} = 2/3$

15.3.2.  $\bar{x} = 4/5, \bar{y} = 8/15$

15.3.3.  $\bar{x} = 0, \bar{y} = 3\pi/16$

15.3.4.  $\bar{x} = 0, \bar{y} = 16/(15\pi)$

15.3.5.  $\bar{x} = 3/2, \bar{y} = 9/4$

15.3.6.  $\bar{x} = 6/5, \bar{y} = 12/5$

15.3.7.  $\bar{x} = 14/27, \bar{y} = 28/55$

15.3.8.  $(3/4, 2/5)$

15.3.9.  $\left(\frac{81\sqrt{3}}{80\pi}, 0\right)$

15.3.10.  $\bar{x} = \pi/2, \bar{y} = \pi/8$

15.3.11.  $M = \int_0^{2\pi} \int_0^{1+\cos\theta} (2 + \cos\theta)r \, dr \, d\theta,$

$$M_x = \int_0^{2\pi} \int_0^{1+\cos\theta} \sin\theta(2 + \cos\theta)r^2 \, dr \, d\theta,$$

$$M_y = \int_0^{2\pi} \int_0^{1+\cos\theta} \cos\theta(2 + \cos\theta)r^2 \, dr \, d\theta.$$

15.3.12.  $M = \int_{-\pi/2}^{\pi/2} \int_0^{\cos\theta} (r+1)r \, dr \, d\theta,$

$$M_x = \int_{-\pi/2}^{\pi/2} \int_0^{\cos\theta} \sin\theta(r+1)r^2 \, dr \, d\theta,$$

$$M_y = \int_{-\pi/2}^{\pi/2} \int_0^{\cos\theta} \cos\theta(r+1)r^2 \, dr \, d\theta.$$

15.3.13.  $M = \int_{-\pi/2}^{\pi/2} \int_{\cos\theta}^{1+\cos\theta} r \, dr \, d\theta + \int_{\pi/2}^{3\pi/2} \int_0^{1+\cos\theta} r \, dr \, d\theta,$

$$M_x = \int_{-\pi/2}^{\pi/2} \int_{\cos\theta}^{1+\cos\theta} r^2 \sin\theta \, dr \, d\theta +$$

$$\int_{\pi/2}^{3\pi/2} \int_0^{1+\cos\theta} r^2 \sin\theta \, dr \, d\theta,$$

$$M_y = \int_{-\pi/2}^{\pi/2} \int_{\cos\theta}^{1+\cos\theta} r^2 \cos\theta \, dr \, d\theta +$$

$$\int_{\pi/2}^{3\pi/2} \int_0^{1+\cos\theta} r^2 \cos\theta \, dr \, d\theta.$$

15.4.1.  $\pi a\sqrt{h^2 + a^2}$

15.4.2.  $\pi a^2\sqrt{m^2 + 1}$

15.4.3.  $\sqrt{3}/2$

15.4.4.  $\pi\sqrt{2}$

15.4.5.  $\pi\sqrt{2}/8$

15.4.6.  $\pi/2 - 1$

15.4.7.  $\frac{d^2\sqrt{a^2 + b^2 + c^2}}{2abc}$

15.4.8.  $8\sqrt{3}\pi/3$

15.5.1.  $11/24$

15.5.2.  $623/60$

15.5.3.  $-3e^2/4 + 2e - 3/4$

15.5.4.  $1/20$

15.5.5.  $\pi/48$

15.5.6.  $11/84$

15.5.7.  $151/60$

15.5.8.  $\pi$

15.5.10.  $\frac{3\pi}{16}$

15.5.11.  $32$

15.5.12.  $64/3$

15.5.13.  $\bar{x} = \bar{y} = 0, \bar{z} = 16/15$

15.5.14.  $\bar{x} = \bar{y} = 0, \bar{z} = 1/3$

15.6.1.  $\pi/12$

- 15.6.2.**  $\pi(1 - \sqrt{2}/2)$   
**15.6.3.**  $5\pi/4$   
**15.6.4.** 0  
**15.6.5.**  $5\pi/4$   
**15.6.6.**  $4/5$   
**15.6.7.**  $256\pi/15$   
**15.6.8.**  $4\pi^2$   
**15.6.9.**  $\frac{3\pi}{16}$   
**15.6.10.**  $\pi kh^2 a^2/12$   
**15.6.11.**  $\pi kha^3/6$   
**15.6.12.**  $\pi^2/4$   
**15.6.13.**  $4\pi/5$   
**15.6.14.**  $15\pi$   
**15.6.15.**  $9k\pi(5\sqrt{2} - 2\sqrt{5})/20$   
**15.7.1.**  $4\pi\sqrt{3}/3$   
**15.7.2.** 0  
**15.7.3.**  $2/3$   
**15.7.4.**  $\frac{e^2 - 1}{2e^2}$   
**15.7.5.** 36  
**15.7.6.**  $32(\sqrt{2} + \ln(1 + \sqrt{2}))/3$   
**15.7.7.**  $3\cos(1) - 3\cos(4)$   
**15.7.8.**  $\pi(1 - \cos(1))/24$   
**15.7.10.**  $(4/3)\pi abc$   
**16.2.1.**  $13\sqrt{11}/4$   
**16.2.2.** 0  
**16.2.3.**  $3\sin(4)/2$   
**16.2.4.** 0  
**16.2.5.**  $2e^3$   
**16.2.6.** 128  
**16.2.7.**  $(9e - 3)/2$   
**16.2.8.**  $e^{e+1} - e^e - e^{1/e-1} + e^{1/e} + e^4/4 - e^{-4}/4$   
**16.2.9.**  $1 + \sin(1) - \cos(1)$   
**16.2.10.**  $3\ln 3 - 2\ln 2$   
**16.2.11.**  $3/20 + 10\ln(2)/7$   
**16.2.12.**  $2\ln 5 - 2\ln 2 + 15/32$   
**16.2.13.** 1  
**16.2.14.** 0  
**16.2.15.**  $21 + \cos(1) - \cos(8)$   
**16.2.16.**  $(\ln 29 - \ln 2)/2$   
**16.2.17.**  $2\ln 2 + \pi/4 - 2$   
**16.2.18.**  $1243/3$   
**16.2.19.**  $\ln 2 + 11/3$   
**16.2.20.**  $3\cos(1) - \cos(2) - \cos(4) - \cos(8)$   
**16.2.21.**  $-10/3$   
**16.3.1.** no  $f$   
**16.3.2.**  $x^4/4 - y^5/5$   
**16.3.3.** no  $f$   
**16.3.4.** no  $f$   
**16.3.5.**  $y \sin x$   
**16.3.6.** no  $f$   
**16.3.7.**  $xyz$   
**16.3.8.** -144  
**16.3.9.** 6  
**16.3.10.**  $1/e - \sin 3$   
**16.3.11.**  $1/\sqrt{77} - 1/\sqrt{3}$   
**16.4.1.** 1  
**16.4.2.** 0  
**16.4.3.**  $1/(2e) - 1/(2e^7) + e/2 - e^7/2$   
**16.4.4.**  $1/2$   
**16.4.5.**  $-1/6$   
**16.4.6.**  $(2\sqrt{3} - 10\sqrt{5} + 8\sqrt{6})/3 - 2\sqrt{2}/5 + 1/5$   
**16.4.7.**  $11/2 - \ln(2)$



- 16.4.8.  $2 - \pi/2$   
 16.4.9.  $-17/12$   
 16.4.10. 0  
 16.4.11.  $-\pi/2$   
 16.4.12.  $12\pi$   
 16.4.13.  $2 \cos(1) - 2 \sin(1) - 1$   
 16.5.1.  $-1, 0$   
 16.5.2.  $0, a + b$   
 16.5.3.  $(2b - a)/3, 0$   
 16.5.4.  $0, 1$   
 16.5.5.  $-2\pi, 0$   
 16.5.6.  $0, 2\pi$   
 16.6.3.  $25\sqrt{21}/4$   
 16.6.4.  $\pi\sqrt{21}$   
 16.6.5.  $\pi(5\sqrt{5} - 1)/6$   
 16.6.6.  $4\pi\sqrt{2}$   
 16.6.7.  $\pi a^2/2$   
 16.6.8.  $2\pi a(a - \sqrt{a^2 - b^2})$   
 16.6.9.  $\pi((1 + 4a^2)^{3/2} - 1)/6$   
 16.6.10.  $2\pi((1 + a^2)^{3/2} - 1)/3$   
 16.6.11.  $\pi a^2 - 2a^2$   
 16.6.12.  $\pi a^2 \sqrt{1 + k^2}/4$   
 16.6.13.  $A\sqrt{1 + a^2 + b^2}$   
 16.6.14.  $A\sqrt{k^2 + 1}$   
 16.6.15.  $8a^2$   
 16.7.1.  $(0, 0, 3/8)$   
 16.7.2.  $(11/20, 11/20, 3/10)$   
 16.7.3.  $(0, 0, 2275/682)$   
 16.7.4. on center axis,  $h/3$  above the base  
 16.7.5. 16  
 16.7.6. 7  
 16.7.7.  $-\pi$   
 16.7.8.  $-137/120$   
 16.7.9.  $-2/e$   
 16.7.10.  $\pi b^2(-4b^4 - 3b^2 + 6a^2b^2 + 6a^2)/6$   
 16.7.11. 9280 kg/s  
 16.7.12.  $24\epsilon_0$   
 16.8.1.  $-3\pi$   
 16.8.2. 0  
 16.8.3.  $-4\pi$   
 16.8.4.  $3\pi$   
 16.8.5.  $A(p(c - b) + q(a - c) + a - b)$   
 16.9.1. both are  $-45\pi/4$   
 16.9.2.  $a^2bc + ab^2c + abc^2$   
 16.9.3.  $e^2 - 2e + 7/2$   
 16.9.4. 3  
 16.9.5.  $384\pi/5$   
 16.9.6.  $\pi/3$   
 16.9.7.  $10\pi$   
 16.9.8.  $\pi/2$   
 17.1.2.  $y = \arctan t + C$   
 17.1.3.  $y = \frac{t^{n+1}}{n+1} + 1$   
 17.1.4.  $y = t \ln t - t + C$   
 17.1.5.  $y = n\pi$ , for any integer  $n$ .  
 17.1.6. none  
 17.1.7.  $y = \pm\sqrt{t^2 + C}$   
 17.1.8.  $y = \pm 1, y = (1 + Ae^{2t})/(1 - Ae^{2t})$   
 17.1.9.  $y^4/4 - 5y = t^2/2 + C$   
 17.1.10.  $y = (2t/3)^{3/2}$   
 17.1.11.  $y = M + Ae^{-kt}$   
 17.1.12.  $\frac{10 \ln(15/2)}{\ln 5} \approx 2.52$  minutes  
 17.1.13.  $y = \frac{M}{1 + Ae^{-Mkt}}$

- 17.1.14.  $y = 2e^{3t/2}$
- 17.1.15.  $t = -\frac{\ln 2}{k}$
- 17.1.16.  $600e^{-6 \ln 2/5} \approx 261$  mg;  $\frac{5 \ln 300}{\ln 2} \approx 41$  days
- 17.1.17.  $100e^{-200 \ln 2/191} \approx 48$  mg;  
 $\frac{5730 \ln 50}{\ln 2} \approx 32339$  years
- 17.1.18.  $y = y_0 e^{t \ln 2}$
- 17.1.19.  $500e^{-5 \ln 2/4} \approx 210$  g
- 17.2.1.  $y = Ae^{-5t}$
- 17.2.2.  $y = Ae^{2t}$
- 17.2.3.  $y = Ae^{-\arctan t}$
- 17.2.4.  $y = Ae^{-t^3/3}$
- 17.2.5.  $y = 4e^{-t}$
- 17.2.6.  $y = -2e^{3t-3}$
- 17.2.7.  $y = e^{1+\cos t}$
- 17.2.8.  $y = e^2 e^{-e^t}$
- 17.2.9.  $y = 0$
- 17.2.10.  $y = 0$
- 17.2.11.  $y = 4t^2$
- 17.2.12.  $y = -2e^{(1/t)-1}$
- 17.2.13.  $y = e^{1-t^2}$
- 17.2.14.  $y = 0$
- 17.2.15.  $k = \ln 5$ ,  $y = 100e^{-t \ln 5}$
- 17.2.16.  $k = -12/13$ ,  $y = \exp(-13t^{1/13})$
- 17.2.17.  $y = 10^6 e^{t \ln(3/2)}$
- 17.2.18.  $y = 10e^{-t \ln(2)/6}$
- 17.3.1.  $y = Ae^{-4t} + 2$
- 17.3.2.  $y = Ae^{2t} - 3$
- 17.3.3.  $y = Ae^{-(1/2)t^2} + 5$
- 17.3.4.  $y = Ae^{-e^t} - 2$
- 17.3.5.  $y = Ae^t - t^2 - 2t - 2$
- 17.3.6.  $y = Ae^{-t/2} + t - 2$
- 17.3.7.  $y = At^2 - \frac{1}{3t}$
- 17.3.8.  $y = \frac{c}{t} + \frac{2}{3}\sqrt{t}$
- 17.3.9.  $y = A \cos t + \sin t$
- 17.3.10.  $y = \frac{A}{\sec t + \tan t} + 1 - \frac{t}{\sec t + \tan t}$
- 17.4.1.  $y(1) \approx 1.355$
- 17.4.2.  $y(1) \approx 40.31$
- 17.4.3.  $y(1) \approx 1.05$
- 17.4.4.  $y(1) \approx 2.30$
- 17.5.4.  $\frac{\omega + 1}{2\omega} e^{\omega t} + \frac{\omega - 1}{2\omega} e^{-\omega t}$
- 17.5.5.  $2 \cos(3t) + 5 \sin(3t)$
- 17.5.6.  $-(1/4)e^{-5t} + (5/4)e^{-t}$
- 17.5.7.  $-2e^{-3t} + 2e^{4t}$
- 17.5.8.  $5e^{-6t} + 20te^{-6t}$
- 17.5.9.  $(16t - 3)e^{4t}$
- 17.5.10.  $-2 \cos(\sqrt{5}t) + \sqrt{5} \sin(\sqrt{5}t)$
- 17.5.11.  $-\sqrt{2} \cos t + \sqrt{2} \sin t$
- 17.5.12.  $e^{-6t} (4 \cos t + 24 \sin t)$
- 17.5.13.  $2e^{-3t} \sin(3t)$
- 17.5.14.  $2 \cos(2t - \pi/6)$
- 17.5.15.  $5\sqrt{2} \cos(10t - \pi/4)$
- 17.5.16.  $\sqrt{2}e^{-2t} \cos(3t - \pi/4)$
- 17.5.17.  $5e^{4t} \cos(3t + \arcsin(4/5))$
- 17.5.18.  $(2 \cos(5t) + \sin(5t))e^{-2t}$
- 17.5.19.  $-(1/2)e^{-2t} \sin(2t)$
- 17.6.1.  $Ae^{5t} + Bte^{5t} + (6/169) \cos t - (5/338) \sin t$
- 17.6.2.  $Ae^{-\sqrt{2}t} + Bte^{-\sqrt{2}t} + 5$

- 17.6.3.**  $A \cos(4t) + B \sin(4t) + (1/2)t^2 + (3/16)t - 5/16$
- 17.6.4.**  $A \cos(\sqrt{2}t) + B \sin(\sqrt{2}t) - (\cos(5t) + \sin(5t))/23$
- 17.6.5.**  $e^t(A \cos t + B \sin t) + e^{2t}/2$
- 17.6.6.**  $Ae^{\sqrt{6}t} + Be^{-\sqrt{6}t} + 2 - t/3 - e^{-t}/5$
- 17.6.7.**  $Ae^{-3t} + Be^{2t} - (1/5)te^{-3t}$
- 17.6.8.**  $Ae^t + Be^{3t} + (1/2)te^{3t}$
- 17.6.9.**  $A \cos(4t) + B \sin(4t) + (1/8)t \sin(4t)$
- 17.6.10.**  $A \cos(3t) + B \sin(3t) - (1/2)t \cos(3t)$
- 17.6.11.**  $Ae^{-6t} + Bte^{-6t} + 3t^2e^{-6t}$
- 17.6.12.**  $Ae^{4t} + Bte^{4t} - t^2e^{4t}$
- 17.6.13.**  $Ae^{-t} + Be^{-5t} + (4/5)$
- 17.6.14.**  $Ae^{4t} + Be^{-3t} + (1/144) - (t/12)$
- 17.6.15.**  $A \cos(\sqrt{5}t) + B \sin(\sqrt{5}t) + 8 \sin(2t)$
- 17.6.16.**  $Ae^{2t} + Be^{-2t} + te^{2t}$
- 17.6.17.**  $4e^t + e^{-t} - 3t - 5$
- 17.6.18.**  $-(4/27) \sin(3t) + (4/9)t$
- 17.6.19.**  $e^{-6t}(2 \cos t + 20 \sin t) + 2e^{-4t}$
- 17.6.20.**  $\left(-\frac{23}{325} \cos(3t) + \frac{592}{975} \sin(3t)\right)e^{-3t} + \frac{23}{325} \cos t - \frac{11}{325} \sin t$
- 17.6.21.**  $e^{-2t}(A \sin(5t) + B \cos(5t)) + 8 \sin(2t) + 25 \cos(2t)$
- 17.6.22.**  $e^{-2t}(A \sin(2t) + B \cos(2t)) + (14/195) \sin t - (8/195) \cos t$
- 17.7.1.**  $A \sin(t) + B \cos(t) - \cos t \ln |\sec t + \tan t|$
- 17.7.2.**  $A \sin(t) + B \cos(t) + \frac{1}{5}e^{2t}$
- 17.7.3.**  $A \sin(2t) + B \cos(2t) + \cos t - \sin t \cos t \ln |\sec t + \tan t|$
- 17.7.4.**  $A \sin(2t) + B \cos(2t) + \frac{1}{2} \sin(2t) \sin^2(t) + \frac{1}{2} \sin(2t) \ln |\cos t| - \frac{t}{2} \cos(2t) + \frac{1}{4} \sin(2t) \cos(2t)$
- 17.7.5.**  $Ae^{2t} + Be^{-3t} + \frac{t^3}{15}e^{2t} - \left(\frac{t^2}{5} - \frac{2t}{25} + \frac{2}{125}\right)\frac{e^{2t}}{5}$
- 17.7.6.**  $Ae^t \sin t + Be^t \cos t - e^t \cos t \ln |\sec t + \tan t|$
- 17.7.7.**  $Ae^t \sin t + Be^t \cos t - \frac{1}{10} \cos t (\cos^3 t + 3 \sin^3 t - 2 \cos t - \sin t) + \frac{1}{10} \sin t (\sin^3 t - 3 \cos^3 t - 2 \sin t + \cos t) = \frac{1}{10} \cos(2t) - \frac{1}{20} \sin(2t)$

