

A

Selected Answers

1.1.1. $(2/3)x + (1/3)$

1.1.2. $y = -2x$

1.1.3. $(-2/3)x + (1/3)$

1.1.4. $y = 2x + 2, 2, -1$

1.1.5. $y = -x + 6, 6, 6$

1.1.6. $y = x/2 + 1/2, 1/2, -1$

1.1.7. $y = 3/2$, y -intercept: $3/2$, no x -intercept

1.1.8. $y = (-2/3)x - 2, -2, -3$

1.1.9. yes

1.1.10. $y = 0, y = -2x + 2, y = 2x + 2$

1.1.11. $y = 75t$, 164 minutes

1.1.12. $y = (9/5)x + 32, (-40, -40)$

1.1.13. $y = 0.15x + 10$

1.1.14. $0.03x + 1.2$

1.1.15. (a) $y = \begin{cases} 0 & 0 \leq x < 100 \\ (x/10) - 10 & 100 \leq x \leq 1000 \\ x - 910 & 1000 < x \end{cases}$

1.1.16. $y = \begin{cases} 0.15x & 0 \leq x \leq 19450 \\ 0.28x - 2528.50 & 19450 < x \leq 47050 \\ 0.33x - 4881 & 47050 < x \leq 97620 \end{cases}$

1.1.17. (a) $P = -0.0001x + 2$
(b) $x = -10000P + 20000$

1.1.18. $(2/25)x - (16/5)$

1.2.1. (a) $x^2 + y^2 = 9$
(b) $(x - 5)^2 + (y - 6)^2 = 9$
(c) $(x + 5)^2 + (y + 6)^2 = 9$

1.2.2. (a) $\Delta x = 2, \Delta y = 3, m = 3/2$,
 $y = (3/2)x - 3, \sqrt{13}$
(b) $\Delta x = -1, \Delta y = 3, m = -3$,
 $y = -3x + 2, \sqrt{10}$
(c) $\Delta x = -2, \Delta y = -2, m = 1$,
 $y = x, \sqrt{8}$

1.2.6. $(x + 2/7)^2 + (y - 41/7)^2 = 1300/49$

1.3.1. $\{x \mid x \geq 3/2\}$

1.3.2. $\{x \mid x \neq -1\}$

1.3.3. $\{x \mid x \neq 1 \text{ and } x \neq -1\}$

1.3.4. $\{x \mid x < 0\}$

1.3.5. $\{x \mid x \in \mathbb{R}\}$, i.e., all x

- 1.3.6.** $\{x \mid x \geq 0\}$
- 1.3.7.** $\{x \mid h - r \leq x \leq h + r\}$
- 1.3.8.** $\{x \mid x \geq 1\}$
- 1.3.9.** $\{x \mid -1/3 < x < 1/3\}$
- 1.3.10.** $\{x \mid x \geq 0 \text{ and } x \neq 1\}$
- 1.3.11.** $\{x \mid x \geq 0 \text{ and } x \neq 1\}$
- 1.3.12.** \mathbb{R}
- 1.3.13.** $\{x \mid x \geq 3\}, \{x \mid x \geq 0\}$
- 1.3.14.** $A = x(500 - 2x), \{x \mid 0 \leq x \leq 250\}$
- 1.3.15.** $V = r(50 - \pi r^2), \{r \mid 0 < r \leq \sqrt{50/\pi}\}$
- 1.3.16.** $A = 2\pi r^2 + 2000/r, \{r \mid 0 < r < \infty\}$
- 2.1.1.** $-5, -2.47106145, -2.4067927,$
 $-2.400676, -2.4$
- 2.1.2.** $-4/3, -24/7, 7/24, 3/4$
- 2.1.3.** $-0.107526881, -0.11074197,$
 $-0.1110741, \frac{-1}{3(3 + \Delta x)} \rightarrow \frac{-1}{9}$
- 2.1.4.** $\frac{3 + 3\Delta x + \Delta x^2}{1 + \Delta x} \rightarrow 3$
- 2.1.5.** $3.31, 3.003001, 3.0000,$
 $3 + 3\Delta x + \Delta x^2 \rightarrow 3$
- 2.1.6.** m
- 2.2.1.** $10, 25/2, 20, 15, 25, 35.$
- 2.2.2.** $5, 4.1, 4.01, 4.001, 4 + \Delta t \rightarrow 4$
- 2.2.3.** $-10.29, -9.849, -9.8049,$
 $-9.8 - 4.9\Delta t \rightarrow -9.8$
- 2.3.1.** 7
- 2.3.2.** 5
- 2.3.3.** 0
- 2.3.4.** undefined
- 2.3.5.** $1/6$
- 2.3.6.** 0
- 2.3.7.** 3
- 2.3.8.** 172
- 2.3.9.** 0
- 2.3.10.** 2
- 2.3.11.** does not exist
- 2.3.12.** $\sqrt{2}$
- 2.3.13.** $3a^2$
- 2.3.14.** 512
- 2.3.15.** -4
- 2.3.16.** 0
- 2.3.18.** (a) 8, (b) 6, (c) dne, (d) -2 , (e) -1 ,
(f) 8, (g) 7, (h) 6, (i) 3, (j) $-3/2$,
(k) 6, (l) 2
- 2.4.1.** $-x/\sqrt{169 - x^2}$
- 2.4.2.** $-9.8t$
- 2.4.3.** $2x + 1/x^2$
- 2.4.4.** $2ax + b$
- 2.4.5.** $3x^2$
- 2.4.8.** $-2/(2x + 1)^{3/2}$
- 2.4.9.** $5/(t + 2)^2$
- 2.4.10.** $y = -13x + 17$
- 2.4.11.** -8
- 3.1.1.** $100x^{99}$
- 3.1.2.** $-100x^{-101}$
- 3.1.3.** $-5x^{-6}$
- 3.1.4.** $\pi x^{\pi-1}$
- 3.1.5.** $(3/4)x^{-1/4}$
- 3.1.6.** $-(9/7)x^{-16/7}$
- 3.2.1.** $15x^2 + 24x$
- 3.2.2.** $-20x^4 + 6x + 10/x^3$
- 3.2.3.** $-30x + 25$
- 3.2.4.** $6x^2 + 2x - 8$

- 3.2.5.** $3x^2 + 6x - 1$
- 3.2.6.** $9x^2 - x/\sqrt{625 - x^2}$
- 3.2.7.** $y = 13x/4 + 5$
- 3.2.8.** $y = 24x - 48 - \pi^3$
- 3.2.9.** $-49t/5 + 5, -49/5$
- 3.2.11.** $\sum_{k=1}^n ka_k x^{k-1}$
- 3.2.12.** $x^3/16 - 3x/4 + 4$
- 3.3.1.** $3x^2(x^3 - 5x + 10) + x^3(3x^2 - 5)$
- 3.3.2.** $(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7) + (2x + 5)(x^5 - 6x^3 + 3x^2 - 7x + 1)$
- 3.3.3.** $\frac{\sqrt{625 - x^2}}{2\sqrt{x}} - \frac{x\sqrt{x}}{\sqrt{625 - x^2}}$
- 3.3.4.** $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$
- 3.3.5.** $f' = 4(2x - 3), y = 4x - 7$
- 3.4.1.** $\frac{3x^2}{x^3 - 5x + 10} - \frac{x^3(3x^2 - 5)}{(x^3 - 5x + 10)^2}$
- 3.4.2.** $\frac{2x + 5}{x^5 - 6x^3 + 3x^2 - 7x + 1} - \frac{(x^2 + 5x - 3)(5x^4 - 18x^2 + 6x - 7)}{(x^5 - 6x^3 + 3x^2 - 7x + 1)^2}$
- 3.4.3.** $\frac{1}{2\sqrt{x}\sqrt{625 - x^2}} + \frac{x^{3/2}}{(625 - x^2)^{3/2}}$
- 3.4.4.** $\frac{-1}{x^{19}\sqrt{625 - x^2}} - \frac{20\sqrt{625 - x^2}}{x^{21}}$
- 3.4.5.** $y = 17x/4 - 41/4$
- 3.4.6.** $y = 11x/16 - 15/16$
- 3.4.8.** $y = 19/169 - 5x/338$
- 3.4.9.** $13/18$
- 3.5.1.** $4x^3 - 9x^2 + x + 7$
- 3.5.2.** $3x^2 - 4x + 2/\sqrt{x}$
- 3.5.3.** $6(x^2 + 1)^2 x$
- 3.5.4.** $\sqrt{169 - x^2} - x^2/\sqrt{169 - x^2}$
- 3.5.5.** $(2x - 4)\sqrt{25 - x^2} - (x^2 - 4x + 5)x/\sqrt{25 - x^2}$
- 3.5.6.** $-x/\sqrt{r^2 - x^2}$
- 3.5.7.** $2x^3/\sqrt{1 + x^4}$
- 3.5.8.** $\frac{1}{4\sqrt{x}(5 - \sqrt{x})^{3/2}}$
- 3.5.9.** $6 + 18x$
- 3.5.10.** $\frac{2x + 1}{1 - x} + \frac{x^2 + x + 1}{(1 - x)^2}$
- 3.5.11.** $-1/\sqrt{25 - x^2} - \sqrt{25 - x^2}/x^2$
- 3.5.12.** $\frac{1}{2} \left(\frac{-169}{x^2} - 1 \right) / \sqrt{\frac{169}{x} - x}$
- 3.5.13.** $\frac{3x^2 - 2x + 1/x^2}{2\sqrt{x^3 - x^2 - (1/x)}}$
- 3.5.14.** $\frac{300x}{(100 - x^2)^{5/2}}$
- 3.5.15.** $\frac{1 + 3x^2}{3(x + x^3)^{2/3}}$
- 3.5.16.** $\left(4x(x^2 + 1) + \frac{4x^3 + 4x}{2\sqrt{1 + (x^2 + 1)^2}} \right) / 2\sqrt{(x^2 + 1)^2 + \sqrt{1 + (x^2 + 1)^2}}$
- 3.5.17.** $5(x + 8)^4$
- 3.5.18.** $-3(4 - x)^2$
- 3.5.19.** $6x(x^2 + 5)^2$
- 3.5.20.** $-12x(6 - 2x^2)^2$
- 3.5.21.** $24x^2(1 - 4x^3)^{-3}$
- 3.5.22.** $5 + 5/x^2$
- 3.5.23.** $-8(4x - 1)(2x^2 - x + 3)^{-3}$
- 3.5.24.** $1/(x + 1)^2$
- 3.5.25.** $3(8x - 2)/(4x^2 - 2x + 1)^2$
- 3.5.26.** $-3x^2 + 5x - 1$
- 3.5.27.** $6x(2x - 4)^3 + 6(3x^2 + 1)(2x - 4)^2$

3.5.28. $-2/(x - 1)^2$

3.5.29. $4x/(x^2 + 1)^2$

3.5.30. $(x^2 - 6x + 7)/(x - 3)^2$

3.5.31. $-5/(3x - 4)^2$

3.5.32. $60x^4 + 72x^3 + 18x^2 + 18x - 6$

3.5.33. $(5 - 4x)/((2x + 1)^2(x - 3)^2)$

3.5.34. $1/(2(2 + 3x)^2)$

3.5.35. $56x^6 + 72x^5 + 110x^4 + 100x^3 + 60x^2 + 28x + 6$

3.5.36. $y = 23x/96 - 29/96$

3.5.37. $y = 3 - 2x/3$

3.5.38. $y = 13x/2 - 23/2$

3.5.39. $y = 2x - 11$

3.5.40. $y = \frac{20 + 2\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}x + \frac{3\sqrt{5}}{5\sqrt{4 + \sqrt{5}}}$

4.1.1. $2n\pi - \pi/2$, any integer n

4.1.2. $n\pi \pm \pi/6$, any integer n

4.1.3. $(\sqrt{2} + \sqrt{6})/4$

4.1.4. $-(1 + \sqrt{3})/(1 - \sqrt{3}) = 2 + \sqrt{3}$

4.1.11. $t = \pi/2$

4.3.1. 5

4.3.2. 7/2

4.3.3. 3/4

4.3.4. 1

4.3.5. $-\sqrt{2}/2$

4.3.6. 7

4.3.7. 2

4.4.1. $\sin(\sqrt{x})\cos(\sqrt{x})/\sqrt{x}$

4.4.2. $\frac{\sin x}{2\sqrt{x}} + \sqrt{x}\cos x$

4.4.3. $-\frac{\cos x}{\sin^2 x}$

4.4.4. $\frac{(2x + 1)\sin x - (x^2 + x)\cos x}{\sin^2 x}$

4.4.5. $\frac{-\sin x \cos x}{\sqrt{1 - \sin^2 x}}$

4.5.1. $\cos^2 x - \sin^2 x$

4.5.2. $-\sin x \cos(\cos x)$

4.5.3. $\frac{\tan x + x \sec^2 x}{2\sqrt{x} \tan x}$

4.5.4. $\frac{\sec^2 x(1 + \sin x) - \tan x \cos x}{(1 + \sin x)^2}$

4.5.5. $-\csc^2 x$

4.5.6. $-\csc x \cot x$

4.5.7. $3x^2 \sin(23x^2) + 46x^4 \cos(23x^2)$

4.5.8. 0

4.5.9. $-6 \cos(\cos(6x)) \sin(6x)$

4.5.10. $\sin \theta / (\cos \theta + 1)^2$

4.5.11. $5t^4 \cos(6t) - 6t^5 \sin(6t)$

4.5.12. $3t^2(\sin(3t) + t \cos(3t))/\cos(2t) + 2t^3 \sin(3t) \sin(2t)/\cos^2(2t)$

4.5.13. $n\pi/2$, any integer n

4.5.14. $\pi/2 + n\pi$, any integer n

4.5.15. $\sqrt{3}x/2 + 3/4 - \sqrt{3}\pi/6$

4.5.16. $8\sqrt{3}x + 4 - 8\sqrt{3}\pi/3$

4.5.17. $3\sqrt{3}x/2 - \sqrt{3}\pi/4$

4.5.18. $\pi/6 + 2n\pi$, $5\pi/6 + 2n\pi$, any integer n

4.7.1. $2 \ln(3)x3^{x^2}$

4.7.2. $\frac{\cos x - \sin x}{e^x}$

4.7.3. $2e^{2x}$

4.7.4. $e^x \cos(e^x)$

4.7.5. $\cos(x)e^{\sin x}$

4.7.6. $x^{\sin x} \left(\cos x \ln x + \frac{\sin x}{x} \right)$

4.7.7. $3x^2e^x + x^3e^x$

4.7.8. $1 + 2^x \ln(2)$

4.7.9. $-2x \ln(3)(1/3)^{x^2}$

4.7.10. $e^{4x}(4x - 1)/x^2$

4.7.11. $(3x^2 + 3)/(x^3 + 3x)$

4.7.12. $-\tan(x)$

4.7.13. $(1 - \ln(x^2))/(x^2 \sqrt{\ln(x^2)})$

4.7.14. $\sec(x)$

4.7.15. $x^{\cos(x)}(\cos(x)/x - \cos(x) \ln(x))$

4.7.20. e

4.8.1. x/y

4.8.2. $-(2x + y)/(x + 2y)$

4.8.3. $(2xy - 3x^2 - y^2)/(2xy - 3y^2 - x^2)$

4.8.4. $\sin(x) \sin(y)/(\cos(x) \cos(y))$

4.8.5. $-\sqrt{y}/\sqrt{x}$

4.8.6. $(y \sec^2(x/y) - y^2)/(x \sec^2(x/y) + y^2)$

4.8.7. $(y - \cos(x + y))/(\cos(x + y) - x)$

4.8.8. $-y^2/x^2$

4.8.9. 1

4.8.11. $y = 2x \pm 6$

4.8.12. $y = x/2 \pm 3$

4.8.13. $(\sqrt{3}, 2\sqrt{3}), (-\sqrt{3}, -2\sqrt{3}), (2\sqrt{3}, \sqrt{3}), (-2\sqrt{3}, -\sqrt{3})$

4.8.14. $y = 7x/\sqrt{3} - 8/\sqrt{3}$

4.8.15. $y = (-y_1^{1/3}x + y_1^{1/3}x_1 + x_1^{1/3}y_1)/x_1^{1/3}$

4.8.16. $(y - y_1)/(x - x_1) = (2x_1^3 + 2x_1y_1^2 - x_1)/(2y_1^3 + 2y_1x_1^2 + y_1)$

4.9.3. $\frac{-1}{1 + x^2}$

4.9.5. $\frac{2x}{\sqrt{1 - x^4}}$

4.9.6. $\frac{e^x}{1 + e^{2x}}$

4.9.7. $-3x^2 \cos(x^3)/\sqrt{1 - \sin^2(x^3)}$

4.9.8. $\frac{2}{(\arcsin x)\sqrt{1 - x^2}}$

4.9.9. $-e^x/\sqrt{1 - e^{2x}}$

4.9.10. 0

4.9.11. $\frac{(1 + \ln x)x^x}{\ln 5(1 + x^{2x}) \arctan(x^x)}$

4.10.1. 0

4.10.2. ∞

4.10.3. 1

4.10.4. 0

4.10.5. 0

4.10.6. 1

4.10.7. $1/6$

4.10.8. $-\infty$

4.10.9. $1/16$

4.10.10. $1/3$

4.10.11. 0

4.10.12. $3/2$

4.10.13. $-1/4$

4.10.14. -3

4.10.15. $1/2$

4.10.16. 0

4.10.17. -1

4.10.18. $-1/2$

4.10.19. 5

4.10.20. ∞

4.10.21. ∞

4.10.22. $2/7$

4.10.23. 2

4.10.24. $-\infty$

4.10.25. 3

- 4.10.26.** $2/3$
- 4.10.27.** 1
- 4.10.28.** 1
- 4.10.29.** 2
- 4.10.30.** 1
- 4.10.31.** 0
- 4.10.32.** $1/2$
- 4.10.33.** 2
- 4.10.34.** 0
- 4.10.35.** ∞
- 4.10.36.** $1/2$
- 4.10.37.** 0
- 4.10.38.** $1/2$
- 4.10.39.** 5
- 4.10.40.** $2\sqrt{2}$
- 4.10.41.** $-1/2$
- 4.10.42.** 2
- 4.10.43.** 0
- 4.10.44.** ∞
- 4.10.45.** 0
- 4.10.46.** $3/2$
- 4.10.47.** ∞
- 4.10.48.** 5
- 4.10.49.** $-1/2$
- 4.10.50.** does not exist
- 4.10.51.** ∞
- 4.10.52.** $y = 1$ and $y = -1$
- 5.1.1.** min at $x = 1/2$
- 5.1.2.** min at $x = -1$, max at $x = 1$
- 5.1.3.** max at $x = 2$, min at $x = 4$
- 5.1.4.** min at $x = \pm 1$, max at $x = 0$.
- 5.1.5.** min at $x = 1$
- 5.1.6.** none
- 5.1.7.** none
- 5.1.8.** min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
- 5.1.9.** none
- 5.1.10.** local max at $x = 5$
- 5.1.11.** local min at $x = 49$
- 5.1.12.** local min at $x = 0$
- 5.1.15.** one
- 5.2.1.** min at $x = 1/2$
- 5.2.2.** min at $x = -1$, max at $x = 1$
- 5.2.3.** max at $x = 2$, min at $x = 4$
- 5.2.4.** min at $x = \pm 1$, max at $x = 0$.
- 5.2.5.** min at $x = 1$
- 5.2.6.** none
- 5.2.7.** none
- 5.2.8.** min at $x = 7\pi/12 + k\pi$, max at $x = -\pi/12 + k\pi$, for integer k .
- 5.2.9.** none
- 5.2.10.** max at $x = 0$, min at $x = \pm 11$
- 5.2.11.** min at $x = -3/2$, neither at $x = 0$
- 5.2.13.** min at $n\pi$, max at $\pi/2 + n\pi$
- 5.2.14.** min at $2n\pi$, max at $(2n + 1)\pi$
- 5.2.15.** min at $\pi/2 + 2n\pi$, max at $3\pi/2 + 2n\pi$
- 5.3.1.** min at $x = 1/2$
- 5.3.2.** min at $x = -1$, max at $x = 1$
- 5.3.3.** max at $x = 2$, min at $x = 4$
- 5.3.4.** min at $x = \pm 1$, max at $x = 0$.
- 5.3.5.** min at $x = 1$
- 5.3.6.** none
- 5.3.7.** none

- 5.3.8.** min at $x = 7\pi/12 + n\pi$, max at $x = -\pi/12 + n\pi$, for integer n .
- 5.3.9.** max at $x = 63/64$
- 5.3.10.** max at $x = 7$
- 5.3.11.** max at $-5^{-1/4}$, min at $5^{-1/4}$
- 5.3.12.** none
- 5.3.13.** max at -1 , min at 1
- 5.3.14.** min at $2^{-1/3}$
- 5.3.15.** none
- 5.3.16.** min at $n\pi$
- 5.3.17.** max at $n\pi$, min at $\pi/2 + n\pi$
- 5.3.18.** max at $\pi/2 + 2n\pi$, min at $3\pi/2 + 2n\pi$
- 5.4.1.** concave up everywhere
- 5.4.2.** concave up when $x < 0$, concave down when $x > 0$
- 5.4.3.** concave down when $x < 3$, concave up when $x > 3$
- 5.4.4.** concave up when $x < -1/\sqrt{3}$ or $x > 1/\sqrt{3}$, concave down when $-1/\sqrt{3} < x < 1/\sqrt{3}$
- 5.4.5.** concave up when $x < 0$ or $x > 2/3$, concave down when $0 < x < 2/3$
- 5.4.6.** concave up when $x < 0$, concave down when $x > 0$
- 5.4.7.** concave up when $x < -1$ or $x > 1$, concave down when $-1 < x < 0$ or $0 < x < 1$
- 5.4.8.** concave down on $((8n-1)\pi/4, (8n+3)\pi/4)$, concave up on $((8n+3)\pi/4, (8n+7)\pi/4)$, for integer n
- 5.4.9.** concave down everywhere
- 5.4.10.** concave up on $(-\infty, (21 - \sqrt{497})/4)$ and $((21 + \sqrt{497})/4, \infty)$
- 5.4.11.** concave up on $(0, \infty)$
- 5.4.12.** concave down on $(2n\pi/3, (2n+1)\pi/3)$
- 5.4.13.** concave up on $(0, \infty)$
- 5.4.14.** concave up on $(-\infty, -1)$ and $(0, \infty)$
- 5.4.15.** concave down everywhere
- 5.4.16.** concave up everywhere
- 5.4.17.** concave up on $(\pi/4 + n\pi, 3\pi/4 + n\pi)$
- 5.4.18.** inflection points at $n\pi$, $\pm \arcsin(\sqrt{2/3}) + n\pi$
- 5.4.19.** up/incr: $(3, \infty)$, up/decr: $(-\infty, 0)$, $(2, 3)$, down/decr: $(0, 2)$
- 6.1.1.** max at $(2, 5)$, min at $(0, 1)$
- 6.1.2.** 25×25
- 6.1.3.** $P/4 \times P/4$
- 6.1.4.** $w = l = 2 \cdot 5^{2/3}$, $h = 5^{2/3}$, $h/w = 1/2$
- 6.1.5.** $\sqrt[3]{100} \times \sqrt[3]{100} \times 2\sqrt[3]{100}$, $h/s = 2$
- 6.1.6.** $w = l = 2^{1/3}V^{1/3}$, $h = V^{1/3}/2^{2/3}$, $h/w = 1/2$
- 6.1.7.** 1250 square feet
- 6.1.8.** $l^2/8$ square feet
- 6.1.9.** \$5000
- 6.1.10.** 100
- 6.1.11.** r^2
- 6.1.12.** $h/r = 2$
- 6.1.13.** $h/r = 2$
- 6.1.14.** $r = 5$, $h = 40/\pi$, $h/r = 8/\pi$
- 6.1.15.** $8/\pi$
- 6.1.16.** $4/27$
- 6.1.17.** Go direct from A to D .
- 6.1.18.** (a) 2, (b) $7/2$
- 6.1.19.** $\frac{\sqrt{3}}{6} \times \frac{\sqrt{3}}{6} + \frac{1}{2} \times \frac{1}{4} - \frac{\sqrt{3}}{12}$

- 6.1.20.** (a) $a/6$, (b) $(a + b - \sqrt{a^2 - ab + b^2})/6$
- 6.1.21.** 1.5 meters wide by 1.25 meters tall
- 6.1.22.** If $k \leq 2/\pi$ the ratio is $(2 - k\pi)/4$; if $k \geq 2/\pi$, the ratio is zero: the window should be semicircular with no rectangular part.
- 6.1.23.** a/b
- 6.1.24.** $w = 2r/\sqrt{3}$, $h = 2\sqrt{2}r/\sqrt{3}$
- 6.1.25.** $1/\sqrt{3} \approx 58\%$
- 6.1.26.** $18 \times 18 \times 36$
- 6.1.27.** $r = 5/(2\pi)^{1/3} \approx 2.7$ cm,
 $h = 5 \cdot 2^{5/3}/\pi^{1/3} = 4r \approx 10.8$ cm
- 6.1.28.** $h = \frac{750}{\pi} \left(\frac{2\pi^2}{750^2} \right)^{1/3}$, $r = \left(\frac{750^2}{2\pi^2} \right)^{1/6}$
- 6.1.29.** $h/r = \sqrt{2}$
- 6.1.30.** The ratio of the volume of the sphere to the volume of the cone is $1033/4096 + 33/4096\sqrt{17} \approx 0.2854$, so the cone occupies approximately 28.54% of the sphere.
- 6.1.31.** P should be at distance $c\sqrt[3]{a}/(\sqrt[3]{a} + \sqrt[3]{b})$ from charge A .
- 6.1.32.** $1/2$
- 6.1.33.** \$7000
- 6.1.34.** There is a critical point when $\sin \theta_1/v_1 = \sin \theta_2/v_2$, and the second derivative is positive, so there is a minimum at the critical point.
- 6.2.1.** $1/(16\pi)$ cm/s
- 6.2.2.** $3/(1000\pi)$ meters/second
- 6.2.3.** $1/4$ m/s
- 6.2.4.** $-6/25$ m/s
- 6.2.5.** 80π mi/min
- 6.2.6.** $3\sqrt{5}$ ft/s
- 6.2.7.** $20/(3\pi)$ cm/s
- 6.2.8.** $13/20$ ft/s
- 6.2.9.** $5\sqrt{10}/2$ m/s
- 6.2.10.** $75/64$ m/min
- 6.2.11.** $145\pi/72$ m/s
- 6.2.12.** $25\pi/144$ m/min
- 6.2.13.** $\pi\sqrt{2}/36$ ft³/s
- 6.2.14.** tip: 6 ft/s, length: $5/2$ ft/s
- 6.2.15.** tip: $20/11$ m/s, length: $9/11$ m/s
- 6.2.16.** $380/\sqrt{3} - 150 \approx 69.4$ mph
- 6.2.17.** $500/\sqrt{3} - 200 \approx 88.7$ km/hr
- 6.2.18.** 18 m/s
- 6.2.19.** $136\sqrt{475}/19 \approx 156$ km/hr
- 6.2.20.** -50 m/s
- 6.2.21.** 68 m/s
- 6.2.22.** $3800/\sqrt{329} \approx 210$ km/hr
- 6.2.23.** $820/\sqrt{329} + 150\sqrt{57}/\sqrt{47} \approx 210$ km/hr
- 6.2.24.** $4000/49$ m/s
- 6.2.25.** (a) $x = a \cos \theta - a \sin \theta \cot(\theta + \beta) = a \sin \beta / \sin(\theta + \beta)$, (c) $\dot{x} \approx 3.79$ cm/s
- 6.3.1.** $x_3 = 1.475773162$
- 6.3.2.** 2.15
- 6.3.3.** 3.36
- 6.3.4.** 2.19 or 1.26
- 6.4.1.** $\Delta y = 65/16$, $dy = 2$
- 6.4.2.** $\Delta y = \sqrt{11/10} - 1$, $dy = 0.05$
- 6.4.3.** $\Delta y = \sin(\pi/50)$, $dy = \pi/50$

- 6.4.4.** $dV = 8\pi/25$
- 6.5.1.** $c = 1/2$
- 6.5.2.** $c = \sqrt{18} - 2$
- 6.5.6.** $x^3/3 + 47x^2/2 - 5x + k$
- 6.5.7.** $\arctan x + k$
- 6.5.8.** $x^4/4 - \ln x + k$
- 6.5.9.** $-\cos(2x)/2 + k$
- 7.1.1.** 10
- 7.1.2.** $35/3$
- 7.1.3.** x^2
- 7.1.4.** $2x^2$
- 7.1.5.** $2x^2 - 8$
- 7.1.6.** $2b^2 - 2a^2$
- 7.1.7.** 4 rectangles: $41/4 = 10.25$,
8 rectangles: $183/16 = 11.4375$
- 7.1.8.** $23/4$
- 7.2.1.** $(16/3)x^{3/2} + C$
- 7.2.2.** $t^3 + t + C$
- 7.2.3.** $8\sqrt{x} + C$
- 7.2.4.** $-2/z + C$
- 7.2.5.** $7\ln s + C$
- 7.2.6.** $(5x + 1)^3/15 + C$
- 7.2.7.** $(x - 6)^3/3 + C$
- 7.2.8.** $2x^{5/2}/5 + C$
- 7.2.9.** $-4/\sqrt{x} + C$
- 7.2.10.** $4t - t^2 + C$, $t < 2$; $t^2 - 4t + 8 + C$,
 $t \geq 2$
- 7.2.11.** $87/2$
- 7.2.12.** 2
- 7.2.13.** $\ln(10)$
- 7.2.14.** $e^5 - 1$
- 7.2.15.** $3^4/4$
- 7.2.16.** $2^6/6 - 1/6$
- 7.2.17.** $x^2 - 3x$
- 7.2.18.** $2x(x^4 - 3x^2)$
- 7.2.19.** e^{x^2}
- 7.2.20.** $2xe^{x^4}$
- 7.2.21.** $\tan(x^2)$
- 7.2.22.** $2x \tan(x^4)$
- 7.3.1.** It rises until $t = 100/49$, then falls.
The position of the object at time t is $s(t) = -4.9t^2 + 20t + k$. The net distance traveled is $-45/2$, that is, it ends up $45/2$ meters below where it started. The total distance traveled is $6205/98$ meters.
- 7.3.2.** $\int_0^{2\pi} \sin t dt = 0$
- 7.3.3.** net: 2π , total: $2\pi/3 + 4\sqrt{3}$
- 7.3.4.** 8
- 7.3.5.** $17/3$
- 7.3.6.** $A = 18$, $B = 44/3$, $C = 10/3$
- 8.1.1.** $-(1-t)^{10}/10 + C$
- 8.1.2.** $x^5/5 + 2x^3/3 + x + C$
- 8.1.3.** $(x^2 + 1)^{101}/202 + C$
- 8.1.4.** $-3(1 - 5t)^{2/3}/10 + C$
- 8.1.5.** $(\sin^4 x)/4 + C$
- 8.1.6.** $-(100 - x^2)^{3/2}/3 + C$
- 8.1.7.** $-2\sqrt{1 - x^3}/3 + C$
- 8.1.8.** $\sin(\sin \pi t)/\pi + C$
- 8.1.9.** $1/(2 \cos^2 x) = (1/2) \sec^2 x + C$
- 8.1.10.** $-\ln |\cos x| + C$
- 8.1.11.** 0
- 8.1.12.** $\tan^2(x)/2 + C$

8.1.13. $1/4$

8.1.14. $-\cos(\tan x) + C$

8.1.15. $1/10$

8.1.16. $\sqrt{3}/4$

8.1.17. $(27/8)(x^2 - 7)^{8/9}$

8.1.18. $-(3^7 + 1)/14$

8.1.19. 0

8.1.20. $f(x)^2/2$

8.2.1. $x/2 - \sin(2x)/4 + C$

8.2.2. $-\cos x + (\cos^3 x)/3 + C$

8.2.3. $3x/8 - (\sin 2x)/4 + (\sin 4x)/32 + C$

8.2.4. $(\cos^5 x)/5 - (\cos^3 x)/3 + C$

8.2.5. $\sin x - (\sin^3 x)/3 + C$

8.2.6. $x/8 - (\sin 4x)/32 + C$

8.2.7. $(\sin^3 x)/3 - (\sin^5 x)/5 + C$

8.2.8. $-2(\cos x)^{5/2}/5 + C$

8.2.9. $\tan x - \cot x + C$

8.2.10. $(\sec^3 x)/3 - \sec x + C$

8.3.1. $-\ln |\csc x + \cot x| + C$

8.3.2. $-\csc x \cot x/2 - (1/2) \ln |\csc x + \cot x| + C$

8.3.3. $x\sqrt{x^2 - 1}/2 - \ln |x + \sqrt{x^2 - 1}|/2 + C$

8.3.4. $x\sqrt{9 + 4x^2}/2 + (9/4) \ln |2x + \sqrt{9 + 4x^2}| + C$

8.3.5. $-(1 - x^2)^{3/2}/3 + C$

8.3.6. $\arcsin(x)/8 - \sin(4 \arcsin x)/32 + C$

8.3.7. $\ln |x + \sqrt{1 + x^2}| + C$

8.3.8. $(x + 1)\sqrt{x^2 + 2x}/2 - \ln |x + 1 + \sqrt{x^2 + 2x}|/2 + C$

8.3.9. $-\arctan x - 1/x + C$

8.3.10. $2 \arcsin(x/2) - x\sqrt{4 - x^2}/2 + C$

8.3.11. $\arcsin(\sqrt{x}) - \sqrt{x}\sqrt{1-x} + C$

8.3.12. $(2x^2 + 1)\sqrt{4x^2 - 1}/24 + C$

8.4.1. $\cos x + x \sin x + C$

8.4.2. $x^2 \sin x - 2 \sin x + 2x \cos x + C$

8.4.3. $(x - 1)e^x + C$

8.4.4. $(1/2)e^{x^2} + C$

8.4.5. $(x/2) - \sin(2x)/4 + C = (x/2) - (\sin x \cos x)/2 + C$

8.4.6. $x \ln x - x + C$

8.4.7. $(x^2 \arctan x + \arctan x - x)/2 + C$

8.4.8. $-x^2 \cos x + 2x \sin x + 2 \cos x + C$

8.4.9. $x^2/4 - (\cos^2 x)/4 - (x \sin x \cos x)/2 + C$

8.4.10. $x/4 - (x \cos^2 x)/2 + (\cos x \sin x)/4 + C$

8.4.11. $x \arctan(\sqrt{x}) + \arctan(\sqrt{x}) - \sqrt{x} + C$

8.4.12. $2 \sin(\sqrt{x}) - 2\sqrt{x} \cos(\sqrt{x}) + C$

8.4.13. $\sec x \csc x - 2 \cot x + C$

8.5.1. $-\ln|x - 2|/4 + \ln|x + 2|/4 + C$

8.5.2. $-x^3/3 - 4x - 4 \ln|x - 2| + 4 \ln|x + 2| + C$

8.5.3. $-1/(x + 5) + C$

8.5.4. $-x - \ln|x - 2| + \ln|x + 2| + C$

8.5.5. $-4x + x^3/3 + 8 \arctan(x/2) + C$

8.5.6. $(1/2) \arctan(x/2 + 5/2) + C$

8.5.7. $x^2/2 - 2 \ln(4 + x^2) + C$

8.5.8. $(1/4) \ln|x + 3| - (1/4) \ln|x + 7| + C$

8.5.9. $(1/5) \ln|2x - 3| - (1/5) \ln|1 + x| + C$

8.5.10. $(1/3) \ln|x| - (1/3) \ln|x + 3| + C$

8.6.1. $\frac{(t+4)^4}{4} + C$

8.6.2. $\frac{(t^2 - 9)^{5/2}}{5} + C$

8.6.3. $\frac{(e^{t^2} + 16)^2}{4} + C$

8.6.4. $\cos t - \frac{2}{3} \cos^3 t + C$

8.6.5. $\frac{\tan^2 t}{2} + C$

8.6.6. $\ln |t^2 + t + 3| + C$

8.6.7. $\frac{1}{8} \ln |1 - 4/t^2| + C$

8.6.8. $\frac{1}{25} \tan(\arcsin(t/5)) + C = \frac{t}{25\sqrt{25-t^2}} + C$

8.6.9. $\frac{2}{3} \sqrt{\sin 3t} + C$

8.6.10. $t \tan t + \ln |\cos t| + C$

8.6.11. $2\sqrt{e^t + 1} + C$

8.6.12. $\frac{3t}{8} + \frac{\sin 2t}{4} + \frac{\sin 4t}{32} + C$

8.6.13. $\frac{\ln |t|}{3} - \frac{\ln |t+3|}{3} + C$

8.6.14. $\frac{-1}{\sin \arctan t} + C = -\sqrt{1+t^2}/t + C$

8.6.15. $\frac{-1}{2(1+\tan t)^2} + C$

8.6.16. $\frac{(t^2+1)^{5/2}}{5} - \frac{(t^2+1)^{3/2}}{3} + C$

8.6.17. $\frac{e^t \sin t - e^t \cos t}{2} + C$

8.6.18. $\frac{(t^{3/2} + 47)^4}{6} + C$

8.6.19. $\frac{2}{3(2-t^2)^{3/2}} - \frac{1}{(2-t^2)^{1/2}} + C$

8.6.20. $\frac{\ln |\sin(\arctan(2t/3))|}{9} + C = (\ln(4t^2) - \ln(9+4t^2))/18 + C$

8.6.21. $\frac{(\arctan(2t))^2}{4} + C$

8.6.22. $\frac{3 \ln |t+3|}{4} + \frac{\ln |t-1|}{4} + C$

8.6.23. $\frac{\cos^7 t}{7} - \frac{\cos^5 t}{5} + C$

8.6.24. $\frac{-1}{t-3} + C$

8.6.25. $\frac{-1}{\ln t} + C$

8.6.26. $\frac{t^2(\ln t)^2}{2} - \frac{t^2 \ln t}{2} + \frac{t^2}{4} + C$

8.6.27. $(t^3 - 3t^2 + 6t - 6)e^t + C$

8.6.28. $\frac{5+\sqrt{5}}{10} \ln(2t+1-\sqrt{5}) + \frac{5-\sqrt{5}}{10} \ln(2t+1+\sqrt{5}) + C$

9.1.1. $8\sqrt{2}/15$

9.1.2. $1/12$

9.1.3. $9/2$

9.1.4. $4/3$

9.1.5. $2/3 - 2/\pi$

9.1.6. $3/\pi - 3\sqrt{3}/(2\pi) - 1/8$

9.1.7. $1/3$

9.1.8. $10\sqrt{5}/3 - 6$

9.1.9. $500/3$

9.1.10. 2

9.1.11. $1/5$

9.1.12. $1/6$

9.2.1. $1/\pi, 5/\pi$

9.2.2. $0, 245$

9.2.3. $20, 28$

9.2.4. $(3-\pi)/(2\pi), (18-12\sqrt{3}+\pi)/(4\pi)$

9.2.5. $10/49$ meters, $20/49$ seconds

9.2.6. $45/98$ meters, $30/49$ seconds

9.2.7. $25000/49$ meters, $1000/49$ seconds

- 9.2.8.** $s(t) = \cos t$, $v(t) = -\sin t$,
maximum distance is 1,
maximum speed is 1
- 9.2.9.** $s(t) = -\sin(\pi t)/\pi^2 + t/\pi$,
 $v(t) = -\cos(\pi t)/\pi + 1/\pi$,
maximum speed is $2/\pi$
- 9.2.10.** $s(t) = t^2/2 - \sin(\pi t)/\pi^2 + t/\pi$,
 $v(t) = t - \cos(\pi t)/\pi + 1/\pi$
- 9.2.11.** $s(t) = t^2/2 + \sin(\pi t)/\pi^2 - t/\pi$,
 $v(t) = t + \cos(\pi t)/\pi - 1/\pi$
- 9.3.5.** $8\pi/3$
- 9.3.6.** $\pi/30$
- 9.3.7.** $\pi(\pi/2 - 1)$
- 9.3.8.** (a) $114\pi/5$ (b) $74\pi/5$ (c) 20π
(d) 4π
- 9.3.9.** $16\pi, 24\pi$
- 9.3.11.** $\pi h^2(3r - h)/3$
- 9.3.13.** 2π
- 9.4.1.** $2/\pi; 2/\pi; 0$
- 9.4.2.** $4/3$
- 9.4.3.** $1/A$
- 9.4.4.** $\pi/4$
- 9.4.5.** $-1/3, 1$
- 9.4.6.** $-4\sqrt{1224}$ ft/s; $-8\sqrt{1224}$ ft/s
- 9.5.1.** $\approx 5,305,028,516$ N-m
- 9.5.2.** $\approx 4,457,854,041$ N-m
- 9.5.3.** $367,500\pi$ N-m
- 9.5.4.** $49000\pi + 196000/3$ N-m
- 9.5.5.** 2450π N-m
- 9.5.6.** 0.05 N-m
- 9.5.7.** $6/5$ N-m
- 9.5.8.** 3920 N-m
- 9.5.9.** 23520 N-m
- 9.6.1.** $15/2$
- 9.6.2.** 5
- 9.6.3.** $16/5$
- 9.6.5.** $\bar{x} = 45/28$, $\bar{y} = 93/70$
- 9.6.6.** $\bar{x} = 0$, $\bar{y} = 4/(3\pi)$
- 9.6.7.** $\bar{x} = 1/2$, $\bar{y} = 2/5$
- 9.6.8.** $\bar{x} = 0$, $\bar{y} = 8/5$
- 9.6.9.** $\bar{x} = 4/7$, $\bar{y} = 2/5$
- 9.6.10.** $\bar{x} = \bar{y} = 1/5$
- 9.6.11.** $\bar{x} = 0$, $\bar{y} = 28/(9\pi)$
- 9.6.12.** $\bar{x} = \bar{y} = 28/(9\pi)$
- 9.7.1.** ∞
- 9.7.2.** $1/2$
- 9.7.3.** diverges
- 9.7.4.** diverges
- 9.7.5.** 1
- 9.7.6.** diverges
- 9.7.7.** 2
- 9.7.8.** diverges
- 9.7.9.** $\pi/6$
- 9.7.10.** diverges, 0
- 9.7.11.** diverges, 0
- 9.7.12.** diverges, no CPV
- 9.7.13.** π
- 9.7.14.** 80 mph: 90.8 to 95.3 N
90 mph: 114.9 to 120.6 N
100.9 mph: 144.5 to 151.6 N
- 9.8.2.** $\mu = 1/c$, $\sigma = 1/c$
- 9.8.3.** $\mu = (a + b)/2$, $\sigma = (a - b)^2/12$
- 9.8.4.** $7/2$
- 9.8.5.** $21/2$
- 9.8.9.** $r = 6$

9.9.1. $(22\sqrt{22} - 8)/27$

9.9.2. $\ln(2) + 3/8$

9.9.3. $a + a^3/3$

9.9.4. $\ln((\sqrt{2} + 1)/\sqrt{3})$

9.9.6. $3/4$

9.9.7. ≈ 3.82

9.9.8. ≈ 1.01

9.9.9. $\sqrt{1+e^2} - \sqrt{2} + \frac{1}{2} \ln \left(\frac{\sqrt{1+e^2}-1}{\sqrt{1+e^2}+1} \right) + \frac{1}{2} \ln(3+2\sqrt{2})$

9.10.1. $8\pi\sqrt{3} - \frac{16\pi\sqrt{2}}{3}$

9.10.3. $\frac{730\pi\sqrt{730}}{27} - \frac{10\pi\sqrt{10}}{27}$

9.10.4. $\pi + 2\pi e + \frac{1}{4}\pi e^2 - \frac{\pi}{4e^2} - \frac{2\pi}{e}$

9.10.6. $8\pi^2$

9.10.7. $2\pi + \frac{8\pi^2}{3\sqrt{3}}$

9.10.8. $a > b:$ $2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{a^2 - b^2}} \arcsin(\sqrt{a^2 - b^2}/a),$

$a < b:$ $2\pi b^2 + \frac{2\pi a^2 b}{\sqrt{b^2 - a^2}} \ln \left(\frac{b}{a} + \frac{\sqrt{b^2 - a^2}}{a} \right)$

10.1.2. $\theta = \arctan(3)$

10.1.3. $r = -4 \csc \theta$

10.1.4. $r = \sec \theta \csc^2 \theta$

10.1.5. $r = \sqrt{5}$

10.1.6. $r^2 = \sin \theta \sec^3 \theta$

10.1.7. $r \sin \theta = \sin(r \cos \theta)$

10.1.8. $r = 2/(\sin \theta - 5 \cos \theta)$

10.1.9. $r = 2 \sec \theta$

10.1.10. $0 = r^2 \cos^2 \theta - r \sin \theta + 1$

10.1.11. $0 = 3r^2 \cos^2 \theta - 2r \cos \theta - r \sin \theta$

10.1.12. $r = \sin \theta$

10.1.21. $(x^2 + y^2)^2 = 4x^2y - (x^2 + y^2)y$

10.1.22. $(x^2 + y^2)^{3/2} = y^2$

10.1.23. $x^2 + y^2 = x^2y^2$

10.1.24. $x^4 + x^2y^2 = y^2$

10.2.1. $(\theta \cos \theta + \sin \theta)/(-\theta \sin \theta + \cos \theta),$
 $(\theta^2 + 2)/(-\theta \sin \theta + \cos \theta)^3$

10.2.2. $\frac{\cos \theta + 2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta - \sin \theta},$
 $\frac{3(1 + \sin \theta)}{(\cos^2 \theta - \sin^2 \theta - \sin \theta)^3}$

10.2.3. $(\sin^2 \theta - \cos^2 \theta)/(2 \sin \theta \cos \theta),$
 $-1/(4 \sin^3 \theta \cos^3 \theta)$

10.2.4. $\frac{2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta}, \frac{2}{(\cos^2 \theta - \sin^2 \theta)^3}$

10.2.5. undefined

10.2.6. $\frac{2 \sin \theta - 3 \sin^3 \theta}{3 \cos^3 \theta - 2 \cos \theta},$
 $\frac{3 \cos^4 \theta - 3 \cos^2 \theta + 2}{2 \cos^3 \theta (3 \cos^2 \theta - 2)^3}$

10.3.1. 1

10.3.2. $9\pi/2$

10.3.3. $\sqrt{3}/3$

10.3.4. $\pi/12 + \sqrt{3}/16$

10.3.5. $\pi a^2/4$

10.3.6. $41\pi/2$

10.3.7. $2 - \pi/2$

10.3.8. $\pi/12$

10.3.9. $3\pi/16$

10.3.10. $\pi/4 - 3\sqrt{3}/8$

10.3.11. $\pi/2 + 3\sqrt{3}/8$

10.3.12. 1

10.3.13. $3/2 - \pi/4$ **10.3.14.** $\pi/3 + \sqrt{3}/2$ **10.3.15.** $\pi/3 - \sqrt{3}/4$ **10.3.16.** $4\pi^3/3$ **10.3.17.** π^2 **10.3.18.** $5\pi/24 - \sqrt{3}/4$ **10.3.19.** $7\pi/12 - \sqrt{3}$ **10.3.20.** $4\pi - \sqrt{15}/2 - 7 \arccos(1/4)$ **10.3.21.** $3\pi^3$

10.4.6. $x = t - \frac{\sin(t)}{2}, t = 1 - \frac{\cos(t)}{2}$

10.4.7. $x = 4 \cos t - \cos(4t),$
 $y = 4 \sin t - \sin(4t)$

10.4.8. $x = 2 \cos t + \cos(2t),$
 $y = 2 \sin t - \sin(2t)$

10.4.9. $x = \cos t + t \sin t,$
 $y = \sin t - t \cos t$

10.5.1. There is a horizontal tangent at all multiples of π .**10.5.2.** $9\pi/4$

10.5.3. $\int_0^{2\pi} \frac{1}{2} \sqrt{5 - 4 \cos t} dt$

10.5.4. Four points:

$$\left(\frac{-3 - 3\sqrt{5}}{4}, \pm \sqrt{\frac{5 - \sqrt{5}}{8}} \right),$$

$$\left(\frac{-3 + 3\sqrt{5}}{4}, \pm \sqrt{\frac{5 + \sqrt{5}}{8}} \right)$$

10.5.5. $11\pi/3$ **10.5.6.** $32/3$ **10.5.7.** 2π **10.5.8.** $16/3$ **10.5.9.** $(\pi/2, 1)$ **10.5.10.** $5\pi^3/6$ **10.5.11.** $2\pi^2$ **10.5.12.** $(2\pi\sqrt{4\pi^2 + 1} + \ln(2\pi + \sqrt{4\pi^2 + 1}))/2$ **11.1.1.** 1**11.1.3.** 0**11.1.4.** 1**11.1.5.** 1**11.1.6.** 0**11.2.1.** $\lim_{n \rightarrow \infty} n^2/(2n^2 + 1) = 1/2$ **11.2.2.** $\lim_{n \rightarrow \infty} 5/(2^{1/n} + 14) = 1/3$ **11.2.3.** $\sum_{n=1}^{\infty} \frac{1}{n}$ diverges, so $\sum_{n=1}^{\infty} 3 \frac{1}{n}$ diverges**11.2.4.** $-3/2$ **11.2.5.** 11**11.3.1.** diverges**11.3.2.** diverges**11.3.3.** converges**11.3.4.** converges**11.3.5.** converges**11.3.6.** converges**11.3.7.** diverges**11.3.8.** converges**11.3.9.** $N = 5$ **11.3.10.** $N = 10$ **11.3.11.** $N = 1687$ **11.3.12.** any integer greater than e^{200} **11.4.1.** converges**11.4.2.** converges**11.4.3.** diverges**11.4.4.** converges

11.4.5. 0.90**11.4.6.** 0.95**11.5.1.** converges**11.5.2.** converges**11.5.3.** converges**11.5.4.** diverges**11.5.5.** diverges**11.5.6.** diverges**11.5.7.** converges**11.5.8.** diverges**11.5.9.** converges**11.5.10.** diverges**11.6.1.** converges absolutely**11.6.2.** diverges**11.6.3.** converges conditionally**11.6.4.** converges absolutely**11.6.5.** converges conditionally**11.6.6.** converges absolutely**11.6.7.** diverges**11.6.8.** converges conditionally**11.7.5.** converges**11.7.6.** converges**11.7.7.** converges**11.7.8.** diverges**11.8.1.** $R = 1, I = (-1, 1)$ **11.8.2.** $R = \infty, I = (-\infty, \infty)$ **11.8.3.** $R = e, I = (-e, e)$ **11.8.4.** $R = e, I = (2 - e, 2 + e)$ **11.8.5.** $R = 0$, converges only when $x = 2$ **11.8.6.** $R = 1, I = [-6, -4]$ **11.9.1.** the alternating harmonic series**11.9.2.** $\sum_{n=0}^{\infty} (n+1)x^n$

11.9.3. $\sum_{n=0}^{\infty} (n+1)(n+2)x^n$

11.9.4. $\sum_{n=0}^{\infty} \frac{(n+1)(n+2)}{2} x^n, R = 1$

11.9.5. $C + \sum_{n=0}^{\infty} \frac{-1}{(n+1)(n+2)} x^{n+2}$

11.10.1. $\sum_{n=0}^{\infty} (-1)^n x^{2n}/(2n)!, R = \infty$

11.10.2. $\sum_{n=0}^{\infty} x^n/n!, R = \infty$

11.10.3. $\sum_{n=0}^{\infty} (-1)^n \frac{(x-5)^n}{5^{n+1}}, R = 5$

11.10.4. $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-1)^n}{n}, R = 1$

11.10.5. $\ln(2) + \sum_{n=1}^{\infty} (-1)^{n-1} \frac{(x-2)^n}{n2^n}, R = 2$

11.10.6. $\sum_{n=0}^{\infty} (-1)^n (n+1)(x-1)^n, R = 1$

11.10.7. $1 + \sum_{n=1}^{\infty} \frac{1 \cdot 3 \cdot 5 \cdots (2n-1)}{n! 2^n} x^n = 1 + \sum_{n=1}^{\infty} \frac{(2n-1)!}{2^{2n-1} (n-1)! n!} x^n, R = 1$

11.10.8. $x + x^3/3$

11.10.9. $\sum_{n=0}^{\infty} (-1)^n x^{4n+1}/(2n)!$

11.10.10. $\sum_{n=0}^{\infty} (-1)^n x^{n+1}/n!$

11.11.1. $1 - \frac{x^2}{2} + \frac{x^4}{24} - \frac{x^6}{720} + \cdots + \frac{x^{12}}{12!}$

11.11.2. 1000; 8

11.11.3. $x + \frac{x^3}{3} + \frac{2x^5}{15}$, error ± 1.27 .

11.12.1. diverges

11.12.2. converges

11.12.3. converges

11.12.4. diverges

11.12.5. diverges

11.12.6. diverges

11.12.7. converges

11.12.8. converges

11.12.9. converges

11.12.10. converges

11.12.11. converges

11.12.12. converges

11.12.13. converges

11.12.14. converges

11.12.15. converges

11.12.16. converges

11.12.17. diverges

11.12.18. $(-\infty, \infty)$

11.12.19. $(-3, 3)$

11.12.20. $(-3, 3)$

11.12.21. $(-1, 1)$

11.12.22. radius is 0—it converges only when
 $x = 0$

11.12.23. $(-\sqrt{3}, \sqrt{3})$

11.12.24. $(-\infty, \infty)$

11.12.25. $\sum_{n=0}^{\infty} \frac{(\ln(2))^n}{n!} x^n$

11.12.26. $\sum_{n=0}^{\infty} \frac{(-1)^n}{n+1} x^{n+1}$

11.12.27. $\sum_{n=0}^{\infty} \frac{2}{2n+1} x^{2n+1}$

11.12.28. $1 + x/2 + \sum_{n=2}^{\infty} (-1)^{n+1} \frac{1 \cdot 3 \cdot 5 \cdots (2n-3)}{2^n n!} x^n$

11.12.29. $\sum_{n=0}^{\infty} (-1)^n x^{2n}$

11.12.30. $\sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} x^{2n+1}$

11.12.31. $\pi = \sum_{n=0}^{\infty} (-1)^n \frac{4}{2n+1}$

12.1.6. $3, \sqrt{26}, \sqrt{29}$.

12.1.7. $\sqrt{14}, 2\sqrt{14}, 3\sqrt{14}$.

12.1.8. $(x-1)^2 + (y-1)^2 + (z-1)^2 = 4$.

12.1.9. $(x-2)^2 + (y+1)^2 + (z-3)^2 = 25$.

12.1.11. $(x-2)^2 + (y-1)^2 + (z+1)^2 = 16$,
 $(y-1)^2 + (z+1)^2 = 12$

12.2.6. $\sqrt{10}, \langle 0, -2 \rangle, \langle 2, 8 \rangle, 2, 2\sqrt{17}$,
 $\langle -2, -6 \rangle$

12.2.7. $\sqrt{14}, \langle 0, 4, 0 \rangle, \langle 2, 0, 6 \rangle, 4, 2\sqrt{10}$,
 $\langle -2, -4, -6 \rangle$

12.2.8. $\sqrt{2}, \langle 0, -2, 3 \rangle, \langle 2, 2, -1 \rangle, \sqrt{13}, 3$,
 $\langle -2, 0, -2 \rangle$

12.2.9. $\sqrt{3}, \langle 1, -1, 4 \rangle, \langle 1, -1, -2 \rangle, 3\sqrt{2}, \sqrt{6}$,
 $\langle -2, 2, -2 \rangle$

12.2.10. $\sqrt{14}, \langle 2, 1, 0 \rangle, \langle 4, 3, 2 \rangle, \sqrt{5}, \sqrt{29}$,
 $\langle -6, -4, -2 \rangle$

12.2.11. $\langle -3, -3, -11 \rangle, \langle -3/\sqrt{139}, -3/\sqrt{139}, -11/\sqrt{139} \rangle$,
 $\langle -12/\sqrt{139}, -12/\sqrt{139}, -44/\sqrt{139} \rangle$

12.2.12. $\langle 0, 0, 0 \rangle$

12.2.13. 0; $\langle -r\sqrt{3}/2, r/2 \rangle; \langle 10r, 0 \rangle$; where r is the radius of the clock

12.3.1. 3

- 12.3.2.** 0

12.3.3. 2

12.3.4. -6

12.3.5. 42

12.3.6. $\sqrt{6}/\sqrt{7}$, ≈ 0.39

12.3.7. $-11\sqrt{14}\sqrt{29}/406$, ≈ 2.15

12.3.8. $0, \pi/2$

12.3.9. $1/2, \pi/3$

12.3.10. $-1/\sqrt{3}$, ≈ 2.19

12.3.11. $\arccos(1/\sqrt{3}) \approx 0.96$

12.3.12. $\sqrt{5}, \langle 1, 2, 0 \rangle$.

12.3.13. $3\sqrt{14}/7, \langle 9/7, 6/7, 3/7 \rangle$.

12.3.14. $\langle 0, 5 \rangle, \langle 5\sqrt{3}, 0 \rangle$

12.3.15. $\langle 0, 15\sqrt{2}/2 \rangle, \langle 15\sqrt{2}/2, 0 \rangle$

12.3.16. Any vector of the form $\langle a, -7a/2, -2a \rangle$

12.3.17. $\langle 1/\sqrt{3}, -1/\sqrt{3}, 1/\sqrt{3} \rangle$

12.3.18. No.

12.3.19. Yes.

12.4.1. $\langle 1, -2, 1 \rangle$

12.4.2. $\langle 4, -6, -2 \rangle$

12.4.3. $\langle -7, 13, -9 \rangle$

12.4.4. $\langle 0, -1, 0 \rangle$

12.4.5. 3

12.4.6. $21/\sqrt{2}$

12.4.7. 1

12.5.1. $(x - 6) + (y - 2) + (z - 1) = 0$

12.5.2. $4(x + 1) + 5(y - 2) - (z + 3) = 0$

12.5.3. $(x - 1) - (y - 2) = 0$

12.5.4. $-2(x - 1) + 3y - 2z = 0$

12.5.5. $4(x - 1) - 6y = 0$

12.5.6. $x + 3y = 0$

12.5.7. $\langle 1, 0, 3 \rangle + t\langle 0, 2, 1 \rangle$

12.5.8. $\langle 1, 0, 3 \rangle + t\langle 1, 2, -1 \rangle$

12.5.9. $t\langle 1, 1, -1 \rangle$

12.5.10. $-2/5, 13/5$

12.5.12. neither

12.5.13. parallel

12.5.14. intersect

12.5.15. same line

12.5.19. $7/\sqrt{3}$

12.5.20. $4/\sqrt{14}$

12.5.21. $\sqrt{131}/\sqrt{14}$

12.5.22. $\sqrt{68}/3$

12.5.23. $\sqrt{42}/7$

12.5.24. $\sqrt{21}/6$

12.6.1. $(\sqrt{2}, \pi/4, 1),$
 $(\sqrt{3}, \pi/4, \arccos(1/\sqrt{3}));$
 $(7\sqrt{2}, 7\pi/4, 5),$
 $(\sqrt{123}, 7\pi/4, \arccos(5/\sqrt{123}));$
 $(1, 1, 1), (\sqrt{2}, 1, \pi/4); (0, 0, -\pi),$
 $(\pi, 0, \pi)$

12.6.2. $r^2 + z^2 = 4$

12.6.3. $r \cos \theta = 0$

12.6.4. $r^2 + 2z^2 + 2z - 5 = 0$

12.6.5. $z = e^{-r^2}$

12.6.6. $z = r$

12.6.7. $\sin \theta = 0$

12.6.8. $1 = \rho \cos \phi$

12.6.9. $\rho = 2 \sin \theta \sin \phi.$

12.6.10. $\rho \sin \phi = 2$

12.6.11. $\cos \phi = 1/\sqrt{2}$

12.6.13. $z = mr; \cot \phi = m$ if $m \neq 0$, $\phi = 0$
if $m = 0$

- 12.6.14.** A sphere with radius $1/2$, center at $(0, 1/2, 0)$
- 12.6.15.** $0 < \theta < \pi/2, 0 < \phi < \pi/2, \rho > 0;$
 $0 < \theta < \pi/2, r > 0, z > 0$
- 13.1.5.** $\langle 3 \cos t, 3 \sin t, 2 - 3 \sin t \rangle$
- 13.1.6.** $\langle 0, t \cos t, t \sin t \rangle$
- 13.2.1.** $\langle 2t, 0, 1 \rangle, \mathbf{r}'/\sqrt{1+4t^2}$
- 13.2.2.** $\langle -\sin t, 2 \cos 2t, 2t \rangle,$
 $\mathbf{r}'/\sqrt{\sin^2 t + 4 \cos^2(2t) + 4t^2}$
- 13.2.3.** $\langle -e^t \sin(e^t), e^t \cos(e^t), \cos t \rangle,$
 $\mathbf{r}'/\sqrt{e^{2t} + \cos^2 t}$
- 13.2.4.** $\langle \sqrt{2}/2, \sqrt{2}/2, \pi/4 \rangle +$
 $t \langle -\sqrt{2}/2, \sqrt{2}/2, 1 \rangle$
- 13.2.5.** $\langle 1/2, \sqrt{3}/2, -1/2 \rangle +$
 $t \langle -\sqrt{3}/2, 1/2, 2\sqrt{3} \rangle$
- 13.2.6.** $2/\sqrt{5}/\sqrt{4+\pi^2}$
- 13.2.7.** $7\sqrt{5}\sqrt{17}/85, -9\sqrt{5}\sqrt{17}/85$
- 13.2.9.** $\langle 0, t \cos t, t \sin t \rangle, \langle 0, \cos t -$
 $t \sin t, \sin t + t \cos t \rangle, \mathbf{r}'/\sqrt{1+t^2},$
 $\sqrt{1+t^2}$
- 13.2.10.** $\langle \sin t, 1 - \cos t, t^2/2 \rangle$
- 13.2.11.** $t = 4$
- 13.2.12.** $\langle t^2/2, t^3/3, \sin t \rangle$
- 13.2.15.** $(1, 1, 1)$ when $t = 1$ and $s = 0$;
 $\theta = \arccos(3/\sqrt{14})$; no
- 13.2.16.** $-6x + (y - \pi) = 0$
- 13.2.17.** $(-1, -3, 1)$
- 13.3.1.** $2\pi\sqrt{13}$
- 13.3.2.** $(-8 + 13\sqrt{13})/27$
- 13.3.3.** $\sqrt{5}/2 + \ln(\sqrt{5} + 2)/4$
- 13.3.4.** $(85\sqrt{85} - 13\sqrt{13})/27$
- 13.3.5.** $\int_0^5 \sqrt{1+e^{2t}} dt$
- 13.3.6.** $2\sqrt{2}/(2+4t^2)^{3/2}$
- 13.3.7.** $2\sqrt{2}/(1+8t^2)^{3/2}$
- 13.3.8.** $2\sqrt{1+9t^2+9t^4}/(1+4t^2+9t^4)^{3/2}$
- 13.3.9.** $12\sqrt{17}/289$
- 13.4.1.** $\langle -\sin t, \cos t, 1 \rangle, \langle -\cos t, -\sin t, 0 \rangle,$
 $0, 1$
- 13.4.2.** $\langle -\sin t, \cos t, 2t \rangle, \langle -\cos t, -\sin t, 2 \rangle,$
 $4t/\sqrt{4t^2+1}, \sqrt{4t^2+5}/\sqrt{4t^2+1}$
- 13.4.3.** $\langle -\sin t, \cos t, e^t \rangle,$
 $\langle -\cos t, -\sin t, e^t \rangle, e^{2t}/\sqrt{e^{2t}+1},$
 $\sqrt{2e^{2t}+1}/\sqrt{e^{2t}+1}$
- 13.4.4.** $\langle e^t, \cos t, e^t \rangle, \langle e^t, -\sin t, e^t \rangle,$
 $(2e^{2t} - \cos t \sin t)/\sqrt{2e^{2t}+\cos^2 t},$
 $\sqrt{2}e^t |\cos t + \sin t|/\sqrt{2e^{2t}+\cos^2 t}$
- 13.4.5.** $\langle -3 \sin t, 2 \cos t, 0 \rangle, \langle 3 \cos t, 2 \sin t, 0 \rangle$
- 13.4.6.** $\langle -3 \sin t, 2 \cos t + 0.1, 0 \rangle,$
 $\langle 3 \cos t, 2 \sin t + t/10, 0 \rangle$
- 13.4.7.** $\langle -3 \sin t, 2 \cos t, 1 \rangle, \langle 3 \cos t, 2 \sin t, t \rangle$
- 13.4.8.** $\langle -3 \sin t, 2 \cos t + 1/10, 1 \rangle,$
 $\langle 3 \cos t, 2 \sin t + t/10, t \rangle$
- 14.1.1.** $z = y^2, z = x^2, z = 0$, lines of slope 1
- 14.1.2.** $z = |y|, z = |x|, z = 2|x|$, diamonds
- 14.1.3.** $z = e^{-y^2} \sin(y^2), z = e^{-x^2} \sin(x^2),$
 $z = e^{-2x^2} \sin(2x^2)$, circles
- 14.1.4.** $z = -\sin(y), z = \sin(x), z = 0$,
lines of slope 1
- 14.1.5.** $z = y^4, z = x^4, z = 0$, hyperbolas
- 14.1.6.** (a) $\{(x, y) \mid |x| \leq 3 \text{ and } |y| \geq 2\}$
(b) $\{(x, y) \mid 1 \leq x^2 + y^2 \leq 3\}$
(c) $\{(x, y) \mid x^2 + 4y^2 \leq 16\}$
- 14.2.1.** No limit; use $x = 0$ and $y = 0$.
- 14.2.2.** No limit; use $x = 0$ and $x = y$.
- 14.2.3.** No limit; use $x = 0$ and $x = y$.

- 14.2.4.** Limit is zero.
- 14.2.5.** Limit is 1.
- 14.2.6.** Limit is zero.
- 14.2.7.** Limit is -1 .
- 14.2.8.** Limit is zero.
- 14.2.9.** No limit; use $x = 0$ and $y = 0$.
- 14.2.10.** Limit is zero.
- 14.2.11.** Limit is -1 .
- 14.2.12.** Limit is zero.
- 14.3.1.** $-2xy \sin(x^2y)$, $-x^2 \sin(x^2y) + 3y^2$
- 14.3.2.** $(y^2 - x^2y)/(x^2 + y)^2$, $x^3/(x^2 + y)^2$
- 14.3.3.** $2xe^{x^2+y^2}$, $2ye^{x^2+y^2}$
- 14.3.4.** $y \ln(xy) + y$, $x \ln(xy) + x$
- 14.3.5.** $-x/\sqrt{1-x^2-y^2}$,
 $-y/\sqrt{1-x^2-y^2}$
- 14.3.6.** $\tan y$, $x \sec^2 y$
- 14.3.7.** $-1/(x^2y)$, $-1/(xy^2)$
- 14.3.8.** $z = -2(x-1) - 3(y-1) - 1$
- 14.3.9.** $z = 1$
- 14.3.10.** $z = 6(x-3) + 3(y-1) + 10$
- 14.3.11.** $z = (x-2) + 4(y-1/2)$
- 14.3.12.** $\mathbf{r}(t) = \langle 2, 1, 4 \rangle + t\langle 2, 4, -1 \rangle$
- 14.4.1.** $4xt \cos(x^2 + y^2) + 6yt^2 \cos(x^2 + y^2)$
- 14.4.2.** $2xy \cos t + 2x^2 t$
- 14.4.3.** $2xyt \cos(st) + 2x^2 s$, $2xys \cos(st) + 2x^2 t$
- 14.4.4.** $2xy^2 t - 4yx^2 s$, $2xy^2 s + 4yx^2 t$
- 14.4.5.** x/z , $3y/(2z)$
- 14.4.6.** $-2x/z$, $-y/z$
- 14.4.7.** (a) $V' = (nR - 0.2V)/P$
(b) $P' = (nR + 0.6P)/2V$
(c) $T' = (3P - 0.4V)/(nR)$
- 14.5.1.** $9\sqrt{5}/5$
- 14.5.2.** $\sqrt{2} \cos 3$
- 14.5.3.** $e\sqrt{2}(\sqrt{3} - 1)/4$
- 14.5.4.** $\sqrt{3} + 5$
- 14.5.5.** $-\sqrt{6}(2 + \sqrt{3})/72$
- 14.5.6.** $-1/5, 0$
- 14.5.7.** $4(x-2) + 8(y-1) = 0$
- 14.5.8.** $2(x-3) + 3(y-2) = 0$
- 14.5.9.** $\langle -1, -1 - \cos 1, -\cos 1 \rangle$,
 $-\sqrt{2 + 2 \cos 1 + 2 \cos^2 1}$
- 14.5.10.** Any direction perpendicular to
 $\nabla T = \langle 1, 1, 1 \rangle$, for example,
 $\langle -1, 1, 0 \rangle$
- 14.5.11.** $2(x-1) - 6(y-1) + 6(z-3) = 0$
- 14.5.12.** $6(x-1) + 3(y-2) + 2(z-3) = 0$
- 14.5.13.** $\langle 2 + 4t, -3 - 12t, -1 - 8t \rangle$
- 14.5.14.** $\langle 4 + 8t, 2 + 4t, -2 - 36t \rangle$
- 14.5.15.** $\langle 4 + 8t, 2 + 20t, 6 - 12t \rangle$
- 14.5.16.** $\langle 0, 1 \rangle$, $\langle 4/5, -3/5 \rangle$
- 14.5.17.** (a) $\langle 4, 9 \rangle$ (b) $\langle -81, 2 \rangle$ or $\langle 81, -2 \rangle$
- 14.5.18.** in the direction of $\langle 8, 1 \rangle$
- 14.5.19.** $\nabla g(-1, 3) = \langle 2, 1 \rangle$
- 14.6.1.** $f_{xx} = (2x^3y - 6xy^3)/(x^2 + y^2)^3$,
 $f_{yy} = (2xy^3 - 6x^3y)/(x^2 + y^2)^3$
- 14.6.2.** $f_x = 3x^2y^2$, $f_y = 2x^3y + 5y^4$,
 $f_{xx} = 6xy^2$, $f_{yy} = 2x^3 + 20y^3$,
 $f_{xy} = 6x^2y$
- 14.6.3.** $f_x = 12x^2 + y^2$, $f_y = 2xy$,
 $f_{xx} = 24x$, $f_{yy} = 2x$, $f_{xy} = 2y$
- 14.6.4.** $f_x = \sin y$, $f_y = x \cos y$, $f_{xx} = 0$,
 $f_{yy} = -x \sin y$, $f_{xy} = \cos y$

14.6.5. $f_x = 3 \cos(3x) \cos(2y)$,
 $f_y = -2 \sin(3x) \sin(2y)$,
 $f_{xy} = -6 \cos(3x) \sin(2y)$,
 $f_{yy} = -4 \sin(3x) \cos(2y)$,
 $f_{xx} = -9 \sin(3x) \cos(2y)$

14.6.6. $f_x = e^{x+y^2}$, $f_y = 2ye^{x+y^2}$,
 $f_{xx} = e^{x+y^2}$,
 $f_{yy} = 4y^2e^{x+y^2} + 2e^{x+y^2}$,
 $f_{xy} = 2ye^{x+y^2}$

14.6.7. $f_x = \frac{3x^2}{2(x^3 + y^4)}$, $f_y = \frac{2y^3}{x^3 + y^4}$,
 $f_{xx} = \frac{3x}{x^3 + y^4} - \frac{9x^4}{2(x^3 + y^4)^2}$,
 $f_{yy} = \frac{6y^2}{x^3 + y^4} - \frac{8y^6}{(x^3 + y^4)^2}$,
 $f_{xy} = \frac{-6x^2y^3}{(x^3 + y^4)^2}$

14.6.8. $z_x = \frac{-x}{16z}$, $z_y = \frac{-y}{4z}$,
 $z_{xx} = -\frac{16z^2 + x^2}{16^2 z^3}$,
 $z_{yy} = -\frac{4z^2 + y^2}{16z^3}$,
 $z_{xy} = \frac{-xy}{64z^3}$

14.6.9. $z_x = -\frac{y+z}{x+y}$, $z_y = -\frac{x+z}{x+y}$,
 $z_{xx} = 2\frac{y+z}{(x+y)^2}$, $z_{yy} = 2\frac{x+z}{(x+y)^2}$,
 $z_{xy} = \frac{2z}{(x+y)^2}$

14.7.1. minimum at $(1, -1)$

14.7.2. none

14.7.3. none

14.7.4. maximum at $(1, -1/6)$

14.7.5. none

14.7.6. minimum at $(2, -1)$

14.7.7. $f(2, 2) = -2$, $f(2, 0) = 4$

14.7.8. a cube $1/\sqrt[3]{2}$ on a side

14.7.9. $65/3 \times 65/3 \times 130/3$

14.7.10. It has a square base, and is one and one half times as tall as wide. If the volume is V the dimensions are $\sqrt[3]{2V/3} \times \sqrt[3]{2V/3} \times \sqrt[3]{9V/4}$.

14.7.11. $\sqrt{100/3}$

14.7.12. $|ax_0 + by_0 + cz_0 - d|/\sqrt{a^2 + b^2 + c^2}$

14.7.13. The sides and bottom should all be $2/3$ meter, and the sides should be bent up at angle $\pi/3$.

14.7.14. $(3, 4/3)$

14.7.16. $|b|$ if $b \leq 1/2$, otherwise $\sqrt{b - 1/4}$

14.7.17. $|b|$ if $b \leq 1/2$, otherwise $\sqrt{b - 1/4}$

14.7.19. $1024/\sqrt{3}$

14.8.1. a cube

14.8.2. $65/3 \times 65/3 \times 130/3$

14.8.3. It has a square base, and is one and one half times as tall as wide. If the volume is V the dimensions are $\sqrt[3]{2V/3} \times \sqrt[3]{2V/3} \times \sqrt[3]{9V/4}$.

14.8.4. $|ax_0 + by_0 + cz_0 - d|/\sqrt{a^2 + b^2 + c^2}$

14.8.5. $(0, 0, 1), (0, 0, -1)$

14.8.6. $\sqrt[3]{4V} \times \sqrt[3]{4V} \times \sqrt[3]{V/16}$

14.8.7. Farthest: $(-\sqrt{2}, \sqrt{2}, 2 + 2\sqrt{2})$;
closest: $(2, 0, 0), (0, -2, 0)$

14.8.8. $x = y = z = 16$

14.8.9. $(1, 2, 2)$

14.8.10. $(0, \sqrt{5}, -\sqrt{5}), (0, -\sqrt{5}, \sqrt{5})$

14.8.11. standard \$65, deluxe \$75

14.8.12. $x = 9, \phi = \pi/3$

14.8.13. 35, -35

14.8.14. maximum e^4 , no minimum**14.8.15.** $5, -9/2$ **14.8.16.** $3, 3, 3$ **14.8.17.** a cube of side length $2/\sqrt{3}$ **14.8.18.** $\approx 5/8$ knots/mi**15.1.1.** 16**15.1.2.** 4**15.1.3.** $15/8$ **15.1.4.** $1/2$ **15.1.5.** $5/6$ **15.1.6.** $12 - 65/(2e)$.**15.1.7.** $1/2$ **15.1.8.** $\pi/64$ **15.1.9.** $(2/9)2^{3/2} - (2/9)$ **15.1.10.** $(1 - \cos(1))/4$ **15.1.11.** $(2\sqrt{2} - 1)/6$ **15.1.12.** $\pi - 2$ **15.1.13.** $(e^9 - 1)/6$ **15.1.14.** 448**15.1.15.** 8π **15.1.16.** 2**15.1.17.** $5/3$ **15.1.18.** $81/2$ **15.1.19.** $2a^3/3$ **15.1.20.** 4π **15.1.21.** $\pi/32$ **15.1.22.** $31/8$ **15.1.23.** $128/15$ **15.1.24.** $1800\pi \text{ m}^3$ **15.1.25.** $\frac{(e^2 + 8e + 16)}{15}\sqrt{e+4} - \frac{5\sqrt{5}}{3} - \frac{e^{5/2}}{15} + \frac{1}{15}$ **15.1.27.** $16 - 8\sqrt{2}$ **15.2.1.** 4π **15.2.2.** $32\pi/3 - 4\sqrt{3}\pi$ **15.2.3.** $(2 - \sqrt{2})\pi/3$ **15.2.4.** $4/9$ **15.2.5.** $5\pi/3$ **15.2.6.** $\pi/6$ **15.2.7.** $\pi/2$ **15.2.8.** $\pi/2 - 1$ **15.2.9.** $\sqrt{3}/4 + \pi/6$ **15.2.10.** $8 + \pi$ **15.2.11.** $\pi/12$ **15.2.12.** $(1 - \cos(9))\pi/2$ **15.2.13.** $-a^5/15$ **15.2.15.** 2π **15.3.1.** $\bar{x} = \bar{y} = 2/3$ **15.3.2.** $\bar{x} = 4/5, \bar{y} = 8/15$ **15.3.3.** $\bar{x} = 0, \bar{y} = 3\pi/16$ **15.3.4.** $\bar{x} = 0, \bar{y} = 16/(15\pi)$ **15.3.5.** $\bar{x} = 3/2, \bar{y} = 9/4$ **15.3.6.** $\bar{x} = 6/5, \bar{y} = 12/5$ **15.3.7.** $\bar{x} = 14/27, \bar{y} = 28/55$ **15.3.8.** $(3/4, 2/5)$ **15.3.9.** $\left(\frac{81\sqrt{3}}{80\pi}, 0\right)$ **15.4.1.** $\pi a\sqrt{h^2 + a^2}$ **15.4.2.** $\pi a^2\sqrt{m^2 + 1}$ **15.4.3.** $\sqrt{3}/2$ **15.4.4.** $\pi\sqrt{2}$ **15.4.5.** $\pi\sqrt{2}/8$ **15.4.6.** $\pi/2 - 1$

- 15.4.7.** $\frac{d^2\sqrt{a^2 + b^2 + c^2}}{2abc}$
- 15.4.8.** $8\sqrt{3}\pi/3$
- 15.5.1.** $11/24$
- 15.5.2.** $623/60$
- 15.5.3.** $-3e^2/4 + 2e - 3/4$
- 15.5.4.** $1/20$
- 15.5.5.** $\pi/48$
- 15.5.6.** $11/84$
- 15.5.7.** $151/60$
- 15.5.9.** 32
- 15.5.10.** $64/3$
- 15.5.11.** $\bar{x} = \bar{y} = 0, \bar{z} = 16/15$
- 15.5.12.** $\bar{x} = \bar{y} = 0, \bar{z} = 1/3$
- 15.6.1.** $\pi/12$
- 15.6.2.** $\pi(1 - \sqrt{2}/2)$
- 15.6.3.** $\pi/12$
- 15.6.4.** $5\pi/4$
- 15.6.5.** 0
- 15.6.6.** $5\pi/4$
- 15.6.7.** $4/5$
- 15.6.8.** $256\pi/15$
- 15.6.9.** $4\pi^2$
- 15.6.10.** $\pi kh^2 a^2 / 12$
- 15.6.11.** $\pi kha^3 / 6$
- 15.6.12.** $\pi^2/4$
- 15.6.13.** $4\pi/5$
- 15.6.14.** 15π
- 15.6.15.** $9k\pi(5\sqrt{2} - 2\sqrt{5})/20$
- 15.7.1.** $4\pi\sqrt{3}/3$
- 15.7.2.** 0
- 15.7.3.** $2/3$
- 15.7.4.** $\frac{e^2 - 1}{2e^2}$
- 15.7.5.** 36
- 15.7.6.** $32(\sqrt{2} + \ln(1 + \sqrt{2}))/3$
- 15.7.7.** $3\cos(1) - 3\cos(4)$
- 15.7.8.** $(4/3)\pi abc$
- 15.7.9.** $\pi(1 - \cos(1))/24$
- 16.2.1.** $13\sqrt{11}/4$
- 16.2.2.** 0
- 16.2.3.** $3\sin(4)/2$
- 16.2.4.** 0
- 16.2.5.** $2e^3$
- 16.2.6.** 128
- 16.2.7.** $(9e - 3)/2$
- 16.2.8.** $e^{e+1} - e^e - e^{1/e-1} + e^{1/e} + e^4/4 - e^{-4}/4$
- 16.2.9.** $1 + \sin(1) - \cos(1)$
- 16.2.10.** $3\ln 3 - 2\ln 2$
- 16.2.11.** $3/20 + 10\ln(2)/7$
- 16.2.12.** $2\ln 5 - 2\ln 2 + 15/32$
- 16.2.13.** 1
- 16.2.14.** 0
- 16.2.15.** $21 + \cos(1) - \cos(8)$
- 16.2.16.** $(\ln 29 - \ln 2)/2$
- 16.2.17.** $2\ln 2 + \pi/4 - 2$
- 16.2.18.** $1243/3$
- 16.2.19.** $\ln 2 + 11/3$
- 16.2.20.** $3\cos(1) - \cos(2) - \cos(4) - \cos(8)$
- 16.2.21.** $-10/3$
- 16.3.1.** no f
- 16.3.2.** $x^4/4 - y^5/5$
- 16.3.3.** no f

- 16.3.4.** no f
- 16.3.5.** $y \sin x$
- 16.3.6.** no f
- 16.3.7.** xyz
- 16.3.8.** 414
- 16.3.9.** 6
- 16.3.10.** $1/e - \sin 3$
- 16.3.11.** $1/\sqrt{77} - 1/\sqrt{3}$
- 16.4.1.** 1
- 16.4.2.** 0
- 16.4.3.** $1/(2e) - 1/(2e^7) + e/2 - e^7/2$
- 16.4.4.** $1/2$
- 16.4.5.** $-1/6$
- 16.4.6.** $(2\sqrt{3} - 10\sqrt{5} + 8\sqrt{6})/3 - 2\sqrt{2}/5 + 1/5$
- 16.4.7.** $11/2 - \ln(2)$
- 16.4.8.** $2 - \pi/2$
- 16.4.9.** $-17/12$
- 16.4.10.** 0
- 16.4.11.** $-\pi/2$
- 16.4.12.** 12π
- 16.4.13.** $2 \cos(1) - 2 \sin(1) - 1$
- 16.5.1.** $-1, 0$
- 16.5.2.** $0, a + b$
- 16.5.3.** $(2b - a)/3, 0$
- 16.5.4.** $0, 1$
- 16.5.5.** $-2\pi, 0$
- 16.5.6.** $0, 2\pi$
- 16.6.3.** $25\sqrt{21}/4$
- 16.6.4.** $\pi\sqrt{21}$
- 16.6.5.** $\pi(5\sqrt{5} - 1)/6$
- 16.6.6.** $4\pi\sqrt{2}$
- 16.6.7.** $\pi a^2/2$
- 16.6.8.** $2\pi a(a - \sqrt{a^2 - b^2})$
- 16.6.9.** $\pi((1 + 4a^2)^{3/2} - 1)/6$
- 16.6.10.** $2\pi((1 + a^2)^{3/2} - 1)/3$
- 16.6.11.** $\pi a^2 - 2a^2$
- 16.6.12.** $\pi a^2 \sqrt{1 + k^2}/4$
- 16.6.13.** $A\sqrt{1 + a^2 + b^2}$
- 16.6.14.** $A\sqrt{k^2 + 1}$
- 16.6.15.** $8a^2$
- 16.7.1.** $(0, 0, 3/8)$
- 16.7.2.** $(11/20, 11/20, 3/10)$
- 16.7.3.** $(0, 0, 1364/425)$
- 16.7.4.** on center axis, $h/3$ above the base
- 16.7.5.** 16
- 16.7.6.** 7
- 16.7.7.** $-\pi$
- 16.7.8.** $-137/120$
- 16.7.9.** $-2/e$
- 16.7.10.** $\pi b^2(-4b^4 - 3b^2 + 6a^2b^2 + 6a^2)/6$
- 16.7.11.** 0 kg/s
- 16.7.12.** $24\epsilon_0$
- 16.8.1.** -3π
- 16.8.2.** 0
- 16.8.3.** -4π
- 16.8.4.** 3π
- 16.8.5.** $A(p(c - b) + q(a - c) + a - b)$
- 16.9.1.** both are $-45\pi/4$
- 16.9.2.** $a^2bc + ab^2c + abc^2$
- 16.9.3.** $e^2 - 2e + 7/2$
- 16.9.4.** 3
- 16.9.5.** $384\pi/5$
- 16.9.6.** $\pi/3$

16.9.7. 10π

16.9.8. $\pi/2$

17.1.2. $y = \arctan t + C$

17.1.3. $y = \frac{t^{n+1}}{n+1} + 1$

17.1.4. $y = t \ln t - t + C$

17.1.5. $y = n\pi$, for any integer n .

17.1.6. none

17.1.7. $y = \pm\sqrt{t^2 + C}$

17.1.8. $y = \pm 1$, $y = (1 + Ae^{2t})/(1 - Ae^{2t})$

17.1.9. $y^4/4 - 5y = t^2/2 + C$

17.1.10. $y = (2t/3)^{3/2}$

17.1.11. $y = M + Ae^{-kt}$

17.1.12. $\frac{10 \ln(15/2)}{\ln 5} \approx 2.52$ minutes

17.1.13. $y = \frac{M}{1 + Ae^{-Mkt}}$

17.1.14. $y = 2e^{3t/2}$

17.1.15. $t = -\frac{\ln 2}{k}$

17.1.16. $600e^{-6 \ln 2/5} \approx 261$ mg; $\frac{5 \ln 300}{\ln 2} \approx 41$ days

17.1.17. $100e^{-200 \ln 2/191} \approx 48$ mg;
 $\frac{5730 \ln 50}{\ln 2} \approx 32339$ years

17.1.18. $y = y_0 e^{t \ln 2}$

17.1.19. $500e^{-5 \ln 2/4} \approx 210$ g

17.2.1. $y = Ae^{-5t}$

17.2.2. $y = Ae^{2t}$

17.2.3. $y = Ae^{-\arctan t}$

17.2.4. $y = Ae^{-t^3/3}$

17.2.5. $y = 4e^{-t}$

17.2.6. $y = -2e^{3t-3}$

17.2.7. $y = e^{1+\cos t}$

17.2.8. $y = e^2 e^{-e^t}$

17.2.9. $y = 0$

17.2.10. $y = 0$

17.2.11. $y = 4t^2$

17.2.12. $y = -2e^{(1/t)-1}$

17.2.13. $y = e^{1-t^{-2}}$

17.2.14. $y = 0$

17.2.15. $k = \ln 5$, $y = 100e^{-t \ln 5}$

17.2.16. $k = -12/13$, $y = \exp(-13t^{1/13})$

17.2.17. $y = 10^6 e^{t \ln(3/2)}$

17.2.18. $y = 10e^{-t \ln(2)/6}$

17.3.1. $y = Ae^{-4t} + 2$

17.3.2. $y = Ae^{2t} - 3$

17.3.3. $y = Ae^{-(1/2)t^2} + 5$

17.3.4. $y = Ae^{-e^t} - 2$

17.3.5. $y = Ae^t - t^2 - 2t - 2$

17.3.6. $y = Ae^{-t/2} + t - 2$

17.3.7. $y = At^2 - \frac{1}{3t}$

17.3.8. $y = \frac{c}{t} + \frac{2}{3}\sqrt{t}$

17.3.9. $y = A \cos t + \sin t$

17.3.10. $y = \frac{A}{\sec t + \tan t} + 1 - \frac{t}{\sec t + \tan t}$

17.4.1. $y(1) \approx 1.355$

17.4.2. $y(1) \approx 40.31$

17.4.3. $y(1) \approx 1.05$

17.4.4. $y(1) \approx 2.30$

17.5.4. $\frac{\omega+1}{2\omega}e^{\omega t} + \frac{\omega-1}{2\omega}e^{-\omega t}$

17.5.5. $2 \cos(3t) + 5 \sin(3t)$

17.5.6. $-(1/4)e^{-5t} + (5/4)e^{-t}$

17.5.7. $-2e^{-3t} + 2e^{4t}$

- 17.5.8.** $5e^{-6t} + 20te^{-6t}$
- 17.5.9.** $(16t - 3)e^{4t}$
- 17.5.10.** $-2\cos(\sqrt{5}t) + \sqrt{5}\sin(\sqrt{5}t)$
- 17.5.11.** $-\sqrt{2}\cos t + \sqrt{2}\sin t$
- 17.5.12.** $e^{-6t}(4\cos t + 24\sin t)$
- 17.5.13.** $2e^{-3t}\sin(3t)$
- 17.5.14.** $2\cos(2t - \pi/6)$
- 17.5.15.** $5\sqrt{2}\cos(10t - \pi/4)$
- 17.5.16.** $\sqrt{2}e^{-2t}\cos(3t - \pi/4)$
- 17.5.17.** $5e^{4t}\cos(3t + \arcsin(4/5))$
- 17.5.18.** $(2\cos(5t) + \sin(5t))e^{-2t}$
- 17.5.19.** $-(1/2)e^{-2t}\sin(2t)$
- 17.6.1.** $Ae^{5t} + Bte^{5t} + (6/169)\cos t - (5/338)\sin t$
- 17.6.2.** $Ae^{-\sqrt{2}t} + Bte^{-\sqrt{2}t} + 5$
- 17.6.3.** $A\cos(4t) + B\sin(4t) + (1/2)t^2 + (3/16)t - 5/16$
- 17.6.4.** $A\cos(\sqrt{2}t) + B\sin(\sqrt{2}t) - (\cos(5t) + \sin(5t))/23$
- 17.6.5.** $e^t(A\cos t + B\sin t) + e^{2t}/2$
- 17.6.6.** $Ae^{\sqrt{6}t} + Be^{-\sqrt{6}t} + 2 - t/3 - e^{-t}/5$
- 17.6.7.** $Ae^{-3t} + Be^{2t} - (1/5)te^{-3t}$
- 17.6.8.** $Ae^t + Be^{3t} + (1/2)te^{3t}$
- 17.6.9.** $A\cos(4t) + B\sin(4t) + (1/8)t\sin(4t)$
- 17.6.10.** $A\cos(3t) + B\sin(3t) - (1/2)t\cos(3t)$
- 17.6.11.** $Ae^{-6t} + Bte^{-6t} + 3t^2e^{-6t}$
- 17.6.12.** $Ae^{4t} + Bte^{4t} - t^2e^{4t}$
- 17.6.13.** $Ae^{-t} + Be^{-5t} + (4/5)$
- 17.6.14.** $Ae^{4t} + Be^{-3t} + (1/144) - (t/12)$
- 17.6.15.** $A\cos(\sqrt{5}t) + B\sin(\sqrt{5}t) + 8\sin(2t)$
- 17.6.16.** $Ae^{2t} + Be^{-2t} + te^{2t}$
- 17.6.17.** $4e^t + e^{-t} - 3t - 5$
- 17.6.18.** $-(4/27)\sin(3t) + (4/9)t$
- 17.6.19.** $e^{-6t}(2\cos t + 20\sin t) + 2e^{-4t}$
- 17.6.20.** $\left(-\frac{23}{325}\cos(3t) + \frac{592}{975}\sin(3t)\right) + \frac{23}{325}\cos t - \frac{11}{325}\sin t$
- 17.6.21.** $e^{-2t}(A\sin(5t) + B\cos(5t)) + 8\sin(2t) + 25\cos(2t)$
- 17.6.22.** $e^{-2t}(A\sin(2t) + B\cos(2t)) + (14/195)\sin t - (8/195)\cos t$
- 17.7.1.** $A\sin(t) + B\cos(t) - \cos t \ln |\sec t + \tan t|$
- 17.7.2.** $A\sin(t) + B\cos(t) + \frac{1}{5}e^{2t}$
- 17.7.3.** $A\sin(2t) + B\cos(2t) + \cos t - \sin t \cos t \ln |\sec t + \tan t|$
- 17.7.4.** $A\sin(2t) + B\cos(2t) + \frac{1}{2}\sin(2t)\sin^2(t) + \frac{1}{2}\sin(2t)\ln|\cos t| - \frac{t}{2}\cos(2t) + \frac{1}{4}\sin(2t)\cos(2t)$
- 17.7.5.** $Ae^{2t} + Be^{-3t} + \frac{t^3}{15}e^{2t} - \left(\frac{t^2}{5} - \frac{2t}{25} + \frac{2}{125}\right)\frac{e^{2t}}{5}$
- 17.7.6.** $Ae^t \sin t + Be^t \cos t - e^t \cos t \ln |\sec t + \tan t|$
- 17.7.7.** $Ae^t \sin t + Be^t \cos t - \frac{1}{10}\cos t(\cos^3 t + 3\sin^3 t - 2\cos t - \sin t) + \frac{1}{10}\sin t(\sin^3 t - 3\cos^3 t - 2\sin t + \cos t) = \frac{1}{10}\cos(2t) - \frac{1}{20}\sin(2t)$

